

132 Lyon Place

HARRIS BROTHERS Co.

Chicago

New York - Detroit



For More Than 30 Years
we have been nationally recognized as
America's building material headquarters

BUILDING MATERIAL
MILLWORK-LUMBER
HARRIS HOMES
PRESTO-UP GARAGES
LAKESIDE COTTAGES
PERFECTION PLUMBING
and HEATING SYSTEMS



This Book is the
OPEN DOOR to Big
Economy for those
Who Intend to Build-
Improve-Repair!



Address all Communication to -
HARRIS BROTHERS Co.
122 Fifth Ave., New York, N.Y.

CATALOG No. 551

Millwork Suggestions for the Home!




Shakespeare Front Door

First impressions are many times best. If there is any single thing about a house that makes a good first impression, that one thing is the front door. Our "Shakespeare" door in red oak, Northern birch or White Pine, showing the natural grain of the wood, with its artistic glazing is an embodiment of good taste.

There are many other handsome designs in the door pages of this book.


There are innumerable ways that you can add beauty and comfort to your home, increasing the value of your property with little expense. These colored photographic reproductions suggest a few of the many possibilities more fully described in the millwork pages of this book.



Writing Desk and Bookcase Colonnade


Here is a built-in convenience that will not only beautify the interior of your home with its impressive appearance, but add ever-convenient cases for your books, china or antiques and serve you with a spacious writing desk as well.

But one of the many splendid designs presented in the colonnade pages which follow.



Medicine Cabinet

No bathroom is complete without a built-in medicine cabinet. But you should be careful in your choice to select a cabinet of trim, neat appearance properly arranged for storage and sanitation. See the splendid designs in the cabinet pages of this book.



Astoria Buffet

The addition of a modern attractive built-in buffet is nearly as simple as setting any piece of furniture in place. The design and construction of this artistic buffet with its spacious cupboards, convenient drawers, mirrored top and leaded crystal glazed doors will delight you with the finished appearance it will give your dining room. Other designs will be found in the buffet pages of this book.



An Inviting Breakfast Alcove

Like all other articles of built-in furniture, the breakfast alcove combines usefulness, beauty and convenience. It is attractive and inviting—a time and step saver for the housewife. Even the smallest home can be greatly improved by allowing sufficient space for this little nook. Full details of this outfit in many sizes will be found in the cabinet pages of this book.

ANNOUNCEMENT EXTRAORDINARY

FOR more than thirty years our company has been nationally recognized as America's building material headquarters. Thousands of our satisfied customers in every section of the country never think of buying anything in the building material line until our big bargain stocks are carefully consulted.

During the past few years, the demand for our products in and about New York City has grown to such proportions that we found it necessary to establish sales offices and warehouses here to better serve the ever growing demand for our products.

During the past few months, we have greatly enlarged our stocks and increased our facilities to give the same direct and economical service as enjoyed by our vast patronage in the Chicago territory to all who live within the large area shown on page three of this book.

Big Stocks—Low Prices—Quick Delivery

Our big warehouses at Cresskill, New Jersey, centrally located for quick direct motor truck service are now filled with every needed item to build, improve, repair. Here you can buy your home complete, and make your selections from over a hundred beautiful permanent carpenter-built designs—your Presto-Up Summer Cottage and Garage—patented buildings which come to you complete in sections, with all doors, windows and hardware in place—ready to erect and occupy in a day or two. Big stocks of rough and finishing lumber, mouldings, trim, millwork, plumbing materials, heating systems, paint, hardware and builders' supplies of every description.

HOW TO ORDER The Things You Need

With a few exceptions as noted in the descriptions, every article in this book is in stock at our Cresskill, New Jersey, warehouses for quick, free motor truck delivery to your lot. If you find it impossible to call at our New York sales office and show room, or at our sales office in Cresskill, New Jersey, tear out the last page of this book which offers a handy order blank. Mail your order to us and quick delivery by motor truck will be made to your lot if you live within our free delivery area as shown on page three of this book. If you live beyond our free motor truck delivery area, be sure to indicate how you want shipment made.

SALES OFFICE AND SHOWROOM


122 Fifth Avenue, New York
(Between 17th and 18th Streets)

Open Daily Except Sunday from 9 A. M. to 5 P. M.
Telephone Chelsea 3654

SALES OFFICE AND SHOWYARD

Cresskill, New Jersey

Open Daily and Every Sunday from 8:30 A. M. to 5 P. M.
Telephone Englewood 1500



VIEW OF OUR 40 ACRE HEADQUARTERS PLANT AT CHICAGO

Let THIS Protect You in all Your Buying

Capital
\$10,000,000
Stock

Our Guarantee

We Guarantee that every article and merchandise in this book is exactly as illustrated and represented, that every article you receive will meet your highest expectations in value, service and satisfaction.

We Guarantee to satisfy you in all your dealings. If you are not entirely pleased we will permit the return of any material or merchandise purchased from us at our expense. We will then return your money with any transportation charges you have paid, or we will exchange the returned goods or satisfy you otherwise.

**HARRIS BROTHERS
COMPANY** 122 Fifth Ave.
New York

Established
1892

Quick Index

| Item | Page |
|-----------------------|-------|
| Cabinet Work | 28-33 |
| Doors | 4 |
| Door Frames | 10 |
| Entrances | 7 |
| French Doors | 6 |
| French Windows | 9 |
| Garage Doors | 11 |
| Hardware | 25 |
| Heating Systems | 49-56 |
| Hot Bed Sash | 15 |
| Jambs, Door | 13 |
| Lumber | 24 |
| Paint | 20 |
| Pipe and Fittings | 46-48 |
| Plasterboard | 22 |
| Plumbing Material | 36-45 |
| Porch Material | 15 |
| Presto-Up Cottages | 57-80 |
| Presto-Up Garages | 81-92 |
| Roofing | 19 |
| Side Lights and Sash | 8 |
| Screens | 16 |
| Stair Material | 34 |
| Storm Sash | 17 |
| Trim, Window and Door | 12-14 |
| Wallboard | 23 |
| Windows | 9 |
| Window Frames | 10 |

Our General Terms

Unless otherwise stated, our terms are uniformly cash with order. That means we always require cash in part or in full, depending upon price quotations in this book or our special quotations. Shipment will be made C. O. D. provided deposit of 25% accompanies your order—balance to be paid C. O. D. to our truck driver, or, if shipment is made by freight, to the freight agent.

Special Garage Terms

A small down payment is all we require upon any one-car or two-car Presto-Up Garage. We will gladly arrange for you to pay the balance in small amounts each month—less than garage rent. At the end of a year or so, you will own the best garage made instead of a handful of rent receipts. Reference to the garage pages will show you our total cash price or the total payment price and the down payment required with your order, also the small monthly payments.

Our References

We refer you to any commercial agency or bank or banker, any express company, or the publisher of any paper concerning our responsibility. We have established an enviable reputation and unquestioned business standing by our fair, square-deal methods, which have been the corner stone of this business for more than thirty-two years.

Special Cottage Terms

For a surprisingly small amount, you can own a Presto-Up Permanent Bungalow and save the money you are now paying for rent. Enclosed with this book you will find a special price list of the many attractive designs which are shown in the pages of this book. All you need is a lot and a small amount of cash. We are equipped to make prompt delivery of your bungalow, and will put it up for you within a few days. You can then move in and pay the balance as you now pay rent. Refer to the Presto-Up Bungalow price list now and make your first step on the road to homeowners' independence.

LAST PAGE OF THIS BOOK IS A HANDY ORDER BLANK


FREE DELIVERY



Study this map carefully. It illustrates the wide area to which our fleet of motor trucks make quick, free delivery to your door.

If you live a few miles beyond any of the border points, we will arrange to make delivery by truck for a slight additional charge.

To more distant points, shipments will be made by freight or express as desired.



Centrally Located Sales Offices ONE OF THEM NEAR YOU

Our New York Office

Located at 122 5th Avenue, between 17th and 18th Streets, in the heart of New York City

We have just completed our new enlarged sales office and showrooms. Here you will find a complete, full sized Presto-Up Cottage and Garage on display, together with samples and free information covering building materials of every kind. Experts are waiting here to help you solve your building problems. Drop in any time convenient for you. Our office is open daily except Sunday, from 9 A. M. to 5 P. M. Later or any time Sundays to suit your convenience by appointment.

Telephone Chelsea 3654

Our Cresskill, N. J., Office

Located in Cresskill, New Jersey, quickly and easily reached from all points in New Jersey or New York

Here at Cresskill, New Jersey, we have established our large warehouses, another convenient sales office, and showrooms. Full sized cottages and Presto-Up Garages on display. In the immediate neighborhood of this office we have erected numerous homes and garages for our customers, which can be inspected when you call. Open every day, including Sunday, from 8:30 A. M. to 5 P. M. or by appointment to suit your convenience at any time.

Telephone Englewood 1500

AMERICA'S BUILDING MATERIAL HEADQUARTERS

MODERN CLEAR FIR INSIDE DOORS

These doors are of superior manufacture, being made with the solid edge Grain Stiles and Rails, guaranteed the best doors of their kind obtainable. Panels in the 1 and 2 panel doors are 3 ply laminated veneered fir panels. Panels in the 5-cross panel doors are solid fir panels, raised as shown in illustration.




10-DN-1921



10-DN-327



10-DN-326



10-DN-325

| Sizes | Each | Sizes | Each | Sizes | Each | Sizes | Each |
|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|
| Wdt. Hgt. | 1 $\frac{3}{8}$ in. Thick |
| 2-0 x 6-0 | \$3.05 | 2-0 x 6-0 | \$3.70 | 2-0 x 6-0 | \$3.31 | 2-0 x 6-0 | \$3.05 |
| 2-0 x 6-6 | 3.10 | 2-0 x 6-6 | 3.90 | 2-0 x 6-6 | 3.50 | 2-0 x 6-6 | 3.10 |
| 2-4 x 6-6 | 3.35 | 2-4 x 6-6 | 4.30 | 2-4 x 6-6 | 3.84 | 2-4 x 6-6 | 3.35 |
| 2-0 x 6-8 | 3.15 | 2-0 x 6-8 | 3.95 | 2-0 x 6-8 | 3.70 | 2-0 x 6-8 | 3.15 |
| 2-4 x 6-8 | 3.40 | 2-4 x 6-8 | 4.40 | 2-4 x 6-8 | 3.92 | 2-4 x 6-8 | 3.40 |
| 2-6 x 6-8 | 3.55 | 2-6 x 6-8 | 4.56 | 2-6 x 6-8 | 4.10 | 2-6 x 6-8 | 3.55 |
| 2-8 x 6-8 | 3.65 | 2-8 x 6-8 | 4.80 | 2-8 x 6-8 | 4.27 | 2-8 x 6-8 | 3.65 |
| 2-0 x 7-0 | 3.35 | 2-0 x 7-0 | 4.30 | 2-0 x 7-0 | 3.84 | 2-0 x 7-0 | 3.35 |
| 2-4 x 7-0 | 3.50 | 2-4 x 7-0 | 4.72 | 2-4 x 7-0 | 4.22 | 2-4 x 7-0 | 3.50 |
| 2-6 x 7-0 | 3.60 | 2-6 x 7-0 | 4.95 | 2-6 x 7-0 | 4.40 | 2-6 x 7-0 | 3.60 |
| 2-8 x 7-0 | 3.70 | 2-8 x 7-0 | 5.20 | 2-8 x 7-0 | 4.60 | 2-8 x 7-0 | 3.70 |

BEST MADE CLEAR FIR OUTSIDE DOORS




10-DN-393



10-DN-397


Beautiful designs for the bungalow home. Clear kiln-dried Fir lumber, solid edge grain stiles and rails. 3-ply laminated panels showing the beautifully figured grain. Best quality Water-proof Glue used.



10-DN-328

First quality clear fir doors. Neat glazed effects, practical and substantial. Take any finish — varnish, paint or enamel.

All doors are first quality of clear kiln-dried lumber throughout — solid panels as shown.



10-DN-411

| Sizes | Each | Sizes | Each | Sizes | Each | Sizes | Each |
|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|-----------|---------------------------|
| Wdt. Hgt. | 1 $\frac{3}{4}$ in. Thick | Wdt. Hgt. | 1 $\frac{3}{4}$ in. Thick | Wdt. Hgt. | 1 $\frac{3}{4}$ in. Thick | Wdt. Hgt. | 1 $\frac{3}{8}$ in. Thick |
| 2-4 x 6-6 | | 2-4 x 6-8 | | 2-4 x 6-6 | \$5.25 | 2-4 x 6-6 | |
| 2-4 x 6-8 | | 2-6 x 6-8 | | 2-4 x 6-8 | 5.35 | 2-4 x 6-8 | |
| 2-6 x 6-8 | | 2-8 x 6-8 | | 2-6 x 6-8 | 5.50 | 2-6 x 6-8 | |
| 2-8 x 6-8 | \$8.75 | 2-8 x 6-8 | \$10.25 | 2-8 x 6-8 | 5.70 | 2-8 x 6-8 | \$8.10 |
| 2-8 x 7-0 | 9.15 | 2-8 x 7-0 | 10.60 | 2-8 x 7-0 | 6.00 | 2-8 x 7-0 | 8.40 |
| 3-0 x 7-0 | 10.80 | 3-0 x 7-0 | 11.25 | 3-0 x 7-0 | 6.00 | 3-0 x 7-0 | 9.75 |

Doors above are furnished with beveled plate glass at slight increase in price.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Clear Fir French or Front Doors




10-DN-1150



10-DN-1152



10-DN-1154




10-DN-1156

French
Doors
Shown
in Pairs
on
Page 6
—
All
Doors
Glazed

| SIZES | EACH | EACH | EACH | EACH |
|------------------------|---|---|---|---|
| Wdt. Hgt. 2-0 x 6-8 | 1 $\frac{3}{8}$ -in. thick \$6.60 | 1 $\frac{3}{8}$ -in. thick \$7.65 | 1 $\frac{3}{8}$ -in. thick | 1 $\frac{3}{8}$ -in. thick |
| 2-0 x 7-0 | 6.80 | 7.85 | 7.30 | 8.10 |
| 2-6 x 6-8 | 7.00 | 8.00 | 7.55 | 8.30 |
| 2-6 x 7-0 | 7.20 | 8.25 | 7.40 | 8.25 |
| 2-8 x 6-8 | 7.10 | 8.15 | 7.65 | 8.50 |
| 2-8 x 7-0 | 7.40 | 8.40 | | |
| 3-0 x 7-0 | 1 $\frac{3}{8}$ -in. thick \$9.50 | 1 $\frac{3}{8}$ -in. thick \$9.75 | 1 $\frac{3}{4}$ -in. thick \$9.65 | 1 $\frac{3}{4}$ -in. thick \$9.95 |

GLAZED OUTSIDE DOORS

COLONIAL DOOR
CLEAR FIT




10-DN-32



10-DN-447



10-DN-333




10-DN-324

All
Doors
Glazed

| SIZES | EACH | EACH | EACH | EACH |
|------------------------|---|---|---|-------------------------------------|
| Wdt. Hgt. 2-6 x 6-8 | 1 $\frac{3}{8}$ -in. thick \$5.45 | 1 $\frac{3}{8}$ -in. thick | 1 $\frac{3}{8}$ -in. thick \$6.65 | 1 $\frac{3}{4}$ -in. thick |
| 2-8 x 6-8 | 5.75 | \$8.10 | 6.80 | \$9.40 |
| 2-8 x 7-0 | 6.20 | 8.40 | 7.15 | |
| 3-0 x 7-0 | 1 $\frac{3}{8}$ -in. thick \$8.60 | 1 $\frac{3}{8}$ -in. thick \$9.75 | 1 $\frac{3}{4}$ -in. thick \$8.95 | 10.60 |

French Doors in Pairs

For Both New and Old Houses



The Old Fashioned Room


Make your home up-to-date, add greatly to its beauty as well as its selling value by installing one or more pair of French doors, both for interior and exterior—it is all the rage. You will be agreeably surprised at the enhanced beauty of your home by adding these practical light-giving, beautiful French doors.

Where you have old sliding doors or cased openings, in many instances our stock doors will fit, or can be made to fit with slight trimming.


All our French doors are guaranteed first quality doors throughout, clear kiln dried lumber, glass set with wood stops (not putted), strong, handsomely moulded bevel edged division bars. Wide stiles and rails, made for standard locks. Nothing skimpy or cheap about the doors excepting the price.



The Modern Room



10-DN-310



In the more up-to-date residences, bungalows, and modern homes, French Doors and Windows are becoming increasingly popular.

Single French Doors shown on preceding pages.



10-DN-311


Furnished in "A" quality White Pine, glazed Clear "A" double strength glass.

These doors are extra strong and exceptionally well made.

Prices for French Doors in Pairs

| | 10-DN-310 Thickness, 1 1/8 Inches | | | | | | 10-DN-311 Thickness, 1 1/8 Inches | | | | | |
|-------------------|--------------------------------------|---------|---------|---------|---------|---------|--------------------------------------|---------|---------|---------|---------|---------|
| Size..... | 4-0x6-8 | 4-0x7-0 | 5-0x6-8 | 5-0x7-0 | 5-4x6-8 | 5-4x7-0 | 4-0x6-8 | 4-0x7-0 | 5-0x6-8 | 5-0x7-0 | 5-4x6-8 | 5-4x7-0 |
| Price..... | \$12.75 | \$13.20 | \$13.90 | \$14.20 | \$13.95 | \$14.65 | \$14.10 | \$15.50 | \$15.75 | \$16.20 | \$15.95 | \$16.50 |
| Ship. Wt., Pounds | 130 | 135 | 140 | 145 | 150 | 155 | 130 | 135 | 140 | 145 | 150 | 155 |

SPECIAL ITEMS MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY



Impressive Front Entrances

“COLONIAL” FRONT ENTRANCE

This entrance has been a favorite with many high class American homes. You do not have to adhere to the style of door, sidelights or transom shown. You can select any other design shown in this book to fit the openings.

SPECIFICATIONS: The frame is hand made of Clear Oregon Fir, a wood which is best suited for exterior use because it stands up under severe weather changes. The outside casing is $1\frac{1}{8}$ inches by $4\frac{1}{4}$ inches. The sill is $1\frac{1}{8}$ inches by $7\frac{1}{4}$ inches. Jambs are $1\frac{3}{8}$ inches by $5\frac{1}{4}$ inches, rabbeted to receive doors $1\frac{1}{8}$ inches thick and furnished in this manner unless ordered to the contrary.

The workmanship is first class; finely finished and smoothly sanded ready to receive first priming coat of paint. The frame is shipped knocked down, but ready to put together. That part of the frame above the door and sidelights, which includes the transom bar and head jamb, is completely assembled and reaches you in one piece, so there is very little work necessary except to nail the jamb and sill to the head and the frame is complete.

The door illustrated in this Entrance is our “Colonial” 3-0x7-0, $1\frac{1}{4}$ No. 10-DN-324, the sidelights each 1-2x7-0, $1\frac{1}{4}$, our No. 10-DN-205 glazed Leaded Glass and the transom our No. 10-DN-407.



Prices of Frame Only

10-DN-360. COLONIAL Entrance frame only. **\$36.70**
Price.....

Shipping Weight approximately 160 pounds

10-DN-365. COLONIAL Front Entrance, complete with door, sidelights and transom as shown in cut to the right.
Price—Hardware not included. **\$76.70**

Shipping Weight 290 pounds



“ENGLEWOOD” FRONT ENTRANCE AT THE LEFT WE ILLUSTRATE A HANDSOME ENTRANCE

Made of the same excellent quality of material and workmanship as the above throughout.

SPECIFICATIONS: The frame is hand made of Clear Oregon Fir, a wood which is best for exterior use because it stands up under severe weather changes. The outside casing is $1\frac{1}{8}$ "x $4\frac{1}{4}$ ". The sill is $1\frac{1}{8}$ "x $7\frac{1}{4}$ ". Jambs are $1\frac{3}{8}$ "x $5\frac{1}{4}$ ", rabbeted to receive doors $1\frac{1}{8}$ " thick and furnished in this manner unless ordered to the contrary. The frame is shipped knocked down and perfectly fitted ready to nail together.

The door shown in the Entrance to the left is our Shakespeare 10-DN-218, 3-0x7-0, $1\frac{1}{4}$. Clear Red Oak glazed Bevel Plate Glass, the sidelights, each 1-2x7-0, $1\frac{1}{4}$, our 10-DN-405 Clear Red Oak Glazed Bevel Plate Glass, shown on pages 11 and 17 respectively.

We can furnish this Entrance with either one or two sidelights and also with transom over the door and sidelights. See diagram above.

10-DN-408. ENGLEWOOD Front Entrance, complete, per specifications above glazed in Clear Double Strength Glass. Price. **\$57.40**

10-DN-410. ENGLEWOOD Front Entrance glazed with Clear Bevel Plate as shown in illustration. Price. **\$83.30**

Shipping Weight approximately 320 pounds.

Prices do not include hardware. For price on frames only, see below.


FRONT ENTRANCE FRAMES

SPECIFICATIONS: For wood buildings, our frames are made with Crown Mould Cope Head, $1\frac{1}{8}$ "x $4\frac{1}{4}$ ", outside Casing, $1\frac{1}{8}$ "x $5\frac{1}{4}$ " Jamb, $1\frac{1}{8}$ "x $7\frac{1}{4}$ " Sill. For brick building where the wall is 13 inches thick our frames are made with $1\frac{1}{8}$ "x $10\frac{1}{4}$ " Jamb, and $1\frac{1}{8}$ "x 2 " Brick Moulding.

Prices below cover frames only, with door opening up to 3 ft. x 7 ft.; Sidelight opening up to 1 ft. 2" x 7 ft. and transom opening up to 18 inches high. All frames are shipped knocked down ready to put together.

| Style of Frame | For Wood Building | Price | For 13-inch Brick Wall | Price |
|----------------|-------------------|---------|------------------------|---------|
| “AA” | 10-DN-450 | \$13.25 | 10-DN-452 | \$15.95 |
| “BB” | 10-DN-470 | 12.95 | 10-DN-474 | 14.80 |
| “CC” | 10-DN-460 | 11.75 | 10-DN-464 | 13.75 |
| “DD” | 10-DN-480 | 9.95 | 10-DN-484 | 11.65 |

Oak Frames for 13-inch Brick Wall, 50% Extra.



AMERICA'S BUILDING MATERIAL HEADQUARTERS

Sidelights

*Note:—Sidelights are not carried in stock.
They are made to order and require
extra time for delivery.*

Made from "A" quality clear soft pine, clear red oak and clear northern birch.

Sidelight No. 10-DN-205 can be furnished with leaded glass like No. 10-DN-209. We also furnish sidelight No. 10-DN-209 glazed plain (not leaded) either double strength glass or bevel plate.


White Pine $1\frac{3}{8}$ inches thick
Oak and Birch $1\frac{3}{4}$ inches thick



10-DN-209


| Number | Wood | Glazing | Size | Price |
|-----------|------------|--------------------|------------------------|-----------------|
| 10-DN-205 | White Pine | Plain D. S. A. | 1- 2x6- 8 1- 2x7- 0 | \$ 3.98 4.17 |
| | | Like No. 10-DN-209 | 1- 2x6- 8 1- 2x7- 0 | 6.53 6.72 |
| 10-DN-209 | White Pine | Plain D. S. A. | 1- 2x6- 8 1- 2x7- 0 | 4.58 5.07 |
| | | Leaded as Shown | 1- 2x6- 8 1- 2x7- 0 | 7.58 8.07 |
| 10-DN-403 | Red Oak | Clear D. S. A. | 1- 2x6- 8 1- 2x7- 0 | 7.65 8.22 |
| | | Beveled Plate | 1- 2x6- 8 1- 2x7- 0 | 13.53 14.46 |
| 10-DN-405 | Red Oak | Clear D. S. A. | 1- 2x6- 8 1- 2x7- 0 | 11.25 12.19 |
| | | Beveled Plate | 1- 2x6- 8 1- 2x7- 0 | 17.22 18.14 |

Sidelight No. 10-DN-405 furnished in white pine $1\frac{3}{8}$ thick to match doors No. 411-1152-1154 and 1156 on preceding pages.



10-DN-405

Single Sash and Transoms




10-DN-80 Transom Sash
Clear White Pine

| Outside Measure Width Height ft. in. in. | Thickness | Price, 1 Lgt. Glazed |
|--|-----------------|-------------------------|
| 2- 6x10 | 1 $\frac{3}{8}$ | \$0.65 |
| 2- 6x12 | 1 $\frac{3}{8}$ | .67 |
| 2- 6x14 | 1 $\frac{3}{8}$ | .70 |
| 2- 6x16 | 1 $\frac{3}{8}$ | .77 |
| 2- 8x10 | 1 $\frac{3}{8}$ | .68 |
| 2- 8x12 | 1 $\frac{3}{8}$ | .70 |
| 2- 8x14 | 1 $\frac{3}{8}$ | .74 |
| 2- 8x16 | 1 $\frac{3}{8}$ | .75 |
| 2- 8x18 | 1 $\frac{3}{8}$ | .97 |
| 2- 8x20 | 1 $\frac{3}{8}$ | 1.03 |
| 2- 10x12 | 1 $\frac{3}{8}$ | .77 |
| 2- 10x14 | 1 $\frac{3}{8}$ | .80 |
| 2- 10x16 | 1 $\frac{3}{8}$ | .90 |
| 2- 10x18 | 1 $\frac{3}{8}$ | 1.01 |
| 2- 10x20 | 1 $\frac{3}{8}$ | 1.11 |
| 3- 0x12 | 1 $\frac{3}{8}$ | .86 |
| 3- 0x14 | 1 $\frac{3}{8}$ | .94 |
| 3- 0x16 | 1 $\frac{3}{8}$ | .94 |
| 3- 0x18 | 1 $\frac{3}{8}$ | 1.05 |
| 3- 0x20 | 1 $\frac{3}{8}$ | 1.16 |

Cellar Sash

Clear
White
Pine




10-DN-81

Two Lights, $1\frac{3}{8}$ Inches Thick

| Size of Glass Inches | Price, Glazed | Outside Meas. ft. in. ft. in. |
|-------------------------|------------------|----------------------------------|
| 10x12 | \$0.66 | 2- 1x1- 5 |
| 10x14 | .73 | 2- 1x1- 7 |
| 10x16 | .81 | 2- 1x1- 9 |
| 10x18 | .86 | 2- 1x1- 11 |
| 10x20 | .90 | 2- 1x2- 1 |
| 12x12 | .73 | 2- 5x1- 5 |
| 12x14 | .81 | 2- 5x1- 7 |
| 12x16 | .88 | 2- 5x1- 9 |
| 12x18 | .97 | 2- 5x1- 11 |
| 12x20 | 1.01 | 2- 5x2- 1 |
| 12x24 | 1.06 | 2- 5x2- 5 |
| 14x16 | 1.08 | 2- 5x1- 9 |
| 14x18 | 1.05 | 2- 9x1- 11 |
| 14x20 | 1.12 | 2- 9x2- 1 |

Cellar Sash




10-DN-82 Clear White Pine

Three Lights, $1\frac{3}{8}$ Inches Thick

| Size of Glass Inches | Price, Glazed | Outside Meas. ft. in. ft. in. |
|-------------------------|------------------|----------------------------------|
| 7x 9 | \$0.57 | 2- 1x1- 2 |
| 8x10 | .64 | 2- 4x1- 5 |
| 8x12 | .70 | 2- 4x1- 7 |
| 8x14 | .77 | 2- 4x1- 9 |
| 9x12 | .75 | 2- 7x1- 5 |
| 9x14 | .81 | 2- 7x1- 7 |
| 9x16 | .88 | 2- 7x1- 9 |
| 10x12 | .81 | 2- 10x1- 5 |
| 10x14 | .88 | 2- 10x1- 7 |
| 10x16 | 1.01 | 2- 10x1- 9 |
| 12x12 | .92 | 3- 4x1- 5 |
| 12x14 | 1.05 | 3- 4x1- 7 |
| 12x16 | 1.12 | 3- 4x1- 9 |
| 12x18 | 1.25 | 3- 4x1- 11 |

Stall Sash




Clear
White
Pine

10-DN-83

| Size of Glass Inches | Price Glazed | Outside Meas. ft. in. ft. in. |
|-------------------------|-----------------|----------------------------------|
| 10x12 | \$0.48 | 1-2x1-5 |
| 10x14 | .53 | 1-2x1-7 |
| 12x14 | .60 | 1-4x1-7 |
| 12x16 | .62 | 1-4x1-9 |

Single Sash




Clear White
Pine
10-DN-84

One Light, $1\frac{3}{8}$ Inches Thick

| Size of Glass Inches | Price, Glazed | Outside Measure ft. in. ft. in. |
|-------------------------|------------------|------------------------------------|
| 18x20 | \$0.92 | 1-10x2- 1 |
| 20x20 | 1.03 | 2- 0x2- 1 |
| 20x24 | 1.14 | 2- 0x2- 5 |
| 24x24 | 1.34 | 2- 4x2- 5 |
| 24x28 | 1.47 | 2- 4x2- 9 |
| 24x30 | 1.56 | 2- 4x2- 11 |

Barn Sash




10-DN-86

Clear White Pine

Four Lights, $1\frac{3}{8}$ Inch Thick

| Size of Glass Inches | Price, Glazed | Outside Measure ft. in. ft. in. |
|-------------------------|------------------|------------------------------------|
| 8x10 | \$0.77 | 1- 8x2- 1 |
| 9x12 | .90 | 1-10x2- 5 |
| 9x14 | 1.01 | 1-10x2- 9 |
| 10x12 | .96 | 2- 0x2- 5 |
| 10x14 | 1.07 | 2- 0x2- 9 |
| 10x16 | 1.30 | 2- 0x3- 1 |
| 12x14 | 1.27 | 2- 4x2- 9 |
| 12x16 | 1.40 | 2- 4x3- 1 |

Barn Sash



Clear
White
Pine

10-DN-87

6 Lights, $1\frac{1}{8}$
Inch Thick

| Size of Glass Inches | Price, Glazed | Outside Measure ft. in. ft. in. |
|-------------------------|------------------|------------------------------------|
| 8x10 | \$1.03 | 2- 4x2- 1 |
| 9x12 | 1.25 | 2- 7x2- 5 |
| 10x12 | 1.34 | 2- 10x2- 5 |
| 10x14 | 1.61 | 2- 10x2- 9 |
| 10x16 | 1.95 | 2- 10x3- 1 |
| 12x14 | 1.90 | 3- 4x2- 9 |
| 12x16 | 2.11 | 3- 4x3- 1 |


FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Standard Check Rail Windows


Clear White Pine—1 $\frac{3}{8}$ Inches Thick

These windows are manufactured in our own shops. They are of clear white pine, kiln dried, mortised, pinned and sanded, glass extra strong tacked, and puttied with high quality putty.

The term "window" means two sash—upper and lower.



10-DN-71




All check rail windows are plowed and bored for sash cord and can be used either with or without weights. The check is the beveled rail where the two sash come together, as is illustrated in cross section cut shown at left.

When ordering be sure to give width first.

Price includes both top and bottom sash.

Weight is considered an average size and weighs 28 pounds, shipping weight. Other sizes will weigh more or less in proportion to sizes.



10-DN-1342

Prices of Standard Check-Rail Windows


Two Light Check Rail Window

| Glass Size | Opening Size | 2 Lt. C. K. No. 71 | Glass Size | Opening Size | 2 Lt. C. K. No. 71 |
|------------|--------------|--------------------|------------|--------------|--------------------|
| 16x20 | 1-8 x 3-10 | \$1.63 | 24x30 | 2-4 x 5-6 | \$3.15 |
| 18x20 | 1-12 x 3-10 | 1.76 | 26x16 | 2-6 x 3-10 | 2.09 |
| 20x14 | 2-0 x 2-10 | 1.63 | 26x18 | 2-6 x 3-6 | 2.24 |
| 20x16 | 2-0 x 3-2 | 1.80 | 26x20 | 2-6 x 4-10 | 2.41 |
| 20x18 | 2-0 x 3-6 | 1.85 | 26x24 | 2-6 x 4-6 | 2.50 |
| 20x20 | 2-0 x 3-10 | 2.00 | 26x26 | 2-6 x 4-10 | 2.75 |
| 20x24 | 2-0 x 4-6 | 2.31 | 26x28 | 2-6 x 5-2 | 2.85 |
| 20x26 | 2-0 x 4-10 | 2.41 | 28x20 | 2-8 x 3-10 | 2.70 |
| 24x14 | 2-4 x 2-10 | 1.85 | 28x24 | 2-8 x 4-6 | 2.75 |
| 24x16 | 2-4 x 3-2 | 1.90 | 28x26 | 2-8 x 4-10 | 2.95 |
| 24x18 | 2-4 x 3-6 | 2.09 | 28x28 | 2-8 x 5-2 | 3.10 |
| 24x20 | 2-4 x 3-10 | 2.30 | 28x30 | 2-8 x 5-6 | 3.15 |
| 24x24 | 2-4 x 4-6 | 2.71 | 30x24 | 2-10 x 4-6 | 2.95 |
| 24x26 | 2-4 x 4-10 | 2.73 | 30x26 | 2-10 x 4-10 | 3.10 |
| 24x28 | 2-4 x 5-6 | 2.95 | 30x30 | 2-10 x 5-6 | 3.20 |


Windows with Top Divided, 6 Light

| Glass Size | Opening Size | Top Divided 6 Lts. C. K. No. 1342 | Glass Size | Opening Size | Top Divided 6 Lts. C. K. No. 1342 |
|------------|--------------|-----------------------------------|------------|--------------|-----------------------------------|
| 16x20 | 1-8 x 3-10 | \$2.08 | 24x30 | 2-4 x 5-6 | \$3.01 |
| 18x20 | 2-10 x 3-10 | 2.19 | 26x16 | 2-6 x 3-6 | 2.39 |
| 20x14 | 2-0 x 2-10 | 2.08 | 26x18 | 2-6 x 3-6 | 2.47 |
| 20x16 | 2-0 x 3-2 | 2.07 | 26x20 | 2-6 x 3-10 | 2.55 |
| 20x18 | 2-0 x 3-6 | 2.15 | 26x24 | 2-6 x 4-6 | 2.63 |
| 20x20 | 2-0 x 3-10 | 2.28 | 26x26 | 2-6 x 4-10 | 2.74 |
| 20x24 | 2-0 x 4-6 | 2.47 | 26x28 | 2-6 x 5-2 | 3.03 |
| 20x26 | 2-0 x 4-10 | 2.64 | 28x20 | 2-8 x 3-10 | 3.18 |
| 24x14 | 2-4 x 2-10 | 2.64 | 28x24 | 2-8 x 4-6 | 3.26 |
| 24x16 | 2-4 x 3-2 | 2.93 | 28x30 | 2-8 x 5-2 | 3.92 |
| 24x18 | 2-4 x 3-6 | 2.99 | 30x24 | 2-10 x 4-6 | 3.04 |
| 24x20 | 2-4 x 3-10 | 3.07 | 30x26 | 2-10 x 4-10 | 3.22 |
| 24x24 | 2-4 x 4-6 | 2.97 | 30x30 | 2-10 x 5-6 | 3.29 |
| 24x26 | 2-4 x 4-10 | 2.79 | | | 3.56 |
| 24x28 | 2-4 x 5-6 | 2.92 | | | |

French Casement Windows



10-DN-306



Lowest Prices

Handsome, artistic French Windows harmonize with any style of architecture. Made of best quality "A" grade Soft White Pine stock, glazed with clear double strength glass. They are furnished in pairs, rabbed at the center where the sash join, in the manner of a cupboard door, insuring a close fit. Strong wood dividing bars are used and the sash are built in the most substantial manner. These designs are the most desirable as well as the most popular.

Price per P' r of French Windows



10-DN-307


| Opening Size | 2-8x3-6 | 2-8x4-6 | 2-8x5-2 | 3-0x3-6 | 3-0x4-6 | 3-0x5-2 | Opening Size | 2-8x3-6 | 2-8x4-6 | 2-8x5-2 | 3-0x3-6 | 3-0x4-6 | 3-0x5-2 |
|--------------|---------|---------|---------|---------|---------|---------|--------------|---------|---------|---------|---------|---------|---------|
| 10-DN-306 | \$4.40 | \$5.60 | \$5.90 | \$4.93 | \$5.86 | \$6.45 | 10-DN-307 | \$4.54 | \$5.75 | \$7.10 | \$5.10 | \$5.90 | \$7.10 |

122 Fifth Avenue
New York, N. Y. **HARRIS BROTHERS COMPANY** Cresskill
New Jersey

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Door and Window Frames for Wood Buildings

ALL FRAMES MADE WITH DRIP CAP



Clear Kiln Dried Fir

Our Windows and Frames are of the highest grade that is manufactured. These frames are for frame buildings, having standard 2x4 studding, siding, sheathing and plaster. All frames are carried in stock in the sizes listed below, all machined, ready to put together, no further cutting or fitting is necessary. All that is necessary after receiving our frames is to nail them together and any carpenter can put any of our frames together in ten or fifteen minutes. Frames are shipped knocked down, securely bundled to avoid damage in transit.

Plain Drip Cap

Window Frames

Illustration at the left shows our Plain Drip Cap Window Frames, which are furnished complete as shown, either with or without pulleys. Specifications: Outside casing $1\frac{1}{2} \times 4\frac{1}{4}$ inches, pulley stiles and head jamb $\frac{3}{4} \times 5\frac{1}{4}$ inches over all, including blind stop, plowed for parting stop. Two member sill, main section $1\frac{1}{2} \times 3\frac{1}{2}$ inches, subsection $\frac{3}{4} \times 5\frac{1}{4}$ inches, drip cap $1\frac{1}{2} \times 1\frac{1}{8}$ inches. Ball Bearing Pulleys.


If size you want is not shown, use price of next larger size.

Mullion and Triple Frames

Mullion or Double Frames are double the price of regular single frames of the same window opening size plus 50¢.

Triple Frames are three times the price of regular single frames of the same window opening size plus \$1.00.

A window frame 28x28 2 lights is considered an average size and weighs approximately 40 pounds. Other frames will weigh more or less in proportion, according to sizes.



Prices of Drip Cap Window Frames

| Glass Size | Opening Size | Drip Cap Window Frames |
|------------|--------------|------------------------|
| 16x20 | 1-8 x 3-10 | \$2.60 |
| 18x20 | 1-10 x 3-10 | 2.64 |
| 20x14 | 2-0 x 2-10 | 2.52 |
| 20x16 | 2-0 x 3-2 | 2.60 |
| 20x18 | 2-0 x 3-6 | 2.64 |
| 20x20 | 2-0 x 3-10 | 2.82 |
| 20x24 | 2-0 x 4-6 | 2.85 |
| 20x26 | 2-0 x 4-10 | 3.10 |
| 24x14 | 2-4 x 2-10 | 2.75 |
| 24x16 | 2-4 x 3-2 | 2.82 |
| 24x18 | 2-4 x 3-6 | 2.88 |
| 24x20 | 2-4 x 3-10 | 2.96 |
| 24x24 | 2-4 x 4-6 | 3.12 |
| 24x26 | 2-4 x 4-10 | 3.34 |
| 24x28 | 2-4 x 5-2 | 3.58 |
| 24x30 | 2-4 x 5-6 | 3.62 |
| 26x16 | 2-6 x 3-2 | 2.90 |
| 26x18 | 2-6 x 3-6 | 2.95 |
| 26x20 | 2-6 x 3-10 | 3.05 |
| 26x24 | 2-6 x 4-6 | 3.20 |
| 26x26 | 2-6 x 4-10 | 3.34 |
| 26x28 | 2-6 x 5-2 | 3.58 |
| 28x20 | 2-8 x 3-10 | 3.24 |
| 28x24 | 2-8 x 4-6 | 3.35 |
| 28x26 | 2-8 x 4-10 | 3.45 |
| 28x28 | 2-8 x 5-2 | 3.58 |
| 28x30 | 2-8 x 5-6 | 3.72 |
| 30x24 | 2-10 x 4-6 | 3.58 |
| 30x26 | 2-10 x 4-10 | 3.65 |
| 30x30 | 2-10 x 5-6 | 3.76 |

SASH WEIGHTS



SPECIAL!

We will furnish proper sash weights and sufficient sash cord for each single check rail window frame for **\$1.00**

Drip Cap Door Frames

1 $\frac{1}{8}$ -Inch Outside Casing

Includes everything complete as shown; outside casing, $1\frac{1}{2} \times 4\frac{1}{4}$; solid sill, $1\frac{1}{2} \times 7\frac{1}{4}$; rabbed jamb, $1\frac{3}{4} \times 5\frac{1}{4}$.

10-DN-99. Outside door frames for 2x4 studding, with solid clear Fir sills, any size up to and including 3 ft. by 7 ft. rabbed for doors $1\frac{1}{2}$ inches in thickness. **\$4.10**

10-DN-413. Plain drip cap door frame with transom head, not exceeding 2 feet in height. Price..... **\$4.95**

Oak sills for any of above frames, \$1.00 per frame extra.

Cellar

Sash Frames!


10-DN-107.

Plank cellar sash frames are made with a $1\frac{3}{4} \times 5\frac{1}{4}$ inch jamb, $1\frac{1}{8} \times 2$ inch clear brick moulding. Knocked down, bundled for shipment. Made of clear Western Fir.

10-DN-107. Plank cellar sash frame, size 2 feet 10 inches by 1 foot 9 inches.

\$1.98

Price... Shipping Weight approximately 30 pounds.



Casement Sash Frames

With Special Water-Tight Sill

These frames are made specially for casement sash, and the water-tight sill is so constructed that the sash can swing either in or out. When ordering you must specify which way you want your sash to swing.

Be careful to order correctly, stating whether for frame or for brick building.

10-DN-488. Casement Sash Frame for frame building, jamb not over $5\frac{1}{4}$ inches, special sill construction, for glass sizes up to 44x44, plain drip cap. Price, each..... **\$4.20**


10-DN-489. Casement Sash Frame, same as above except Crown Mould Cap. Price, each. **4.30**

10-DN-490. Casement Sash Frame, same as above except made from 2x8 plank jamb or narrower jambs for brick or cement buildings, for sizes up to 44x44. Price, each..... **\$4.40**


Also made for French Windows and Sash. Write for Prices.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE


GARAGE AND MULTIFOLD DOORS



ASHLAND



ATLAS



Triple Combination of ATLAS DOORS


Our Multifold Combination Garage and Warehouse Doors are made of Clear Kiln Dried Fir. The stiles and rails of the doors are mortised and wedged stiles and rails by means of special machinery, making it practically impossible for the panel to warp or check. Water-proof glue is used on all our doors. In offering you these doors it is our intention to give you the best value obtainable for the money, and we must ask that you do not confuse these doors with the so-called "just-as-good-makes" on the market at the present time. Remember, our doors are made of Fir, of mortised and wedged construction, and equipped with durable panels—three distinct and essential features necessary to make a good garage or warehouse door.

ASHLAND DOOR

| Catalog Number | Size of each door | | | Price, per pair | Shipping Weight Pounds | MULITFOLD COMBINATION | SINGLE DOOR | DOUBLE COMBINATION | TRIPLE COMBINATION |
|----------------|-------------------|--------|--------------|-----------------|------------------------|-----------------------|--------------------------|--------------------|--------------------|
| | Width | Height | Thickness | | | | | | |
| 10-DN-502 | 4 Ft. | 8 Ft. | 1 1/4 inches | 8'x8' | \$21.00 | 240 | Size of each door..... | 2'8"x8'0" | 2'8"x8'0" |
| | | | | | | | Total size..... | 5'4"x8'0" | 5'4"x8'0" |
| | | | | | | | Price, Atlas, 10-DN-1445 | \$7.50 | \$15.00 |
| | | | | | | | | | \$21.00 |



Plain




Construction

"PRESTO" doors are extra strong and specially braced. All mortise and tenoned joints glued and pinned. Made from clear Oregon Fir Lumber. The top and middle cross member (a) 2x6. Vertical Mullions (b) 2x4. Bottom cross member (c) 2x8. Outside stiles (d) 2x6. Net thickness of the door is about 1 1/4 inches. All members are deeply rabbeted to receive the Clear kiln-dried Fir Beaded Ceiling under tremendous pressure, by special machinery. The back of the door is braced diagonally (e) and this brace is dadoed into the 2x4 stiles, (b) so that it not only gives strength to the brace but also two center braces. It is the dadoing of the mullions (b) into which the diagonal brace (e) is fitted that positively prevents sagging.

No. 38-DN-1925—Plain

Net trimmed size, 3' 11 5/8" x 7'8"

Price, each..... \$8.50



Glazed

PRESTO

"No Sag" Garage Doors

3 Sizes


The days of the old high type of automobile, requiring high openings are past. The average present day automobile can easily and with plenty of clearance enter into a 7'8" door. We are quoting below three sizes that will take care of practically any size garage. The 3'9" wide are made for the builder who wishes to build a double garage on about 16' of actual floor or lot space and will give a door opening width of 7'6" wide for each garage, ample room to drive in and out.

The 4' size are, of course, regular, one to fill opening 8' wide by 7'8" and the last size will fill an opening 8' wide by 8' high.

No. 38-DN-1926—Glazed

Net trimmed size, 3' 11 5/8" x 7'8"

Price, each..... \$11.25




Door Holders

Here is a boon to the garage owner. Thousands used as equipment on "PRESTO-UP" Garages. Prevents smashed fenders, broken doors, no more hooking on posts in the ground, no more slamming in the wind, etc., etc. Doors are released by a single pull of the chain. The door holders automatically catch and hold the doors in place as shown. Weight, 7 lbs. Price is per set (2 holders).

No. 38-DN-140. Price..... \$2.00

Hinges



Same as used on "PRESTO-UP" Garages. Heavy black japanned, the strap is 10", the butt 7" long by 2" wide. Complete with japanned screws. Weight, 4 1/4 lbs.

No. 38-DN-141. Price, per pair..... 85c

Foot Bolts and Chain Top Bolts


Round steel 6 inch case, 3/4 inch bolt. Operated by a brass coil spring. Action of bolt by toe lever. Black, Japanned.

"PRESTO-UP" CHAIN BOLTS. Round steel 6 inch case, 3/4 inch bolt. Can easily be reversed. Furnished with Duplex Steel Safety Chain with 1 inch Pull Ring. Complete with plates and screws.


No. 38-DN-142. Foot and Chain Bolts, weight 1 1/4 pounds. Price, per set..... \$1.00



No Waste Window and Door Trim



"Back Band"
Door and Window
Trim



"Mission"
Door and Window
Trim



**"Mitered Round
Edge" Casing,
Door and Window
Trim**

Made of fine selected mouldings clear and smooth. No waste when you order inside trim from these pages and no chance of mistakes. Saves much time and expense. Cut to lengths with liberal allowance for fitting on the job. Do not overlook to order two sets of trim for inside doors, one for each side and one set for outside doors and windows. Carefully cut and bundled.

If the size you require is not listed, allow price of next larger size.

PRICES

BACK BAND DOOR TRIM

The Back Band Trim shown is one of the styles of handsome trim used in our Harris Homes—easy for the carpenter to apply and easy for the housewife to keep clean.

Each set consists of $\frac{3}{4} \times 3 \frac{1}{2}$ in. Casing No. 1000, $1 \frac{1}{8} \times 1 \frac{1}{8}$ Back Band No. 1002 and O. G. Stops.

10-DN-1007—Yellow Pine

| Any size door opening up to and including | Width, Ft. In... | 2-8 | 3-0 | 5-0 | 8-0 | 9-0 |
|---|-------------------|--------|--------|--------|--------|--------|
| | Height, Ft. In... | 6-8 | 7-0 | 7-0 | 8-0 | 9-0 |
| Price..... | | \$1.54 | \$1.59 | \$1.69 | \$2.09 | \$2.54 |

BACK BAND WINDOW TRIM

Each set consists of $\frac{3}{4} \times 3 \frac{1}{2}$ in. Casing No. 1000, $1 \frac{1}{8} \times 1 \frac{1}{8}$ Back Band No. 1002, Stool No. 8267, Apron No. 8379 and O. G. Stops.

10-DN-1013—Yellow Pine

| Any size window opening up to and including | Width, Ft. In... | 2-4 $\frac{1}{8}$ | 2-6 $\frac{1}{8}$ | 2-8 $\frac{1}{8}$ | 2-10 $\frac{1}{8}$ | 3-8 $\frac{1}{8}$ |
|---|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|
| | Height, Ft. In... | 3-10 | 4-6 | 5-2 | 5-6 | 6-2 |
| Price..... | | \$1.61 | \$1.63 | \$1.77 | \$1.80 | \$2.12 |

MISSION DOOR TRIM

To those who fancy a plain trim, we recommend our Mission Style. When used with our Seattle or Olympia Door, it is considered a harmonizing design.

Each set consists of $\frac{3}{4} \times 3 \frac{1}{2}$ in. Casing No. 1000, $\frac{7}{8} \times 4 \frac{1}{4}$ Head Casing, No. 144 Base Blocks and O. G. Stops.

10-DN-1908—Yellow Pine

| Any size door opening up to and including | Width, Ft. In... | 2-8 | 3-0 | 5-0 | 8-0 | 9-0 |
|---|-------------------|--------|--------|--------|--------|--------|
| | Height, Ft. In... | 6-8 | 7-0 | 7-0 | 8-0 | 9-0 |
| Price..... | | \$1.12 | \$1.19 | \$1.28 | \$1.67 | \$1.74 |

MISSION WINDOW TRIM

Each set consists of $\frac{3}{4} \times 3 \frac{1}{2}$ in. Casing No. 1000, $\frac{7}{8} \times 4 \frac{1}{4}$ Head Casing, No. 8267 Stool, No. 8379 Apron and O. G. Stops.

10-DN-1912—Yellow Pine

| Any size window opening up to and including | Width, Ft. In... | 2-4 $\frac{1}{8}$ | 2-6 $\frac{1}{8}$ | 2-8 $\frac{1}{8}$ | 2-10 $\frac{1}{8}$ | 3-8 $\frac{1}{8}$ |
|---|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|
| | Height, Ft. In... | 3-10 | 4-6 | 5-2 | 5-6 | 6-2 |
| Price..... | | \$1.15 | \$1.26 | \$1.28 | \$1.37 | \$1.56 |

ROUND EDGE MITERED DOOR TRIM

Our Mitered Round Edge Trim, like our Back Band Trim, is of the sanitary style and when properly finished or stained, it makes a very beautiful interior trim.

Each set consists of $\frac{3}{4} \times 4 \frac{1}{4}$ Round Edge Casing No. 8309, No. 144 Base Blocks and O. G. Stops.

10-DN-2033—Yellow Pine

| Any size door opening up to and including | Width, Ft. In... | 2-8 | 3-0 | 5-0 | 8-0 | 9-0 |
|---|-------------------|--------|--------|--------|--------|--------|
| | Height, Ft. In... | 6-8 | 7-0 | 7-0 | 8-0 | 9-0 |
| Price..... | | \$1.20 | \$1.27 | \$1.36 | \$1.81 | \$1.89 |

ROUND EDGE MITERED WINDOW TRIM

Each set consists of $\frac{3}{4} \times 4 \frac{1}{4}$ Round Edge Casing No. 8309, No. 8267 Stool, No. 8379 Apron and O. G. Stops.

10-DN-2042—Yellow Pine

| Any size window opening up to and including | Width, Ft. In... | 2-4 $\frac{1}{8}$ | 2-6 $\frac{1}{8}$ | 2-8 $\frac{1}{8}$ | 2-10 $\frac{1}{8}$ | 3-8 $\frac{1}{8}$ |
|---|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|
| | Height, Ft. In... | 3-10 | 4-6 | 5-2 | 5-6 | 6-2 |
| Price..... | | \$1.28 | \$1.33 | \$1.45 | \$1.45 | \$1.76 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

In Clear Yellow Pine

Cut to lengths with liberal allowance for fitting on the job. Don't forget to order two sets of trim for inside doors, one for each side and one set for outside doors and windows. Carefully cut and bundled.

If the size you require is not listed, allow price of next larger size.

PRICES

THREE MEMBER CAP DOOR TRIM

Our Three Member Cap Trim illustrated is a standard style used in many homes today. It is always impressive, regardless of what style door it is used with.

Each set consists of $\frac{3}{4} \times 4 \frac{1}{4}$ inch Casing No. 8309. Three Member Cap, No. 144 Base Blocks and O. G. Stops.

10-DN-914—Yellow Pine

| Any size door opening up to and including | Width, Ft. In... | 2-8 | 3-0 | 5-0 | 8-0 | 9-0 |
|---|-------------------|--------|--------|--------|--------|--------|
| | Height, Ft. In... | 6-8 | 7-0 | 7-0 | 8-0 | 9-0 |
| Price..... | | \$1.47 | \$1.65 | \$1.88 | \$2.23 | \$2.44 |


THREE MEMBER CAP WINDOW TRIM

Each set consists of $\frac{3}{4} \times 4 \frac{1}{4}$ inch Casing No. 8309. Three Member Cap, No. 8267 Stool, No. 8379 Apron and O. G. Stops.

10-DN-988—Yellow Pine

| Any size window opening up to and including | Width, Ft. In... | 2-4 $\frac{1}{2}$ | 2-6 $\frac{1}{2}$ | 2-8 $\frac{1}{2}$ | 2-10 $\frac{1}{2}$ | 3-8 $\frac{1}{2}$ |
|---|-------------------|-------------------|-------------------|-------------------|--------------------|-------------------|
| | Height, Ft. In... | 3-10 | 4-6 | 5-2 | 5-6 | 6-2 |
| Price..... | | \$1.45 | \$1.57 | \$1.69 | \$1.78 | \$2.05 |

If the caps are wanted nailed together ready to nail in place, add 40¢ to the above price.



"3 Member Cap"
Door and Window Trim

Door Finish Stock

10-DN-8449.
For folding and french Doors $1 \frac{1}{2}$ in. thick. Length 8 ft. Yellow Pine each..... **75c**



10-DN-154. $\frac{3}{8} \times 3 \frac{3}{4}$ ins. Clear Oak, length 3 feet. Pine. 8 ft. long. Price, each..... **16c** Each..... **75c**

10-DN-649



Combination Cornice and Picture Moulding 10-DN-639.

Consists of four members: Cove is 5 inches. Ceiling and wall mouldings on cove, $1 \frac{3}{8} \times \frac{3}{4}$ inches. Picture moulding, $\frac{3}{4} \times \frac{1}{4}$ inches. Gives a finished touch to any room.

Per 100
Linear
Feet

| Mould | Ceiling | 10-DN-649 | Clear Yellow Pine, \$ 1.65 |
|---------|------------|-----------|----------------------------|
| Cove | 10-DN-639 | " " | 9.00 |
| Wall | 10-DN-649 | " " | 1.65 |
| Picture | 10-DN-8264 | " " | 1.65 |
| Ceiling | 10-DN-649 | Red Oak, | 3.30 |
| Cove | 10-DN-639 | " " | 18.00 |
| Wall | 10-DN-649 | " " | 3.30 |
| Picture | 10-DN-8264 | " " | 3.30 |

Wainscot Panels

10-DN-550. The beautifully figured slash grain Pacific Coast Fir makes the finest panels imaginable. Can be stained and finished to imitate oak, mahogany and other expensive woods. Fir Panels are laminated, that is, built up 3-ply, with the center layer running crosswise to the face, making them strong and warp proof, like the panels in our high grade Fir doors. The following table lists the sizes we carry in stock. Prices are for panels with one side ready to finish:



| Size, Inches | Price | Size, Inches | Price |
|--------------|--------|--------------|--------|
| 12x48 | \$0.48 | 12x60 | \$0.60 |
| 16x48 | .65 | 16x60 | .80 |
| 18x48 | .72 | 18x60 | .90 |
| 20x48 | .93 | 20x60 | 1.05 |
| 24x48 | 1.04 | 24x60 | 1.25 |

For two sides ready to finish add 50 per cent. or half more. Our Panels are cut evenly and in correct sizes.

WRITE FOR FREE SAMPLE.

10-DN-549. Panel Strips or the upright pieces used to form the panel effect are $5 \times 16 \times 2 \frac{1}{2}$ inches.

Yellow Pine, price per lineal foot..... **3 $\frac{1}{2}$ c**

Plain Red Oak, price per lineal foot..... **6 $\frac{1}{2}$ c**

For Additional Panel Strips See Page 40

Special!

Add for Yellow Pine
stops to price of Yellow
Pine jambs per
35c

Add for Red Oak
stops to price of Red
Oak jambs per
48c

Yellow Pine Jams
weigh approximately
18 lbs. shipping wt.

Red Oak Jams
weigh approximately
28 lbs. shipping wt.

Clear Fir Jams, add
10 per cent. to Yellow
Pine prices.

Unselected Birch
Jams same price as
Red Oak.

Standard Door Jams Without Stops

10-DN-101. Inside door jams for 2x4 studding, for doors 2 ft. 6 in. and under—Yellow Pine. **\$1.10**
Price, each..... **\$1.10**
2 ft. 8 in. by 6 ft. 8 in..... **1.18**
2 ft. 10 in. by 6 ft. 10 in..... **1.24**
3 ft. by 7 ft..... **1.28**

Intermediate sizes take next higher price.

10-DN-602. Inside door jams for 2x4 studding, for doors 2 ft. 6 in. by 6 ft. 6 in., or smaller sizes—Red Oak. Price, each..... **\$2.40**

10-DN-603. Same as above, except for sizes up to 2 ft. 8 in. by 6 ft. 8 in.—Red Oak. Price, each..... **\$2.50**

10-DN-604. Same as above, except for sizes up to 3 ft. 7 ft.—Red Oak. Each..... **\$2.60**

Inside Cased Opening Jams

Cased opening jams are made the same as regular standard door jams except for wider and higher openings. Price covers one complete frame made for 2x4 studding without stops. $5 \frac{1}{4}$ inch wide overall. For stops see moulding pages.


| SIZE Feet | 10-DN- 625 Yellow Pine | 10-DN- 626 Plain Red Oak | Ship- ping Weight Pounds |
|--------------|---------------------------------|--------------------------------------|-----------------------------------|
| 5 x 7 | \$1.45 | \$2.80 | 30 |
| 8 x 8 | 1.65 | 3.10 | 40 |
| 9 x 9 | 1.85 | 3.25 | 45 |

122 Fifth Avenue
New York, N. Y.

HARRIS BROTHERS COMPANY

Cresskill
New Jersey

AMERICA'S BUILDING MATERIAL HEADQUARTERS



Yellow Pine—Fir—Oak and Birch **Interior Trim**

Most popular designs of interior moulding for modern homes. Manufactured from finest selected clear woods run on low speed machines to produce an excellent smooth finish. Kept clean and bright because of our mammoth fast moving stocks. Sold in random lengths, 8 ft. to 16 ft. Furnished in clear Yellow Pine, presenting interior trim for every required finish suitable for oil, stain, paint or enamel.

Add 10% to These Prices for Specified Lengths


| Order by this No. | Name of Moulding | Size | Price per 100 Lineal Feet Yellow Pine | Weight per 100 Lineal Feet |
|-----------------------|------------------------|--|--|-------------------------------------|
| 10-DN-8496 | Chair Rail..... | $5\frac{1}{8} \times 3\frac{5}{8}$ | \$3.60 | 80 lbs. |
| 10-DN-8234 | Hook Strip..... | $5\frac{1}{8} \times 2\frac{1}{2}$ | 2.70 | 50 lbs. |
| 10-DN-8541 | Round Edge Stop..... | $1\frac{1}{2} \times 1\frac{1}{8}$ | 1.47 | 20 lbs. |
| 10-DN-8542 | Round Edge Stop..... | $1\frac{1}{2} \times 1\frac{1}{8}$ | 1.95 | 25 lbs. |
| 10-DN-8083 | O. G. Stop..... | $5\frac{1}{8} \times 1\frac{1}{8}$ | .98 | 20 lbs. |
| 10-DN-8084 | O. G. Stop..... | $3\frac{3}{8} \times 1\frac{3}{8}$ | 1.08 | 25 lbs. |
| 10-DN-8085 | O. G. Stop..... | $5\frac{1}{8} \times 1\frac{1}{8}$ | 1.37 | 25 lbs. |
| 10-DN-8096 | O. G. Stop..... | $1\frac{1}{2} \times 1\frac{1}{8}$ | 1.47 | 25 lbs. |
| 10-DN-8095 | O. G. Stop..... | $1\frac{1}{2} \times 1\frac{1}{8}$ | 1.95 | 25 lbs. |
| 10-DN-8093 | O. G. Stop..... | $1\frac{1}{2} \times 2\frac{1}{4}$ | 2.45 | 30 lbs. |
| 10-DN-8228 | Wainscote Cap..... | $3\frac{1}{4} \times 2$ | 2.70 | 40 lbs. |
| 10-DN-8264 | Picture Mould..... | $3\frac{1}{4} \times 1\frac{3}{4}$ | 1.95 | 35 lbs. |
| 10-DN-8396 | Cap Mould..... | $1\frac{1}{8} \times 2\frac{1}{4}$ | 4.68 | 80 lbs. |
| 10-DN-8394 | Head Casing..... | $3\frac{1}{4} \times 4\frac{1}{2}$ | 4.50 | 90 lbs. |
| 10-DN-8395 | Fillet..... | $\frac{1}{16} \times 1$ | 1.08 | 15 lbs. |
| 10-DN-8367 | Window Stool..... | $1\frac{1}{8} \times 3\frac{5}{8}$ | 7.45 | 100 lbs. |
| 10-DN-8379 | Window Apron..... | $3\frac{1}{4} \times 3\frac{5}{8}$ | 3.60 | 80 lbs. |
| 10-DN-8341 | Ovalo Casing..... | $3\frac{1}{4} \times 4\frac{1}{4}$ | 4.50 | 85 lbs. |
| 10-DN-8342 | Ovalo Casing..... | $3\frac{1}{4} \times 4\frac{1}{4}$ | 4.75 | 100 lbs. |
| 10-DN-8384 | O. G. Casing..... | $3\frac{1}{4} \times 4\frac{1}{4}$ | 4.50 | 85 lbs. |
| 10-DN-8385 | O. G. Casing..... | $3\frac{1}{4} \times 5\frac{1}{4}$ | 5.40 | 105 lbs. |
| 10-DN-10000 | Mission Casing..... | $3\frac{1}{4} \times 3\frac{1}{2}$ | 3.60 | 80 lbs. |
| 10-DN-1001 | Mission Casing..... | $3\frac{1}{4} \times 4\frac{1}{2}$ | 4.50 | 85 lbs. |
| 10-DN-1002 | Back Band..... | $1\frac{1}{8} \times 1\frac{1}{4}$ | 2.70 | 35 lbs. |
| 10-DN-8308 | Round Edge Casing..... | $\frac{3}{4} \times 3\frac{5}{8}$ | 3.60 | 80 lbs. |
| 10-DN-8309 | Round Edge Casing..... | $\frac{3}{4} \times 4\frac{1}{4}$ | 4.50 | 85 lbs. |
| 10-DN-8310 | Round Edge Casing..... | $\frac{3}{4} \times 4\frac{1}{4}$ | 4.75 | 95 lbs. |
| 10-DN-8311 1/2 | Round Edge Casing..... | $\frac{3}{4} \times 5\frac{1}{4}$ | 5.40 | 95 lbs. |
| 10-DN-8426 | Moulded Base..... | $\frac{3}{4} \times 7\frac{1}{4}$ | 7.20 | 140 lbs. |
| 10-DN-1003 | Round Edge Base..... | $\frac{3}{4} \times 7\frac{1}{4}$ | 7.20 | 140 lbs. |
| 10-DN-8420 | Base Mould..... | $\frac{3}{4} \times 2\frac{1}{4}$ | 3.00 | 40 lbs. |
| 10-DN-8421 | Moulded Base..... | $\frac{3}{4} \times 7\frac{1}{4}$ | 7.20 | 140 lbs. |
| 10-DN-8421 1/2 | Moulded Base..... | $\frac{3}{4} \times 5\frac{1}{4}$ | 5.40 | 105 lbs. |
| 10-DN-8422 | Base Shoe..... | $\frac{3}{4} \times 5\frac{1}{4}$ | .98 | 15 lbs. |
| 10-DN-8385 | O. G. Base..... | $\frac{3}{4} \times 5\frac{1}{4}$ | 5.40 | 105 lbs. |
| 10-DN-8386 | O. G. Base..... | $\frac{3}{4} \times 7\frac{1}{4}$ | 7.20 | 140 lbs. |
| 10-DN-8060 | Cove Mould..... | $\frac{3}{4} \times 5\frac{1}{4}$ | .98 | 15 lbs. |
| 10-DN-8065 | Quarter Round..... | $\frac{3}{4} \times 5\frac{1}{4}$ | .98 | 15 lbs. |
| Order by this No. | Name | Size | Price, Each Yellow Pine | Weight Each |
| 10-DN-144 | Base Blocks..... | $1\frac{1}{8} \times 4\frac{1}{2} \times 10$ | \$0.14 | 2 lbs. |

Special Designs Made to Order. Write for Prices!

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

HOT BED SASH

Clear White Pine



Full Size Hot Bed Sash

SIZE, 3 feet x 6 feet
1 1/8 inch thick

10-DN-1701. Price, each.....\$4.25
10-DN-1702. 12 or more, each.... 4.15
10-DN-1703. 50 or more, each.... 4.05
Shipping Weight, 60 Pounds


Open Hotbed Sash

10-DN-1704. Price, each.....\$2.62
10-DN-1705. 12 or more, each.... 2.57
10-DN-1706. 50 or more, each.... 2.52
Shipping Weight, 18 Pounds



10-DN-146. Top Rail
1 1/4x3 In. Per 100 lineal ft.....\$5.50

Four rows of glass.
Extra strong bars.
All joints extra strong mortised and tenoned.
Standard size glass (costs less to replace).
Glass set by hand.
Best linseed oil putty.
Large triangular zinc glazing points.
Extra size tacks to hold glass in place.
Extra deep rabbet.
Wood—Clear, well seasoned, close-grain White Pine.
Strengthened by heavy brads.
Largest number of strength-giving qualities.
Smallest number of shadow-casting bracing devices.
Quick shipment from Chicago.



Half Size Hot Bed Sash

SIZE 3 feet x 3 feet
1 1/8 inch thick

10-DN-1754. Price, each.....\$3.28
10-DN-1755. Dozen lots or more. Price, each.....\$3.20
10-DN-1756. Lots of 50 or more. Price, each.....\$3.15
Shipping Weight, 32 Pounds

Open Hotbed Sash

10-DN-1757. Price, each.....\$2.32
10-DN-1758. Lots of 12 or more. Price, each.....\$2.28
10-DN-1759. Lots of 50 or more. Price, each.....\$2.25
Shipping Weight, 10 Pounds.



10-DN-147. Bottom Rail
1 1/4x3 In. Per 100 lineal ft.....\$5.50

Porch Baluster Stock



Our porch baluster stock furnished in lineal feet, is all clear, soft Oregon fir correctly sized and well machined.

10-DN-556

Square Baluster Stock Surfaced All Sides
1 1/8x1 1/8 in., per 100 lineal feet.....\$1.65
1 1/8x1 1/8 in., per 100 lineal feet..... 1.90
1 1/8x1 1/8 in., per 100 lineal feet..... 3.75
Cut to lengths at 50c per 100 ft. extra

Lattice Strips



Price per 100 lineal feet.
10-DN-8281. Size, 1 1/8x1 1/8.
Price... Fir.....\$1.08
10-DN-8282. Size, 5/8x1 1/8.
Price... Fir.....\$1.40

Quarter Round



Price per 100 feet.
10-DN-8065. Size, 1/4x3/4. Price Fir \$0.98

Porch Material and Outside Trim

Watertable or Drip Cap




Price per 100 lineal feet.
10-DN-8283. Size, 1 1/8x1 1/8. Price.....\$2.40
10-DN-8284. Size, 1 1/8x2. Price..... 2.60
10-DN-8285. Size, 1 1/8x2 1/2. Price..... 3.75
10-DN-8286. Size, 1 1/8x3. Price..... 5.00

Cove Mould

Price per 100 lineal feet.
10-DN-8060. Size, 3/4x3/4. Price Fir.....\$0.98
10-DN-8061. Size, 3/4x1 1/8. Price Fir.....\$1.22

Bed Mould



Price per 100 lineal feet.
10-DN-8016. Size, 3/4x1 1/8. Price Fir.....\$2.10

Crown Mould

Price per 100 lineal feet.

| No. | Size | Price |
|-------------|-----------|-------|
| 10-DN-8000. | 3/4x3 1/4 | 4.25 |
| 10-DN-8005. | 3/4x4 1/8 | 5.25 |
| 10-DN-8006. | 3/4x4 1/4 | 5.25 |
| 10-DN-8008. | 3/4x2 1/4 | 3.15 |

Square Built-Up Columns and Newels

Made of
CLEAR SOFT OREGON FIR
Sizes and Prices of No.

| 10-DN-520 | 8x8 | 10x10 | 12x12 |
|-----------|--------|--------|--------|
| Length | in. | in. | in. |
| 6 ft. | \$3.15 | \$3.78 | \$4.56 |
| 8 ft. | 3.77 | 4.55 | 5.58 |
| 9 ft. | 4.25 | 5.01 | 6.35 |
| 10 ft. | 4.58 | 6.07 | 7.11 |

BUILT-UP NEWELS

| | | |
|------------|----------------------|---|
| 10-DN-522. | 6x6 in., 4 ft. long. | Price, each.....\$2.88 |
| 10-DN-521. | 8x8 in., 4 ft. long. | Price, each.....\$2.40 10x10 in., 4 ft. long..... 2.88 |



WINDOW SCREENS

Covered with Copper Wire


Copper Wire Window Screens are the best that money can buy. Copper wire will not rust, and at these prices it will pay you to order your screens now.

All frames are made of clear white pine $1\frac{1}{8}$ inch thick—securely mortised, tenoned and pinned.

SPECIAL SIZES

All sizes in the list below are carried in stock at our Cresskill, N. J., warehouse for quick truck delivery to you. In this list you will find sizes to fit practically every window opening. (See measuring instructions below.) Special sizes not included in this list are made to order and require 3 to 4 weeks for delivery. Orders for special size screens are NOT subject to cancellation.

Order Now—SPECIAL LOW PRICES—Quick Delivery



Full sized screens like this cover the entire window. They allow utmost ventilation and keep out mosquitoes and flies.

IMPORTANT

How to Measure Correct Screen Sizes

Screens listed here are FULL SIZE; by that I mean they cover the whole window. Take a rule and measure the "width" first and the "height" second of the window frame into which you want your screens to fit—ALWAYS GIVING "WIDTH" FIRST AND "HEIGHT" SECOND.

THEN—

pick out the size in this list of the screen which is nearest to the size of your window frame opening into which your screen is to be placed.

Remember:

Our screens are made with 2-inch top rails and sides with $4\frac{1}{2}$ -inch bottom rail. This allows trimming $\frac{1}{2}$ inch off the width and $\frac{1}{2}$ inch of height without affecting strength of the frame.

Clear White Pine Frames— $1\frac{1}{8}$ Inch Thick
Covered with Best Fine Mesh Copper Wire

PRICES ON FULL SIZE WINDOW SCREENS WITH COPPER WIRE


| Order No. | Will Fit Opening | Price | Order No. | Will Fit Opening | Price |
|-----------|---|---------------|-----------|---|---------------|
| DN. 1220 | 1- $4\frac{1}{8} \times 3-11\frac{1}{2}$ | \$1.76 | DN. 2426 | 2- $4\frac{1}{8} \times 4-11\frac{1}{2}$ | \$3.11 |
| DN. 1222 | 1- $4\frac{1}{8} \times 4-3\frac{1}{2}$ | 1.83 | DN. 2428 | 2- $4\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.33 |
| DN. 1224 | 1- $4\frac{1}{8} \times 4-7\frac{1}{2}$ | 1.94 | DN. 2430 | 2- $4\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.55 |
| DN. 1230 | 1- $4\frac{1}{8} \times 5-7\frac{1}{2}$ | 2.23 | DN. 2432 | 2- $4\frac{1}{8} \times 5-11\frac{1}{2}$ | 3.67 |
| DN. 1422 | 1- $6\frac{1}{8} \times 4-3\frac{1}{2}$ | 1.99 | DN. 2614 | 2- $6\frac{1}{8} \times 2-11\frac{1}{2}$ | 2.23 |
| DN. 1424 | 1- $6\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.10 | DN. 2616 | 2- $6\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.32 |
| DN. 1428 | 1- $6\frac{1}{8} \times 5-3\frac{1}{2}$ | 2.32 | DN. 2618 | 2- $6\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.59 |
| DN. 1430 | 1- $6\frac{1}{8} \times 5-7\frac{1}{2}$ | 2.43 | DN. 2620 | 2- $6\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.77 |
| DN. 1620 | 1- $8\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.03 | DN. 2622 | 2- $6\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.93 |
| DN. 1622 | 1- $8\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.16 | DN. 2624 | 2- $6\frac{1}{8} \times 4-7\frac{1}{2}$ | 3.15 |
| DN. 1624 | 1- $8\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.27 | DN. 2626 | 2- $6\frac{1}{8} \times 4-11\frac{1}{2}$ | 3.33 |
| DN. 1626 | 1- $8\frac{1}{8} \times 4-11\frac{1}{2}$ | 2.43 | DN. 2628 | 2- $6\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.49 |
| DN. 1628 | 1- $8\frac{1}{8} \times 5-3\frac{1}{2}$ | 2.55 | DN. 2630 | 2- $6\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.55 |
| DN. 1630 | 1- $8\frac{1}{8} \times 5-7\frac{1}{2}$ | 2.66 | DN. 2632 | 2- $6\frac{1}{8} \times 5-11\frac{1}{2}$ | 3.70 |
| DN. 1820 | 1- $10\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.23 | DN. 1316 | 2- $7\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.48 |
| DN. 1822 | 1- $10\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.32 | DN. 1318 | 2- $7\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.66 |
| DN. 1824 | 1- $10\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.43 | DN. 1320 | 2- $7\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.83 |
| DN. 1826 | 1- $10\frac{1}{8} \times 4-11\frac{1}{2}$ | 2.61 | DN. 1322 | 2- $7\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.99 |
| DN. 1828 | 1- $10\frac{1}{8} \times 5-3\frac{1}{2}$ | 2.72 | DN. 1324 | 2- $7\frac{1}{8} \times 4-7\frac{1}{2}$ | 3.22 |
| DN. 1830 | 1- $10\frac{1}{8} \times 5-7\frac{1}{2}$ | 2.88 | DN. 1326 | 2- $7\frac{1}{8} \times 4-11\frac{1}{2}$ | 3.44 |
| DN. 2014 | 2- $0\frac{1}{8} \times 2-11\frac{1}{2}$ | 1.87 | DN. 1328 | 2- $7\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.60 |
| DN. 2016 | 2- $0\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.03 | DN. 1330 | 2- $7\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.83 |
| DN. 2018 | 2- $0\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.16 | DN. 2814 | 2- $8\frac{1}{8} \times 2-11\frac{1}{2}$ | 2.32 |
| DN. 2020 | 2- $0\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.32 | DN. 2816 | 2- $8\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.55 |
| DN. 2022 | 2- $0\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.43 | DN. 2818 | 2- $8\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.71 |
| DN. 2024 | 2- $0\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.66 | DN. 2820 | 2- $8\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.93 |
| DN. 2026 | 2- $0\frac{1}{8} \times 4-11\frac{1}{2}$ | 2.77 | DN. 2822 | 2- $8\frac{1}{8} \times 4-3\frac{1}{2}$ | 3.11 |
| DN. 2028 | 2- $0\frac{1}{8} \times 5-3\frac{1}{2}$ | 2.88 | DN. 2824 | 2- $8\frac{1}{8} \times 4-7\frac{1}{2}$ | 3.33 |
| DN. 2030 | 2- $0\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.11 | DN. 2826 | 2- $8\frac{1}{8} \times 4-11\frac{1}{2}$ | 3.49 |
| DN. 2214 | 2- $2\frac{1}{8} \times 2-11\frac{1}{2}$ | 1.99 | DN. 2828 | 2- $8\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.55 |
| DN. 2216 | 2- $2\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.16 | DN. 2830 | 2- $8\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.71 |
| DN. 2218 | 2- $2\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.32 | DN. 2832 | 2- $8\frac{1}{8} \times 5-11\frac{1}{2}$ | 3.94 |
| DN. 2220 | 2- $2\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.48 | DN. 3020 | 2- $10\frac{1}{8} \times 3-11\frac{1}{2}$ | 3.06 |
| DN. 2222 | 2- $2\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.66 | DN. 3022 | 2- $10\frac{1}{8} \times 4-3\frac{1}{2}$ | 3.27 |
| DN. 2224 | 2- $2\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.77 | DN. 3024 | 2- $10\frac{1}{8} \times 4-7\frac{1}{2}$ | 3.49 |
| DN. 2226 | 2- $2\frac{1}{8} \times 4-11\frac{1}{2}$ | 2.99 | DN. 3026 | 2- $10\frac{1}{8} \times 4-11\frac{1}{2}$ | 3.71 |
| DN. 2228 | 2- $2\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.11 | DN. 3028 | 2- $10\frac{1}{8} \times 5-3\frac{1}{2}$ | 3.95 |
| DN. 2230 | 2- $2\frac{1}{8} \times 5-7\frac{1}{2}$ | 3.22 | DN. 3030 | 2- $10\frac{1}{8} \times 5-7\frac{1}{2}$ | 4.19 |
| DN. 2232 | 2- $2\frac{1}{8} \times 5-11\frac{1}{2}$ | 3.33 | DN. 3032 | 2- $10\frac{1}{8} \times 5-11\frac{1}{2}$ | 4.42 |
| DN. 2414 | 2- $4\frac{1}{8} \times 2-11\frac{1}{2}$ | 2.10 | DN. 3220 | 3- $0\frac{1}{8} \times 3-11\frac{1}{2}$ | 3.22 |
| DN. 2416 | 2- $4\frac{1}{8} \times 3-3\frac{1}{2}$ | 2.16 | DN. 3222 | 3- $0\frac{1}{8} \times 4-3\frac{1}{2}$ | 3.44 |
| DN. 2418 | 2- $4\frac{1}{8} \times 3-7\frac{1}{2}$ | 2.43 | DN. 3224 | 3- $0\frac{1}{8} \times 4-7\frac{1}{2}$ | 3.67 |
| DN. 2420 | 2- $4\frac{1}{8} \times 3-11\frac{1}{2}$ | 2.59 | DN. 3226 | 3- $0\frac{1}{8} \times 4-11\frac{1}{2}$ | 3.89 |
| DN. 2422 | 2- $4\frac{1}{8} \times 4-3\frac{1}{2}$ | 2.71 | DN. 3230 | 3- $0\frac{1}{8} \times 5-7\frac{1}{2}$ | 4.11 |
| DN. 2424 | 2- $4\frac{1}{8} \times 4-7\frac{1}{2}$ | 2.99 | DN. 3232 | 3- $0\frac{1}{8} \times 5-11\frac{1}{2}$ | 4.34 |
| | | | | | 4.56 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE



STORM SASH

Clear, Glazed and Puttied




Full sized Storm Sash in all styles to fit windows of practically every size will be found in the complete list below. Frames are made of clear white pine securely fitted and joined. Glazed with best clear glass and finest putty.

Storm sash will save more than their low cost in one winter. They keep out dangerous draughts and insure cold weather health and comfort.

2-Light Storm Sash

| Catalog No. | Will Fit Opening Ft. In. | Price |
|-------------|--------------------------|--------|
| EN-1220-2 | 1-4 1/8 x 3-11 1/2 | \$1.52 |
| EN-1222-2 | 1-4 1/8 x 4-3 1/2 | 1.70 |
| EN-1224-2 | 1-4 1/8 x 4-7 1/2 | 1.70 |
| EN-1228-2 | 1-4 1/8 x 5-3 1/2 | 1.84 |
| EN-1424-2 | 1-6 1/8 x 7-7 1/2 | 1.75 |
| EN-1428-2 | 1-6 1/8 x 5-3 1/2 | 2.01 |
| EN-1430-2 | 1-6 1/8 x 5-7 1/2 | 2.34 |
| EN-1620-2 | 1-8 1/8 x 3-11 1/2 | 1.76 |
| EN-1622-2 | 1-8 1/8 x 4-3 1/2 | 1.84 |
| EN-1624-2 | 1-8 1/8 x 4-7 1/2 | 1.90 |
| EN-1626-2 | 1-8 1/8 x 4-11 1/2 | 2.14 |
| EN-1628-2 | 1-8 1/8 x 5-3 1/2 | 2.24 |
| EN-1630-2 | 1-8 1/8 x 5-7 1/2 | 2.34 |
| EN-1632-2 | 1-8 1/8 x 5-11 1/2 | 2.43 |
| EN-1636-2 | 1-8 1/8 x 6-7 1/2 | 2.53 |
| EN-1820-2 | 1-10 1/8 x 3-11 1/2 | 1.84 |
| EN-1824-2 | 1-10 1/8 x 4-7 1/2 | 2.14 |
| EN-1826-2 | 1-10 1/8 x 4-11 1/2 | 2.27 |
| EN-1828-2 | 1-10 1/8 x 5-3 1/2 | 2.37 |
| EN-1830-2 | 1-10 1/8 x 5-7 1/2 | 2.53 |
| EN-2024-2 | 2-0 1/8 x 4-7 1/2 | 2.14 |
| EN-2026-2 | 2-0 1/8 x 4-11 1/2 | 2.27 |
| EN-2028-2 | 2-0 1/8 x 5-3 1/2 | 2.37 |
| EN-2030-2 | 2-0 1/8 x 5-7 1/2 | 2.59 |
| EN-2224-2 | 2-2 1/8 x 4-7 1/2 | 2.30 |
| EN-2226-2 | 2-2 1/8 x 4-11 1/2 | 2.42 |
| EN-2228-2 | 2-2 1/8 x 5-3 1/2 | 2.58 |
| EN-2230-2 | 2-2 1/8 x 5-7 1/2 | 2.77 |
| EN-2420-2 | 2-4 1/8 x 3-11 1/2 | 2.10 |
| EN-2424-2 | 2-4 1/8 x 4-7 1/2 | 2.38 |
| EN-2426-2 | 2-4 1/8 x 4-11 1/2 | 2.42 |
| EN-2428-2 | 2-4 1/8 x 5-3 1/2 | 2.58 |
| EN-2430-2 | 2-4 1/8 x 5-7 1/2 | 2.77 |
| EN-2624-2 | 2-6 1/8 x 4-7 1/2 | 2.46 |
| EN-2626-2 | 2-6 1/8 x 4-11 1/2 | 2.58 |
| EN-2628-2 | 2-6 1/8 x 5-3 1/2 | 2.82 |
| EN-2630-2 | 2-6 1/8 x 5-7 1/2 | 3.06 |
| EN-2824-2 | 2-8 1/8 x 4-7 1/2 | 2.66 |
| EN-2826-2 | 2-8 1/8 x 4-11 1/2 | 2.82 |
| EN-2828-2 | 2-8 1/8 x 5-3 1/2 | 2.98 |
| EN-2830-2 | 2-8 1/8 x 5-7 1/2 | 3.06 |
| EN-3024-2 | 2-10 1/8 x 4-7 1/2 | 2.77 |
| EN-3026-2 | 2-10 1/8 x 4-11 1/2 | 3.06 |
| EN-3028-2 | 2-10 1/8 x 5-3 1/2 | 3.09 |
| EN-3030-2 | 2-10 1/8 x 5-7 1/2 | 3.47 |
| EN-3032-2 | 2-10 1/8 x 5-11 1/2 | 3.82 |



8-Light Storm or Porch Sash

| ORDER No. | Will Fit Opening ft. in. ft. in. | Price Glazed |
|-----------|----------------------------------|--------------|
| EN-810-8 | 1-9 x3-11 1/2 | \$1.82 |
| EN-912-8 | 1-11 x4-7 1/2 | 2.10 |
| EN-1012-8 | 2-1 x4-7 1/2 | 2.10 |
| EN-1014-8 | 2-1 x5-3 1/2 | 2.38 |
| EN-1016-8 | 2-1 x5-11 1/2 | 2.78 |
| EN-1214-8 | 2-5 x5-3 1/2 | 2.62 |
| EN-1216-8 | 2-5 x5-11 1/2 | 3.06 |
| EN-1416-8 | 2-9 x5-11 1/2 | 3.34 |

SPECIAL SIZES!

Storm sash sizes are measured the same as screens. (See measuring instructions on page opposite.) If you are unable to find sizes wanted ask for prices on special sizes.



12-Light Storm or Porch Sash


| ORDER No. | Will Fit Opening ft. in. ft. in. | Price Glazed |
|------------|----------------------------------|--------------|
| EN-810-12 | 2-4 1/8 x3-11 1/2 | \$2.18 |
| EN-912-12 | 2-7 1/8 x4-7 1/2 | 2.58 |
| EN-914-12 | 2-7 1/8 x5-3 1/2 | 2.90 |
| EN-1012-12 | 2-10 1/8 x4-7 1/2 | 2.67 |
| EN-1014-12 | 2-10 1/8 x5-3 1/2 | 2.96 |
| EN-1016-12 | 2-10 1/8 x5-11 1/2 | 3.62 |
| EN-1214-12 | 3-4 1/8 x5-3 1/2 | 3.71 |
| EN-1216-12 | 3-4 1/8 x5-11 1/2 | 4.21 |
| EN-1218-12 | 3-4 x6-7 1/2 | 4.59 |

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Combination Storm-Screen Doors

Quickly and Easily Changed to a Storm Door in Winter—a Screen Door in Summer

These are genuine "Presto-Change" combination doors with the patented quick change locking device, rattle and fool-proof, not the kind of doors where sections are fastened with hooks and eyes. Our splendid combination doors feature latest and best construction—cost no more but are much better.




\$6.85

"LEADER"
Combination
Storm and
Screen Door
No. 10-DN-1753
1 1/8 inch Thick

2 Doors at the Price of One

Our Combination Doors have reduced the changing time to a few minutes, and it is so simple that a child can make the change.

The removable sections and openings in door are both rabbeted so that when section is in place there is a double lap joint which, together with improved patented fastener, makes the door dust-proof and weather-proof. Furnished Complete as shown with Storm and Screen Sections. "LEADER" door, illustrated at left, is a good, substantial door, made of White Pine Lumber. The opening for the storm and screen sections is 43 3/4 inches high in all width doors. The storm section is divided into four (4) lights, and is glazed, while the Screen Section is covered with 12-mesh Black Wire. We carry these doors in stock. Painted Gray ONLY 1 1/8 inch thick.



"Presto-Change"



doors, illustrated below, are made of CLEAR WHITE PINE, 1 1/8 in. thick, first class construction. Galvanized screen wire is used on screen section.

The opening for the removable panels is 4 feet 8 1/2 inch. high in all width doors.

Prices of "Leader" Screen-Storm Door


| Order by Number | Regular Door Size Ft. In. Ft. In. | Our "Leader" Door Size Ft. In. Ft. In. | Price, Each |
|--------------------|---|--|---------------|
| | 2- 6x6- 6 | 2- 6 3/4x6- 7 | \$6.85 |
| | 2- 6x6- 8 | 2- 6 3/4x6- 9 | 6.95 |
| | 2- 8x6- 8 | 2- 8 3/4x6- 9 | 7.00 |
| | 2- 8x7- 0 | 2- 8 3/4x7- 1 | 7.10 |
| | 2- 10x6- 8 | 2- 10 3/4x6- 9 | 7.20 |
| | 2- 10x6- 10 | 2- 10 3/4x6- 11 | 7.45 |
| 10-DN-1753 | 2- 10x7- 0 | 2- 10 3/4x7- 1 | 7.50 |
| | 3- 0x7- 0 | 3- 9 1/4x7- 1 | 7.70 |

Quickly Changed
No Screws or
Bolts to Bother
With. Any Child
Can Make the
Change.



No. 10-DN-1750

Please
be Sure to
State Which
Storm Section Is Wanted
When You Order



\$8.15

Prices of the "Presto-Change" Screen-Storm Door

| Order by Number | "Presto-Change" Door Size Ft. In. Ft. In. | With Storm Section and Screen Section Not Varnished |
|-----------------|--|--|
| 10-DN-1750 | 2- 8 3/4x6- 9 2- 8 3/4x7- 1 2- 10 3/4x6- 9 2- 10 3/4x6- 11 2- 10 3/4x7- 1 3- 0 1/4x7- 1 | \$8.15 8.30 8.35 8.40 8.45 8.65 |

This improved patented fastener holds the sections securely in place—fly-proof, dust- and weather-proof. Doors are quickly changed within a few moments.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Gold Medal Roofing.

Heavy Weight Slate Coated


Red—Green or
Blue Black

SLATE COATED ROOFING

13-DN-902. High grade standard weight roll roofing made of best felt, thoroughly saturated with asphalt into which is imbedded red, green or blue-black crushed slate. Resists fire and lightning; will not ignite from flying brands or sparks. Roll contains 108 sq. ft. Complete with nails and cement for laying.

Price per roll.....\$2.50

\$250
Per Roll



Smooth Surfaced RAWHIDE ROOFING

\$1 25 Per
Roll

A pliable, durable roll roofing as tough as the name implies. Rolls contain 108 sq. ft. and are complete with nails and cement.

13-DN-904. Medium weight, per roll. \$1.65

13-DN-905. Heavy weight, per roll... 1.85

EXTRA HEAVY BUILDING PAPER

\$225

Per Roll of 500
Square Feet



10-DN-15. High grade general purpose building paper. Best made for all sheathing purposes. Used extensively under metal and slate roofs. Makes buildings warmer in winter and cooler in summer. Rolls 36 ins. wide, contain 500 square feet.


Price per roll. \$2.25

HEAVY WEIGHT First Quality

Slate Coated—4 in One **\$6 75**
Slab Shingles

Per Square of 100 Square Feet

Red, Green
or Blue
Black



13-DN-908. Heavy weight slate coated four in one slab shingles. Made of finest felt, thoroughly saturated with asphalt. Coated with crushed slate in attractive red, green or blue-black. Lay over sheathing boards, spaced for wood shingles or on close sheathing. Each square contains a sufficient quantity to cover 100 square feet of surface when all laps have been made.

Price per square of 100 sq. ft. surface laid.....\$6.75

HARRIS House Paint



Guarantee House Paint

We Guarantee every gallon of paint to be equal in every respect to the highest priced paints on the market. We guarantee that it will come up to your highest expectations in spreading and wearing qualities, appearance and fastness of color. The purpose of this guarantee is to give you an assurance of satisfaction, and if you are not pleased in every way, or if for any reason you are not satisfied with your purchase of "Harris" house paint, we will replace every gallon you have purchased free of charge. **HARRIS BROTHERS CO.**



You Can Pay More But You
Won't Get Better Paint!

THE QUALITY of the paint you use should be more carefully considered than probably any other material you buy. The purchase of good paint—the kind that is made from a scientific formula of finest ingredients, is real genuine economy. "Harris" house paint is good paint. Pure linseed oil, lead and zinc are used as the main body.

30 Non-fading Colors to Choose from

| | | |
|-----------|--------------|--------------|
| White | Venetian | Blue |
| Olive | Fawn | Light Grey |
| Orange | Maroon | Oak |
| Drab | Pea Green | Peacock Blue |
| | Azure Blue | Tan |
| | Ivory Yellow | Russet |
| | Lilac | Light Yellow |
| | Canary | Pink |
| | Blue Green | Slate |
| | Cream | Terra Cotta |
| | Brown | Buff |
| | Straw | |
| | Bronze | |
| Chocolate | | |
| Dark Grey | | |

Order No. 9-DN-700

1 gallon cans. Each.....\$2.25 5 gallon kit. Per gallon.....\$2.23

5 Gallon Kit of Harris House Paint and One \$11 75
High Grade 4-inch Brush (Set in
Rubber)

The brush furnished is of excellent quality, 4 inches wide with pure black bristles, 3 1/8 inches long, set in vulcanized rubber. Regular \$1.75 value.
No. 9-DN-701 — 5 Gallon Kit of Harris House Paint and one High Grade
4-inch Brush.....\$11.75

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

General Painting Materials!



80c
Black
Per Gallon


\$1 35

Per Gallon

An ideal roofing coating for wood, metal or composition roofs. Tough and elastic. The colors produce a beautiful effect, harmonizing with the colors used in your house paint. Made of the best grade of made asphalt, especially treated and combined with pure boiled linseed oil. When dry it forms a tough elastic surface. Is not affected by expansion or contraction, acids, gases, or alkali. One gallon will cover two hundred and fifty feet smooth surface. Supplied in four colors, maroon, green, brown and black.

9-DN-913

| | Per Gallon | Colors |
|-----------------------------|------------|--------|
| 1 gallon can..... | \$0.90 | \$1.28 |
| 5 gallon can..... | .88 | 1.25 |
| 25 gallon half barrels..... | .85 | 1.20 |
| 50 gallon barrels..... | .80 | 1.12 |



| | | |
|-----------|------------------------------------|--------|
| 9-DN-901. | 1 gallon cans, per gallon... | \$1.45 |
| 9-DN-902. | 5 gallon cans, per gallon... | 1.42 |
| 9-DN-903. | 25 gallon half barrels, per gallon | 1.38 |
| 9-DN-904. | 50 gallon half barrels, per gallon | 1.35 |

Paste Wood Filler
5-lb. Can
90c



9-DN-1051. Better than any other, as it completely fills the pores, making an impervious surface over which to varnish. Apply with a brush, and after allowing 20 to 30 minutes to set, wipe off smoothly with a rough piece of burlap, wiping across the grain. Ten pounds will fill about 450 square feet. Made in three shades, natural, light oak and dark oak.

1 lb. can..... 20c
5 lb. can..... 90c

High Gloss Enamel
Per Quart
80c



For fine interior enamel work. These enamels are especially prepared to meet "easy to apply" requirements of the novice or housewife. Particularly adapted for walls and ceilings in bed rooms, bath rooms, and kitchens. Made in twelve beautiful shades: White, pale blue, deep cream, vermillion, sea green, rose pink, orange, blue, silver gray, green, carmine and black.

9-DN-921

| | |
|--------------------|--------|
| 1 gallon cans..... | \$3.00 |
| 1 quart cans..... | .80 |
| 1/2 pint can..... | .25 |

Alcohol Shellac
Per Quart
\$1 20



Made from the finest grades of Guaranteed Pure Gum Shellacs in Denatured Alcohol. Used as first coat on furniture and interior work, except floors on which varnish is to be applied. Dries hard in about 3 to 4 hours. Will cover from 300 to 400 square feet, one coat. Pure Orange Shellac will give the wood an Oak color. White shellac is used where no color is desired. Also recommend it for coating knots and sappy spots before painting.

| | | | | | |
|------------|----------------------|-----------|----------|---------------|-------------|
| 9-DN-1039. | Pure Orange Shellac. | Pt. Cans. | Qt. cans | 1/2 Gal. cans | 1 Gal. cans |
| | | | .70c | \$1.20 | \$2.25 |
| 9-DN-1041. | Pure White Shellac. | Pt. Cans. | Qt. cans | 1/2 Gal. cans | 1 Gal. cans |
| | | | .80c | \$1.40 | \$2.50 |

Varnish
Stain



Recommended for use over a surface already varnished or painted, such as old furniture, varnished or painted woodwork. Harris Varnish Stain dries hard with a high luster and is easily applied with a varnish brush. It is made in the following colors: Cherry, Mahogany, Rosewood, Dark Oak, Light Oak, Walnut, Antique Oak.

| | | |
|-----------------------|------------------------|-----|
| 9-DN-171 | Per half pint can..... | 20c |
| Per 1-pint can..... | \$0.30 | |
| Per 1-quart can..... | .52 | |
| Per 1/2 gal. can..... | .96 | |
| Per gal. can..... | 1.75 | |

High Grade Varnishes—



Flat Wall
Paint




For interior walls. A high grade oil paint which dries to a soft flat tone, possessing an elastic finish. A sanitary paint, which will not rub off; may be washed with soap and water. Will not spot, turn color or fade. It is prepared, ready for use. Eleven colors: White, tan, light yellow, pea green, gray, yellow, pink, azure blue, deep cream, maroon.

| | | |
|----------|---------------------------|--------|
| 9-DN-908 | 5 gallon cans. Per gal... | \$2.20 |
| | 1 gallon cans. Per gal... | 2.25 |

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Sheet Plaster Board



"SMOOTHWALL" Sheet Plaster Board

A-1 QUALITY— $\frac{3}{8}$ " Thick

Warmer—Better—Easier Applied Than Lath and Plaster


YOU YOURSELF CAN DO IT!

You Do Not Have to Have Heat or Wait for Summer for It to Dry Out

"SMOOTHWALL" has a heavy coat of cardboard on each side with a filling in between of a fire resisting rock-like plaster composition. Easily applied by anyone who can drive a nail. Can be cut with a saw or scored with a knife—a downward pressure will break it with a straight edge.

For either old or new walls, partitions, and ceilings there is nothing better. A wonderful insulator—makes your building cooler in summer and warmer in winter because of the cardboard covering.


Will not crack or warp. If additional openings are to be made in wall, can easily be sawed out and replaced without the dirt and muss of lath and plaster. "SMOOTHWALL" Sheet Plaster is $\frac{3}{8}$ inch thick. The smaller size sheets are recommended to take the place of lath and plaster—they are economical and if an extraordinary good job is wanted, can be covered with a skim coat of any kind of good prepared plaster and a $\frac{1}{8}$ inch finish coat, making a smooth, perfect seamless wall. This, however, is not necessary except in fine work because we furnish FREE with all orders sufficient crack filler to fill the joints smoothly. You can paint or wallpaper direct over it with satisfactory results. Figure one pound of three penny fine lath nails for each 100 square feet.



Strong Lumber Crates
for Local Freight Shipments

SIMPLE!

A hammer—a saw
—and a little spare
time and you can
fix up that extra
room in the attic



Ask for FREE SAMPLE!



☛ SPECIAL—CONTRACTORS' AND BUILDERS' LOW CARLOAD PRICES

If you can use 12,000 square feet or more of "SMOOTHWALL" plaster board send us a list specifying sizes and quantity needed and wait for our low carload, freight prepaid prices. When shipped in 12,000 feet or more we ship as a carload and you save all crating charges.

'22-DN-718. "SMOOTHWALL" PLASTER BOARD

| Size, Inches..... | 48x72 | 45x84 | 48x96 | 48x108 | 48x120 |
|------------------------------|---------------|---------------|---------------|---------------|---------------|
| Thickness, Inches..... | $\frac{3}{8}$ | $\frac{3}{8}$ | $\frac{3}{8}$ | $\frac{3}{8}$ | $\frac{3}{8}$ |
| Sq. feet per Sheet..... | 24 | 28 | 32 | 36 | 40 |
| Price, per Sheet..... | \$1.08 | \$1.26 | \$1.52 | \$1.71 | \$1.90 |
| Shipping Weight, pounds..... | 48 | 48 | 64 | 72 | 80 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Gold Medal Wall Board

A Real Wall Board—the one you've waited for!

GOLD MEDAL WALLBOARD

Is the Nearest Approach to Wallboard Perfection

A Perfected Pure Fibre-Board

Makes a beautiful cream wall. Material colored in making. Requires no decoration whatever.


No dirt—No waste—No delay. You yourself can easily put it on and do a perfect fast job.

Rosin Sized—Vermin Proof—Will Take Paint—Calcimine—Stain—Grain—Varnish—Can Be Papered Over



A clean, neat and satisfactory wall or ceiling material—can be cut with a knife or saw without injury to either. Panels are nearly one-quarter of an inch thick—thoroughly dried and seasoned—can be nailed directly to rafters or studs 16 or 24 inches apart—makes a beautiful, permanent, sanitary and economical wall or ceiling. Will stand shocks, jars and vibrations that will bring down plaster—is a non-conductor—keeps out the cold and holds the heat inside in winter. Also cooler in summer.

You can make new rooms, partition, line or ceil while you are living in your house for there is no dampness as in lath and plaster work. Panels can be handled by ONE person. No crack filling necessary—cover the seams with wood panel strips or gummed wallboard tape and your job is clean and complete.



PRICES!

13-DN-9306 Gold Medal Wallboard

| Size | Price |
|----------|-----------|
| Ins. Ft. | Per Sheet |
| 48 x 6 | \$0.84 |
| 48 x 7 | .98 |
| 48 x 8 | 1.12 |
| 48 x 9 | 1.26 |
| 48 x 10 | 1.40 |
| 48 x 12 | 1.68 |

13-DN-8281 Clear fir or pine panel strips, $1\frac{1}{8}$ " thick. Price per Foot $1\frac{1}{2}$ c

13-DN-9308 Flat Head three penny nails for wallboard—1 pound to a square. Price per Pound 7c

Lumber Specials!

Here are a few lumber specials from our big complete stock. All guaranteed grades now offered at lowest prices.

It is impossible to show a more complete selection because of the constantly fluctuating lumber market. You will find our prices on lumber of all kinds are lower than elsewhere at all times.


Send Us Your Lumber Bills!

Send us your lumber list giving quantities, kinds and dimensions of the materials you require. We will then quote you our low money saving prices delivered by truck to your lot.

Home Builders' Note!

If you are planning to build a home, be sure to ask for our latest free book of "Harris Homes Beautiful."

Ceiling—Wainscot and Partition



For porches, under eaves, wainscot, ceiling, etc. All tongued, grooved and beaded, smoothly machined. Kiln dried, suitable for natural finish. Assorted lengths, 6 ft. to 16 ft.

| Number | Finished Size | Grade | Wood | Price 100 ft. B. M. | Wgt. per 100 ft. |
|------------|---------------|-------|------------|---------------------|------------------|
| 22-DN-7151 | 5/8x3 1/4 | Clear | Oregon Fir | \$5.25 | 140 |
| 22-DN-7153 | 3/4x5 1/4 | Clear | Oregon Fir | 6.75 | 200 |

Bevel Siding

| | | | | | |
|---|---|-----------|-------|----------------|-------------------|
| | <p>Also known as "Weather-Boarding Split Siding," "Clap Boards or Lap Siding." Red Wood and Spruce. Machined to standard width and thickness. Standard bundling, consists of regular lengths, 4 to 16 ft. All prices per 100 feet, Board Measure. Weight, 80 lbs. per 100 feet.</p> | | | | |
| | Number | Size | Grade | Wood | Price |
| | 22-DN-7137 | 3/4x3 1/4 | Clear | Flat Grain Fir | 6 to 9 ft. \$6.50 |
| | | | | | |
| <p>Note: Order by number. State size, grade and kind of wood wanted. Also for your protection, please state size of space you intend covering.</p> | | | | | |

| Number | Size | Grade | Wood | Price |
|-----------|-------|-------|----------|--------|
| 22-DN-711 | 1/2x4 | Clear | Spruce | \$5.00 |
| 22-DN-712 | 1/2x6 | Clear | Spruce | 5.50 |
| 22-DN-713 | 1/2x4 | Clear | Red Wood | 5.00 |
| 22-DN-714 | 1/2x6 | Clear | Red Wood | 5.50 |



Plastering Lath

Always in stock. Full thickness and width. Mixed Northern pines, No. 1 grade. 32-inch lath. Weight, 325 per 1000.

Low Prices per 1,000 Pieces.

| | | |
|------------|---|---------|
| 22-DN-7165 | 32-inch Lath, Northern Pine..... | \$ 6.50 |
| 22-DN-7166 | 48-inch Lath, Northern Pine..... | 12.00 |
| | 48-inch Lath, weight, 500 lbs. per 1,000. | |

Washington Red Cedar Shingles

NOT CREOSOTED OR STAINED

| | | |
|------------|--|--------|
| 22-DN-7140 | Extra Star A Star 16-inch, 6 to 2 butts. Weight, 160 lbs. Price, per M..... | \$7.75 |
| 22-DN-5415 | Extra Clear, 16-inch, 5 to 2 butts. Highest grade made. Weight, 180 lbs. Price, per M..... | \$8.75 |
| | 4 Bunches to the M. | |

These Prices


Subject to Change Without Notice!

They are subject to change without notice. You may send your order in at these prices and we will notify you of any change before entering the order. If prices have been reduced since publication of catalog, your order will be shipped and balance refunded. If prices have advanced you will be advised before your order is entered and you can send the additional amount or cancel the order. In the event of cancellation, the amount you remitted will be refunded, provided you do not care to apply it on a new order for other material.

On this you can depend, that material we furnish will be quality material, correct count and grade, carefully shipped and safe delivery guaranteed.


Clear Fir Flooring

We recommend Fir especially for the purpose of porch floors. It wears better because it is not as soft as Soft Pine and some other woods now being endorsed for Porch floors. This close knit fibrous Fir of the Western Slope, in our opinion, has all other woods backed off the boards for porch floors.



Price per 100 feet B. M. Weight 200 lbs. per 100 ft.

| Number | Size | Grade and Kind | Lengths | Price |
|------------|-----------|----------------------|------------|--------|
| 22-DN-7137 | 3/4x3 1/4 | Clear Flat Grain Fir | 6 to 9 ft. | \$6.50 |



Oak and Maple Hardwood Flooring


Nature has particularly favored these splendid and most substantial of all American hardwoods. Their very names stand for durability.

There is a hardwood flooring grade for every flooring purpose—from public building to private home and from castle to cottage.

Price per 100 feet Board Measure. Standard lengths.

| Number | Finished Size | Grade | Wood | Price | Weight |
|------------|---------------|------------|-----------|---------|----------------------|
| 22-DN-7155 | 13/16x2 1/4 | Clear | Maple | \$12.00 | |
| 22-DN-7156 | 13/16x2 1/4 | Select | Maple | 11.00 | |
| 22-DN-7158 | 13/16x1 1/2 | Select | White Oak | 9.85 | |
| 22-DN-7159 | 13/16x2 1/4 | "C" & Btr. | Red Oak | 9.85 | 200 lbs. per 100 ft. |

Byrkits Patent Sheathing Lath or Stucco Lath




Used in place of sheathing boards when wall is to be covered with stucco.

Furnished in random lengths. Tongued and grooved or square edged subject to stock on hand. This material is usually offered in No. 3 grade. We have not found this grade satisfactory therefore we are offering No. 2 and better grade which means No. 1 and 2 mixed. Weight, 165 lbs. per 100 ft.


22-DN-7139 1x6 inch. Lengths, 4 to 16 feet. Per 100 feet, B. M..... \$4.25

Ardmore Design Lock Set


Wrought bronze and wrought steel in beautiful French sanded finish with high spots polished. Material and workmanship of the highest quality. These lock sets are recommended for the most elaborate and beautiful homes.



Cylinder Lock Set



Bit Key Lock Sets



Inside Door Lock Set



Push Plates

4-DN-3364. Genuine wrought bronze, 5-pin tumbler, non-pickable lock. Escutcheon 11½ inches long, 3 inches wide. Flat face seamless knobs and all parts genuine wrought bronze. Escutcheon plate, 8½x2½ inches. Flat face, seamless knob, 2¼ inches in diameter. Reversible for right or left hand door. Furnished with 3 keys and screws to match lock set. French sanded finish.

Price.....\$11.00

4-DN-3365. Escutcheons, knobs and all parts genuine wrought bronze. Escutcheon plate, 8½x2½ inches. Flat face, seamless knob, 2¼ inches in diameter. Reversible for right or left doors. Furnished with one key and screws to match. French sanded finish.

Price.....\$4.50

4-DN-3366. Wrought steel, same as described above, except that escutcheon, knobs and all parts are of wrought steel plated. French sanded finish.

Price.....\$3.00

4-DN-3367. Escutcheons, knobs and all parts of genuine wrought bronze. Escutcheon, 8½x2½ inches. Flat face, seamless knob, 2¼ inches in diameter. Reversible for right or left doors. Furnished with one key and screws to match. French sanded finish.

Price.....\$2.60

4-DN-3368. Wrought steel same as described above, except furnished with plated wrought steel knob, escutcheon and trimmings.

Price.....\$1.25


4-DN-3369. Genuine wrought bronze push plate or swinging doors, French sanded finish. Furnished with screws to match. Plate size, 11½x3 ins. Price, each.....\$1.50

Kenilworth Design Lock Set


Are of the broad beveled pattern. The simple design gives them the appearance of the heavy cast bronze lock set. These sets are French sanded finish. Finest material and workmanship.




Push Plates



Inside Door Lock Set



Bit Keyed Lock Set



Cylinder Lock Set

4-DN-3370. Genuine wrought bronze push plate for swinging doors. French sanded finish. Furnished with screws to match. Plate size, 10½x2½ inches.

Price, each.....\$1.40

Glass Push Plates

4-DN-3370 ½. Made of heavy plate glass, edges beveled; ground and smoothly finished; size 3½x12 inches. Two nickel-plated screws.

Price, each.....70c

4-DN-3371. Escutcheons, knobs and all parts of genuine wrought bronze. Escutcheon plate, 8½x2½ ins. wide. Flat face, seamless knob, 2¼ inches in diameter. Reversible for right or left doors. Furnished with one key and screws to match. French sanded finish.

Price.....\$2.40

4-DN-3372. Wrought steel plated as described above, except furnished with plated wrought steel knob, escutcheon and trimmings.

Price.....\$1.15

4-DN-3373. Escutcheons, knobs and all parts genuine wrought bronze. Escutcheon plate, 8½x2½ ins. wide. Flat face, seamless knob, 2¼ inches in diameter. Reversible for right or left door. Furnished with three keys and screws to match lock set. French sanded finish.

Price.....\$4.25


4-DN-3374. Wrought steel, same as described above, except that escutcheon, knobs and all parts are of wrought steel plated. French sanded finish.

Price.....\$2.75

4-DN-3375. Genuine wrought bronze 5-pin tumbler, non-pickable lock. Escutcheon, 11½ inches long, 3 inches wide. Flat face seamless knobs, 2¼ inches in diameter. Cylinder escutcheons, knobs and all parts genuine wrought bronze. Reversible for right or left door, 1½ to 2¼ inches thick. Furnished with 3 keys and screws to match. French sanded finish.

Price.....\$10.25


Edgewater Design



EDGEWATER DESIGN


4-DN-3001 Cylinder Lock Set

Colonial Design




COLONIAL DESIGN
Cylinder Lock Set 4-DN-3029

Evanston Design




EVANSTON DESIGN


4-DN-3101 Cylinder Lock Set



EDGEWATER DESIGN
Bit Keyed Lock Set
4-DN-3005




COLONIAL DESIGN
Bit Keyed Lock Set
4-DN-3033




COLONIAL DESIGN
Inside Door Lock Set
4-DN-3045



COLONIAL DESIGN
Push Plate
4-DN-3065



EVANSTON DESIGN
Bit Keyed Lock Set
4-DN-3105



EDGEWATER DESIGN
Inside Door Lock Set
4-DN-3010



EDGEWATER DESIGN
Push Plate
4-DN-3021

Your Choice of
Edgewater, Colonial and Evanston Designs

Give Number and Name and Finish When You Order

Genuine wrought bronze, cylinder lock sets, highest quality workmanship, material and finish. These locks are 5-pin tumbler, non-pickable cylinder. The cylinder, bolts, strike-plates, escutcheons and all parts are of genuine wrought bronze. Reversible for right or left door. Furnished with three keys and screws finished to match lock set. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....\$9.40

BIT KEYED FRONT DOOR LOCK
Genuine Bronze

Escutcheons, knobs, bolts and all parts made of genuine wrought bronze. Reversible for right or left door. Furnished with three keys and screws finished to match lock sets. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....\$3.50

BIT KEYED FRONT DOOR LOCK

Wrought steel plated lock set as described above except furnished with plated steel escutcheons, knobs, and all parts. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....\$2.25

INSIDE DOOR LOCK SET
Genuine Bronze

Escutcheons, knobs and all parts made of genuine wrought bronze. Reversible for right or left door. Furnished with one key and screws finished to match lock set. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....\$2.10

Price, either design.....\$2.10

INSIDE DOOR LOCK SET


Wrought steel plated as described above. Set furnished with plated steel escutcheon, knobs and all parts. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....95c

PUSH PLATES FOR SWING-
ING DOORS

Genuine Wrought bronze. Furnished with screws to match. **Antique Copper or Lemon Brass Finishes.**
Price, either design, each.....70c

DOOR BELLS

Genuine wrought bronze plate, size 4x3 1/2 nickel plated bell, metal gong. **Antique Copper or Lemon Brass Finishes.**
Price, either design.....90c




EVANSTON DESIGN
Inside Door Lock Set
4-DN-3117



EVANSTON DESIGN
Push Plate
4-DN-3137

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE


Builders' Hardware



INSIDE DOOR LOCK SET

4-DN-1215 Glass Knob Inside Lock. Made to fit escutcheon and plate. Finished in antique Copper, Lemon Brass or Nickel-plated, furnished with key and screws. **\$2.25**
Price. **\$2.50**
Nickel-plated finish. Price. **\$2.50**

FRENCH WINDOW OR SCREEN DOOR SET



Reversible Rim latch, size $2 \times 2\frac{3}{8}$ inches. Escutcheon, $1\frac{1}{2} \times 4\frac{1}{2}$ inches. Can be set by slide knob, which prevents opening from outside.

4-DN-15012 Lemon Brass. Price. **65c**
Antique Copper. Price. **65c**
Sand finish. Price. **75c**



WINDOW LOCK

4-DN-3601 Electro-plated. Holds sash closely together, prevents rattling. Screws furnished. Antique Copper and Old or Lemon Brass. Each. **7c**
Sand finish. **10c**



WROUGHT STEEL DRAWER PULL

4-DN-3623

Wrought steel electro plated with screws to match. Lath. $3\frac{3}{8}$ ins. Antique Copper, polished finish. Each. **4c**
Old or Lemon Brass finish. Each. **4c**
Sand finish. **5c**




BAR WINDOW LIFT

4-DN-3559

Electro-plated, wrought steel. Length of handle, 3 inches. Length over all, 4 inches. Lemon Brass. Each. **6c**
Sand Fin. **10c**
Antique Copper. Each. **6c**

DOUBLE ACTING BALL BEARING FLOOR HINGE



4-DN-3545 Made from heavy wrought steel; the spring from the best oil tempered spring steel.

When in practical use the entire weight of the door is carried on hardened steel ball bearings set in hardened cups. Antique Copper or Lemon Brass. Sand Finish. **\$1.10**

CABINET HINGES



4-DN-3537

For cabinets, china closets, etc. Wrought steel. Size, $2\frac{3}{8} \times 2$ inches. Packed with screws to match. Antique Copper finish and Lemon Brass finish. Pair. **17c**
Sand finish. **17c**

NAILS!

In stock for quick delivery. Prices subject to change without notice. All orders filled at prevailing price at time received.

COMMON WIRE NAILS

| | | | |
|-----------|------|---------|---------|
| 2-DN-4001 | Size | Per Keg | Per Lb. |
| 6d | | \$4.50 | |
| 8d | | 4.55 | |
| 10d | | 4.45 | |
| 12d | | 4.40 | |
| 16d | | 4.35 | |
| 20-60d | | 4.25 | |

7c

FINE O. LATH

| | | | |
|-----------|------|---------|---------|
| 2-DN-4009 | Size | Per Keg | Per Lb. |
| 3d | | \$5.85 | |
| 4d | | 5.50 | |
| 6d | | 5.25 | |
| 8d | | 4.85 | |
| 10d | | 4.70 | |

7c

FINISHING NAILS

| | | | |
|-----------|------|---------|---------|
| 2-DN-4003 | Size | Per Keg | Per Lb. |
| 4d | | \$5.50 | |
| 6d | | 5.25 | |
| 8d | | 4.85 | |
| 10d | | 4.60 | |

8c

CASING NAILS

| | | | |
|-----------|------|---------|---------|
| 3-DN-4005 | Size | Per Keg | Per Lb. |
| 6d | | \$5.00 | |
| 8d | | 4.75 | |
| 10d | | 4.60 | |

8c

STANDARD NAIL SIZES AND LENGTHS IN INCHES

| | | | | | |
|------|-------|-------|------|-------|------|
| Size | Ins. | Dim. | Size | Ins. | Dim. |
| 6d | 6 | 9/32 | 8d | 2 1/2 | 5/32 |
| 40d | 5 | 7/32 | 6d | 2 | 1/8 |
| 30d | 4 1/4 | 13/64 | 4d | 1 1/4 | 3/32 |
| 20d | 4 | 3/16 | 3d | 1 1/4 | 3/32 |
| 10d | 3 | 5/32 | 2d | 1 | 3/32 |

GALVANIZED SHINGLE NAILS

| | | | |
|-----------|------|---------|---------|
| 2-DN-4013 | Size | Per Keg | Per Lb. |
| 3d | | \$7.30 | |
| 4d | | 7.10 | |

9c

ROOFING NAILS

| | | | |
|-------------------|--------|---------------|---------|
| 2-DN-4060 | Size | Per Keg | Per Lb. |
| Heads | Barbed | Roofing Nails | |
| 1/4 inch, No. 10. | | \$7.50 | |
| Keg. | | 9 Lb. | |

2-DN-4061

| | | | |
|---|------|--------|--|
| Bright Large Head Barbed Roofing Nails, 1/4 inch, No. 10. | | \$7.50 | |
| Keg. | | 9c Lb. | |

2-DN-4062

| | | | |
|--|------|---------|--|
| Galvanized Large Head Barbed Roofing Nails, 3/4 in., No. 10. | | \$10.00 | |
| Keg. | | 11c Lb. | |

CASEMENT FASTENERS



4-DN-3587 Fasteners, Size $1\frac{3}{8} \times 1\frac{1}{8}$ inches. Screws to match.

Antique copper. 18c
Per set. **18c**
Sand Fin. **22c**
Lemon Brass. Per set. **18c**

ELECTRO-PLATED PLANISHED BALL TIPPED BUTTS

4-DN-3505

Electro-Plated. Made of the same grade steel and generally sold as a polished butt. In every sense equal to the high grade butts, except not as finely finished. Furnished with screws to match.

Antique Copper finish or Lemon Brass finish.

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **30c** **33c** **35c** **36c** **45c** **65c**

Sand finish.

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

Sand finish.

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | | | |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $3\frac{1}{2} \times 3\frac{1}{2}$ | 4×4 | $4\frac{1}{2} \times 4\frac{1}{2}$ |
|------------|--------------|------------------------------------|--------------|------------------------------------|--------------|------------------------------------|

Per pair. **37c** **38c** **40c** **45c** **55c** **80c**

| | | | | |
|------------|--------------|------------------------------------|--------------|----|
| Inch. | 2×2 | $2\frac{1}{2} \times 2\frac{1}{2}$ | 3×3 | $$ |
|------------|--------------|------------------------------------|--------------|----|

SPECIAL MILLWORK MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY

Attractive Bookcase Colonnades

Made of Clear Beautifully Grained Lumber



\$47⁵⁰

Impressive
Well
Arranged
Bookcase
Colonnade

This splendid colonnade will harmonize with practically any style of interior trim. It will add a touch of dignity to your home and in addition serve as a convenient bookcase or china closet.

SPECIFICATIONS: Suitable for openings from 6 feet to 12 feet wide and up to 8 feet high. Columns are 6 inches square and tapered. Pedestals are 2 feet wide by 4 feet 2 inches high. Inside depth 8 inches. Reverse side and inside ends neatly paneled.

DOORS are glazed with clear glass and set in best glazier's metal.


Furnished in white (not stained or varnished). Casing, cap, trim, jambs and hardware not included.

10-DN-1927. Clear Yellow Pine **\$47.50**

10-DN-1928. Clear Red Oak **52.60**

Shipping weight about 250 pounds.

Hardware for above **\$1.60** additional, either Lemon Brass or Antique Copper Finish.



The finished appearance of the rooms in this picture is gained by the well placed colonnade. Built-in conveniences such as this are as permanent and lasting as the home itself.

For 2 sides of Trim, one set of Jambs, 5 $\frac{1}{4}$ " wide as shown. Any size.

10-DN-1927-T. Clear Yellow Pine, add **\$ 6.80**


10-DN-1928-T. Clear Red Oak, add **12.60**

Bookcase Colonnade With Writing Desk



The Bookcase Colonnade does more than beautify this interior in adding a practical convenience in the writing desk, which is out of the way when not in use.

For 2 sides of Trim, one set of Jambs, 5 $\frac{1}{4}$ " wide as shown. Any size.
10-DN-1925-T. Clear Yellow Pine, add **\$ 6.80**
10-DN-1926-T. Clear Red Oak, add **12.60**



\$61⁷⁰

Writing
Desk
and
Bookcase
Colonnade

Convenient colonnade with two large roomy bookcases and in it a spacious writing desk. Will make your room much more attractive.

SPECIFICATIONS: Pedestals are 2 feet 6 inches wide by 4 feet 2 inches high. Inside depth in the clear is 10 inches. Reverse side of pedestals is neatly paneled, inside ends also paneled. Made for opening up to 8 ft. high, 6 to 12 ft. wide.

COLUMNS are 7 inches square 3 feet 10 inches long, and taper.


DOORS glazed clear glass, set in best glazier's metal.
Is furnished in the White (not stained or varnished). Casing, cap trim, jambs and hardware not included.

10-DN-1925. Clear Yellow Pine **\$61.70**

10-DN-1926. Clear Red Oak **67.55**

Shipping weight, about 250 pounds
Hardware for above **\$2.70** additional, either Lemon Brass or Antique Copper Finish.

Built-in Bookcase and Mantel Shelf



COMFORT Built-in Bookcase. No. 10-DN-2105.

The Bookcases are built-in and out of the way; the long mantel shelf stretches across the room, forming an appropriate place on which to set photographs, vases, etc.

The Doors in the Bookcases are divided with wood bars and glazed with clear double strength glass. The inside depth of the bookcases is 10 inches, while the height is 58 inches. The width of each bookcase depends upon the size of the room and the width of your fireplace, ordinarily being about 36 inches to 42 inches for an average sized room.

The face of Mantel Shelf is 2 1/4 inches thick and projects over the bookcases and mantel with neat brackets underneath as shown. The bookcases are equipped with adjustable shelves.

NOTE: These Prices are for the woodwork only as illustrated and do not cover tile, brickwork, hardware or finishing material.


SIZES AND PRICES

Price Consisting of two Bookcases and one Mantel Shelf, as shown in illustration.

| COMFORT No. 10-DN-2105. 2 Bookcases and Mantel Shelf for Room | | Price, made of Clear Yellow Pine, Glazed Clear Double Strength Glass | Price, made of Red Oak or Unselected Birch, Glazed Clear Double Strength Glass |
|---|--|--|--|
| 10 Feet Wide | | \$77.10 | \$87.00 |
| 12 Feet Wide | | 78.70 | 88.50 |
| 14 Feet Wide | | 80.55 | 90.85 |
| 16 Feet Wide | | 82.20 | 91.40 |

NOTE: When ordering give width of entire room, width, depth and height of fireplace. A rough pencil sketch is recommended.

Impressive Colonnades of Quality




**The
Morrison**

For openings 7 feet wide and wider. Made of select clear, kiln dried oak, yellow pine, or birch. Come to you in the white (not stained or varnished).

Prices do not include baseboard casing or cap trim.

This should match the trim in your house.



**The
Kenmore**

The pedestals project 2 feet from the jamb, they are 2 feet high and about 11 1/4 inches on face, made to fit over a 5 1/4 inch jamb. The columns are 6 inches in diameter and have a plain turned wood cap and base. The base board shown in illustration around the pedestal is not included. It should match balance of base in room.

No. 10-DN-1249. **MORRISON** Colonnade, 9 feet wide by 9 feet high or smaller, furnished in Clear Yellow Pine.

Price.....

\$24.90

No. 10-DN-1252. **MORRISON** Colonnade, 9 feet wide by 9 feet high or smaller, furnished in Oak or Birch.

Price.....

\$30.45

For two sides of trim, one set of jambs 5 1/4 inches wide, baseboard and shoe to complete opening any size.

Clear Yellow Pine, add.....

\$ 6.80

Clear Red Oak, add.....

12.60

Shipping weight approximately 200 pounds.

Will add big improvement to any home. The pedestals project 2 feet from the jamb; they are 2 feet high and about 11 1/4 inches on face, made to fit over a 5 1/2 inch jamb. The columns are 6 inches square and have a plain wood cap and base. The regular room base should be used around the pedestals as shown in illustration and is not included. It should match balance of base in room.

No. 10-DN-1293. **KENMORE** Colonnade, 9 feet wide by 9 feet high or smaller, furnished in Clear Yellow Pine.

\$26.30

No. 10-DN-1294. **KENMORE** Colonnade, 9 feet wide by 9 feet high or smaller, furnished in Oak or Birch.

\$32.45

For two sides of trim, one set of jambs 5 1/4 inches wide, baseboard and shoe to complete opening any size.

Clear Yellow Pine, add.....

\$ 6.80

Clear Red Oak, add.....

12.60

Shipping weight approximately 200 pounds.

Splendid Buffets Priced Very Low


THE ASTORIA BUFFET

Our Astoria is very attractive, Colonial design with plenty of drawer room and two neat cupboard spaces for china and glassware.

Specifications: Best quality clear kiln dried lumber carefully selected for beauty of grain and finish. The width, 6 feet and 7 feet, specified below, is the measurement overall, while the depth is 18 inches from front to the back. The height is 3 feet and 6 inches from floor to top of countershelf and the extreme height overall is 5 feet and 2 inches.

Size offered below is usually carried in stock; any special size made to order.

Best cabinet work, carefully joined, glued with waterproof glue. Carefully sanded and shipped in the white ready for the varnish.




THE ASTORIA BUFFET

Intermediate sizes take price of next larger size. These prices are for leaded crystal glass doors and plain plate mirrors. Bevel plate mirror, add \$4.50.

PRICES:

| Catalog No. | Width | Height, Overall | Depth | Wood | Price |
|-------------|-------|-----------------|---------|---------------|---------|
| 10-DN-2120 | 6 ft. | 5 ft. 2 ins. | 18 ins. | Yellow Pine | \$88.50 |
| 10-DN-2121 | 6 ft. | 5 ft. 2 ins. | 18 ins. | Oak, or Birch | 95.60 |
| 10-DN-2122 | 7 ft. | 5 ft. 2 ins. | 18 ins. | Yellow Pine | 90.20 |
| 10-DN-2123 | 7 ft. | 5 ft. 2 ins. | 18 ins. | Oak or Birch | 95.45 |



THE WALDEN BUFFET

Intermediate sizes take price of next larger size. These prices are for leaded crystal glass doors and bevel plate mirror.

THE WALDEN BUFFET

Our Walden is one of the most popular designs ever offered. Built along simple yet very attractive lines, particular attention being paid to proper and convenient arrangement of doors and drawers. These new Craftsman Buffets are made to set out of the wall, the ends being nicely finished and the back is closed. Like all our cabinet work, the material used in this buffet is carefully selected from thoroughly kiln dried clear lumber.

Specifications: The width, 6 feet and 7 feet, specified below, is the measurement overall, while the depth is 16 inches from front to the back. The height is 3 feet and 6 inches from floor to top of countershelf and the extreme height overall is 5 feet and 2 inches.

All buffets are shipped set up complete as shown, ready to set in place, no hardware or finishing included. Hardware can be selected from this catalog to match your other hardware.

PRICES:

| Catalog No. | Width | Height Overall | Depth | Wood | Price |
|-------------|-------|----------------|---------|--------------|---------|
| 10-DN-1375 | 6 ft. | 5 ft. 2 ins. | 16 ins. | Yellow Pine | \$85.50 |
| 10-DN-1376 | 6 ft. | 5 ft. 2 ins. | 16 ins. | Oak or Birch | 93.00 |
| 10-DN-1377 | 7 ft. | 5 ft. 2 ins. | 16 ins. | Yellow Pine | 87.90 |
| 10-DN-1378 | 7 ft. | 5 ft. 2 ins. | 16 ins. | Oak or Birch | 95.40 |

SPECIAL MILLWORK MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY

"POMONA" BREAKFAST NOOK

Modern breakfast nooks on this page are intended for use in both new as well as old buildings. No new building is complete without this latest early morning convenience. For those who are just remodeling their home our suggestion is that a breakfast alcove be included.


\$25⁵⁰

The "Pomona" breakfast nook to the right is really an exceptional looking set and can be used anywhere in the room not requiring walls for backs or sides. It is intended for people who do not want an expensive outfit but can derive the same benefits that a high priced breakfast nook would give. The measurements are as follows: the total width required for this set is 6' wide by 4' 6" deep. Table top measures 2' 6" x 4' 6" and the table top is 2' 6" from the floor to the top of the table. The seats are 1' 4" in width and are 1' 6" high from the floor, being, however, only 4' long for easier seating.

This breakfast nook consists of table and two benches, best woods and workmanship; comes to you in convenient knocked down form and if the nook is wanted set up ready to set in place, our charge is \$5.60 for setting up.

10-DN-2650. Clear Yellow Pine.....\$25.50
10-DN-2651. Clear plain Red Oak.....39.00
10-DN-2652. Clear unselected Birch....42.75

If wanted set up complete add \$5.60



"MONTCLAIR" BREAKFAST NOOK

\$31⁵⁰


Our "Montclair" Alcove, shown to the left, can be used in an open space just as well as between the walls. The breakfast nook is completely furnished and can be moved to any part of the room very easily. The breakfast alcove to the left is intended for a space 6' wide and 4' 6" deep. It consists of one table, top of which is 2' 6" x 4' 6", height of table is 2' 6", width of table legs at the front line is 1' 6", seats are 3' high at the back, the legs are 1' 2" wide at the front line, seat is 1' 6" high over all and 1' 6" in depth and 4' 6" long.

This nook consists of table and two benches, best lumber and workmanship, and comes to you in knocked down form, that is, packed in bundles ready for assembling, complete with the exception of nails and screws, which are not included. If wanted set up, add \$5.60. When ordering, state whether the nook is wanted knocked down or set up.

10-DN-2653. Clear Yellow Pine. Price..\$31.50
10-DN-2654. Clear plain Red Oak. Price. 45.20
10-DN-2655. Clear unselected Birch.


Price 49.50

If wanted set up complete add \$5.60



SPECIAL MILLWORK MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY

Modern Built-In Conveniences




Ingenious Unit Cabinets Present Many Splendid Combinations!

Unlimited possibilities are provided with our improved sectional wall and table unit kitchen cabinets. The combination above is obtained by using two wall units and two table or base units. Made of carefully selected clear yellow pine. Furnished in the Natural wood (not finished). Hardware not included.

10-DN-638. Wall Units—36 inches wide, 12 inches deep, 42 inches high with 3 shelves. Clear Yellow Pine. Each..... \$15.50

10-DN-640. Table or Base Units—36 inches wide, 20 inches deep and 30 inches high with chopping board, 2 drawers and roomy pot cup boards with shelves. Clear Yellow Pine. Each..... \$18.50

Modern Kitchen Table




Usefulness and beauty are the requirements for Kitchen Furniture. This Kitchen Table is useful and will save the housewife many trips to the pantry. Is made to order in Yellow Pine or Oak, 4 ft. 6 ins. wide, 2 ft. 10 ins. high and 20 ins. deep. Four convenient drawers, roomy utensil cupboard, large capacity tilting flour bin and chopping board. No hardware or finishing included.

No. 10-DN-912. Yellow Pine. Price..... \$23.10

No. 10-DN-913. Oak or Birch. Price..... 28.05

Shipping weight, 180 pounds.

Drawer Pantry Case



This Drawer Case can be used in pantries, closets, etc. It is made with three large drawers as shown, made of Clear, Yellow Pine and Oak, not painted or varnished, but smoothed, ready for any finish to match your woodwork. This case measures 3 feet wide, 2 feet 10 inches high and 1 foot 4 inches deep. The sides and back are not sealed.


No. 10-DN-908. Clear, Yellow Pine..... \$ 9.00

No. 10-DN-909. Clear, Red Oak..... 10.90

Shipping weight, 90 pounds.

Latest Designs--Splendidly Arranged

Medicine Cases—Ironing Boards—Linen Cabinets



Peak Head Style Medicine Case

SPECIFICATIONS: Size of door 1 foot 6 inches wide by 1 foot 10 inches high. Depth of case in wall $4\frac{1}{2}$ inches, opening in wall 1 foot 8 inches wide by 2 feet high. Size of mirror 14 inches by 18 inches. Adjustable wooden shelves, furnished with casing, head trim, etc., as shown in illustration. No hardware included.


| | | |
|----------------|---|---------|
| No. 10-DN-851. | Yellow Pine, Glazed with plain Plate Mirror. | \$8.90 |
| No. 10-DN-852. | Yellow Pine, Glazed with Bevel Plate Mirror. | \$9.60 |
| No. 10-DN-853. | Oak or Birch, Glazed with Plain Plate Mirror. | \$9.80 |
| No. 10-DN-854. | Oak or Birch, Glazed with Bevel Plate Mirror. | \$10.45 |

Shipping weight, 60 pounds.

All of the built-in conveniences shown in this book are made of selected clear stock by expert craftsmen and modern machinery. Latest approved construction with close fitting joints, securely put together to stand the test of time. All mirrors used are the finest quality, plain or bevel plate as specified on the description of each individual item. All cabinet work is delivered to you unfinished or in the white, permitting you to stain or finish according to the interior color scheme of your home. All exposed surfaces are carefully smoothed and sanded, ready for finishing.

\$8.90

\$9.90



Medicine Case With Open Shelf

SPECIFICATIONS: Size of door 1 foot 6 inches wide by 1 foot 10 inches high. Openings in wall, 1 foot 8 inches wide by 2 feet 6 inches high. Depth of case in wall, $4\frac{1}{2}$ inches. Adjustable wooden shelves, furnished with casing, head trim, etc., as shown in illustration. No hardware or finishing included.

| | | |
|----------------|--|---------|
| No. 10-DN-889. | Yellow Pine, Glazed with Plain Plate Mirror. | \$8.90 |
| No. 10-DN-890. | Yellow Pine, Glazed with Beveled Plate Mirror. | \$10.80 |
| No. 10-DN-892. | Oak or Birch, Glazed with Plain Plate Mirror. | \$10.75 |
| No. 10-DN-893. | Oak or Birch, Glazed with Bevel Plate Mirror. | \$11.65 |

Shipping weight, 70 pounds.




Built-in
Ironing Board
\$16.75

No. 10-DN-680. A full size built-in ironing board, universally recognized as a necessity in all modern homes. Always ready, still it is out of the way, saving work, space, time and labor. Usually installed with socket for electric iron. Complete as shown, including hardware. Made for wall opening 11 inches wide, 82 inches high, 4 inches overall deep. (Fits between studs set on 16 inch centers.) Made of white pine. Price does not include casing. (This should be ordered to match trim in your room.) Weight, complete, 80 pounds. Price

\$16.75

“ECONOMY”

Built-in Linen Case



Open View of
Built-in
Linen Closet

\$19.95

Roomy Drawers
and
Large Storage
Space



Economy Built-In Linen Cabinet. This cabinet is designed for houses where drawer space and shelf space is limited and is so designed to give ample

space for your every-day linens. Made to fit in wall space 3'1" wide, 6'11" high, 1'5" deep, furnished in semi knock down form. The drawer case comes in one section, the top section comes to you as two doors, three shelves and sufficient shelf cleat as well as sufficient trim to finish face of cabinet. Walls in your house to form the back and side walls of cabinet. No. 10-DN-2655. Clear Yellow Pine only, no hardware included. Price .. \$19.95

SPECIAL MILLWORK MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY

ATTRACTIVE INTERIOR STAIRWAYS



Stairways Complete as Shown
Flooring or Landing Material Not Included

The interior stairways shown on this and the opposite page are but four of numerous designs which we can furnish. We have found these to be the most popular and keep ample stock of all materials going into their construction on hand for quick shipment in oak and yellow pine. All carefully selected, clear stock, smoothly machined and ready for oil, stain, paint or enamel. No balustrade for second floor included.


Material for Stairway Above

| | | |
|--|------------------|---------|
| All material to complete the stairway above furnished as follows: | | |
| For stairway opening 3 ft. wide; height from finished first floor to finished second floor about 9 ft. | | |
| 15 Risers, 3 feet | | |
| 13 Treads, 3 feet | | |
| 2 Starting Newels, No. 206 | | |
| 2 Angle Newels, No. 128 | | |
| 2 Stringers, 16 feet | | |
| 2 Landing Treads | | |
| 1 Piece No. 156, 14 feet | | |
| 120 Lineal feet, 1 1/4 inch, S48 | | |
| 24 Lineal feet Wall Mold | | |
| 10 Lineal feet Return Nosing | | |
| 60 Stair Wedges | | |
| 4 Blox | | |
| 60 Lineal feet Cove | | |
| Stringers not Housed | Stringers Housed | |
| 10-DN-695 Price, Yellow Pine..... | \$46.81 | \$58.10 |
| 10-DN-696 Price, Red Oak..... | 72.55 | 90.15 |

| | | |
|--|------------------|---------|
| All material to complete the stairway above furnished as follows: | | |
| For stairway opening 3 ft. wide; height from finished first floor to finished second floor about 9 ft. | | |
| 4 Stringers, 16 feet | | |
| 15 Risers, 3 feet | | |
| 14 Treads, 3 feet | | |
| 1 Landing Tread | | |
| 1 Starting Newel | | |
| 1 Landing Newel | | |
| 1 Rail, 14 feet | | |
| 1 Shoe, 14 feet | | |
| 1 Fillet, 14 feet | | |
| 120 Lineal feet, 1 1/4 x 1 1/4 inch | | |
| 40 Lineal feet Wall Mold | | |
| 10 Lineal feet Return Nosing | | |
| 70 Lineal feet Cove | | |
| 60 Wedges | | |
| Stringers not Housed | Stringers Housed | |
| 10-DN-697 Price, Yellow Pine..... | \$41.95 | \$53.20 |
| 10-DN-698 Price, Red Oak..... | 69.20 | 86.80 |

NEWELS AND STOCK STAIRWAY MATERIALS

These newels are all popular modern designs the demand for them has made it necessary for us to carry them in stock at all times.



10-DN-685 10-DN-124 10-DN-206 10-DN-684 10-DN-128
Angle Newel Main Newel Main Newel Mission Angle or
Main Newel Main Newel Newel Landing Newel

Main Newels

Artistic and Exclusive Designs 8 inches at Base, 6 inch Shaft, 4 feet long, extra long base.

| | | |
|------------------|--|--------|
| 10-DN-124 | Price, each | \$6.50 |
| Yellow Pine..... | Plain Oak..... | 8.78 |
| 10-DN-206 | Price, each | \$4.70 |
| Yellow Pine..... | Plain Oak..... | 6.45 |
| 10-DN-684 | Cap. 9 1/4 ins., Shaft, 6 ins. Base 7 3/4 ins. Height, 4 ft. Price | \$7.20 |
| Yellow Pine..... | Red Oak..... | 8.90 |

Angle or Landing Newels 5-inch extra long shaft, 5 feet 6 inches long, can be cut down to use as landing or starting newels.

| |
|-------------------------|
| Prices of Angle Newels |
| 10-DN-128 Price, each |
| Yellow Pine..... \$3.60 |
| Plain Oak..... 5.10 |

Round Rail

10-DN-670 Rail, 1 1/4 inches diameter. Price, Yellow Pine, per foot .7c
10-DN-676 Rail 1 1/4 inches diameter. Price, Plain Oak, per foot .11c



Round Rail

10-DN-670 Rail, 1 1/4 inches diameter. Price, Yellow Pine, per foot .7c
10-DN-676 Rail 1 1/4 inches diameter. Price, Plain Oak, per foot .11c

Wall Mould



Landing Nosing

10-DN-8262 Size, 1 1/8 x 2 1/4 ins. Price, per 100 lineal feet.
Yellow Pine..... \$5.85
Plain Red Oak..... 9.40

Return Nosing


10-DN-8262 1/2 Size, 1 1/8 x 1 3/8 ins. Price, per 100 lineal feet.
Yellow Pine..... \$3.90
Oak..... 6.75

Stair Stringers and Wall Mould

| | Prices per 100 Lineal Feet | Size | Wood | Price |
|---------------|----------------------------|-------------|-------|---------|
| 10-DN-654 | Wallmold..... | 3/4 x 1 1/8 | Y. P | \$ 1.60 |
| 10-DN-655 | Wallmold..... | 3/4 x 1 1/8 | Oak | 2.90 |
| 10-DN-656 | String..... | 1 x 12 | Y. P. | 10.50 |
| 10-DN-678 1/2 | String..... | 1 x 12 | Y. P. | 12.50 |
| 10-DN-657 | String..... | 1 x 10 | Oak | 18.75 |
| 10-DN-679 1/2 | String..... | 1 x 12 | Oak | 20.60 |



SPECIAL MILLWORK MADE TO ORDER REQUIRING EXTRA TIME FOR DELIVERY
FOR MODERN AMERICAN HOMES



Stairways Complete as Shown
Flooring or Landing Material Not Included

Any one of the elegant interior stairways illustrated on these pages are furnished complete to you at a surprisingly low cost. After you have decided upon the style you wish, simply make a rough pencil sketch of the opening in your building allowed for stairway, showing the width between finished walls and the height from finished first floor to finished second floor. With this information, we will be able to tell you exactly what the stairway for your building will cost you. No balustrade for second floor included.

Material for Stairway Above

All material to complete the stairway above furnished as follows: For stairway opening 3 ft. wide; height from finished first floor to finished second floor about 9 ft.

| | |
|----------------------|---|
| 2 Stringers, 16 feet | $\frac{3}{4}$ Angle Newel |
| 15 Risers | 130 Lineal feet, $1\frac{1}{2} \times 1\frac{1}{8}$ |
| 13 Treads | 1 Piece Rail, 14 feet |
| 1 Square End Step | 1 Piece Return Nosing, 10 feet |
| 2 Landing Treads | 60 Wedges |
| 1 Starting Newel | 60 Lineal feet Cove |
| 1 Angle Newel | 40 Lineal feet Wall Mold |

Stringers not Housed Stringers Housed
10-DN-856 Price, Yellow Pine..... \$45.80 \$57.00
10-DN-857 Price, Red Oak..... 73.50 91.50

All material to complete the stairway above furnished as follows: For stairway opening 3 ft. wide; height from finished first floor to finished second floor about 9 ft.

| | |
|----------------------|--|
| 2 Stringers, 16 feet | $\frac{3}{4}$ Angle Newel |
| 15 Risers | 40 Lineal feet Wall Mold |
| 12 Treads | 60 Lineal feet Cove |
| 1 Double End Tread | 60 Wedges |
| 2 Landing Treads | 10 Lineal feet Return Nosing |
| 2 Starting Newels | 1 Rail, 16 feet |
| 1 Starting Newel | 120 Lineal feet, $1\frac{1}{2} \times 1\frac{1}{8}$ inch |

Stringers not Housed Stringers Housed
10-DN-858 Price, Yellow Pine..... \$58.50 \$69.70
10-DN-859 Price, Red Oak..... 88.50 106.50

YOUR CHOICE OF OAK OR YELLOW PINE




10-DN-118



10-DN-652

SMOOTHLY
FINISHED
10-DN-652
Also supplied in
long lengths.
1 $\frac{1}{2}$ in. x 1 $\frac{1}{2}$ in.
Yellow Pine..... \$1.95 per 100
1 $\frac{1}{2}$ in. x 1 $\frac{1}{2}$ in.
Red Oak..... \$3.45 per 100

Treads
and
Risers




Not only do our prices on
stair work effect a great saving on
for you, but you can build a
larger range of sizes and a larger
variety from the stock we list. You
can put up a flight of stairs from our
machined and cut-up stock in quicker
time with less cutting, an important labor-
saving feature.

Prices of Treads and Risers
Surfaced, cut smooth and nosed front. Clear Stock.

Price, each

| Number | Ins. Sizes Ft. | Y.-P. | Oak |
|------------------|---|--------|--------|
| 10-DN-666. Riser | $\frac{3}{4} \times 7\frac{1}{2} \times 3$ | \$0.25 | \$0.45 |
| 10-DN-678. Riser | $\frac{3}{4} \times 7\frac{1}{2} \times 3\frac{1}{4}$ | .29 | .54 |
| 10-DN-679. Riser | $\frac{3}{4} \times 7\frac{1}{2} \times 4$ | .35 | .59 |
| 10-DN-668. Tread | $1\frac{1}{8} \times 11\frac{1}{2} \times 3$ | .66 | 1.02 |
| 10-DN-682. Tread | $1\frac{1}{8} \times 11\frac{1}{2} \times 3\frac{1}{2}$ | .72 | 1.16 |
| 10-DN-683. Tread | $1\frac{1}{8} \times 11\frac{1}{2} \times 4$ | .83 | 1.30 |

Stair Shoe and Fillet



$\frac{3}{8} \times 2\frac{3}{4}$ inches
10-DN-157. Rabbeted
Shoe. Per lineal foot.
Yellow Pine..... 4c
Oak..... 7c



$\frac{3}{8} \times 1\frac{1}{2}$ inches
10-DN-158. Fillet.
Per lineal foot.
Yellow Pine..... 2c
Oak..... 3c

Stair Railing



$3\frac{1}{2} \times 2\frac{3}{4}$ " Rabbeted $\frac{3}{8}$ "
10-DN-686. Mission Rail.
Prices per lineal foot.
Yellow Pine..... 34c
Red Oak..... 43c
Add 1c per foot if rabbeted for 1 $\frac{1}{2}$ in. or 1 $\frac{1}{4}$ in. Balusters.



$2\frac{3}{4} \times 3\frac{3}{4}$ inches
10-DN-156.
Prices per lineal foot.
Yellow Pine..... 28c
Oak..... 41c

Quarter Circle Step



Furnished Complete as Illustrated
Built—Ready to Set in Place.

Quarter Circle Step—Furnished Right or Left
Hand Return. Illustration shows right hand return.
Prices for Sizes up to 4 ft. (Width of Stairs).

| No. | Description | Wood | Price Each |
|-----------|---------------|------------|------------|
| 10-DN-672 | R. H. Return. | Clear Y.P. | \$7.10 |
| 10-DN-673 | L. H. Return. | Clear Y.P. | 7.10 |
| 10-DN-674 | R. H. Return. | Clear Oak | 9.05 |
| 10-DN-675 | L. H. Return. | Clear Oak | 9.05 |

Half Circle Step




Furnished Complete as Illustrated
Built—Ready to Set in Place

Half Circle Step—Furnished Right or Left
Hand Return. Illustration shows left hand return.
Prices for Sizes up to 4 ft. (Width of Stairs).

| No. | Description | Wood | Price Each |
|-----------|---------------|------------|------------|
| 10-DN-660 | L. H. Return. | Clear Y.P. | \$7.30 |
| 10-DN-661 | R. H. Return. | Clear Y.P. | 7.30 |
| 10-DN-662 | L. H. Return. | Clear Oak | 9.40 |
| 10-DN-663 | R. H. Return. | Clear Oak | 9.40 |

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Regal Bathroom Combination



Our Regal Bathroom Combination combines the very finest quality material and beauty of design. We offer this bathroom outfit with the belief that a more beautiful or practical outfit cannot be purchased at any price.


Pedestal lavatory designed with massive Colonial base and slab size 20 x 24 inches, 31 inches high. The base and slab are enameled with white porcelain enamel, furnished with nickel-plated Roman lifting waste and nickel-plated supply pipes, nickel-plated trap and cast brass nickel-plated faucets with white china handles, indexed hot and cold.

The closet outfit is furnished with a white vitreous china tank, fitted with compound ball cock and nickel-plated supply pipe; nickel-plated offset flush connection. Syphon jet silent action closet bowl, made of vitreous earthenware, fitted with heavily constructed closet seat, finished in a highly polished Mahogany, heavy nickel-plated bar hinge to attach seat direct to the bowl.

The bath tub is deep apron cornered type, 5 ft. long, cast in one piece of the finest quality grey cast iron, enameled inside and out. The back and one end of the tub are finished into the wall and the base is finished into the floor. The fittings furnished are of the concealed type built into the wall. The supply pipes and lifting waste are equipped with white china handles and escutcheons. The bath tub can be furnished for either right or left hand corner. Be sure to specify the style tub you desire when ordering this outfit.

5-DN-1209. The Regal Bathroom Outfit, complete as described. **\$157.00**

Coronation Bathroom Combination



The Coronation Bathroom Outfit has been assembled especially for those who wish to remodel their present bathroom and install a modern outfit of the latest design. In many cases, where remodeling is done, it is not practical to install built-in tubs. We have included with this outfit, therefore, a pedestal or base tub, enameled inside and out, which, combined with the pedestal lavatory and syphon jet closet outfit, makes the Coronation a really wonderful bathroom combination.

The Bath Tub is cast in one piece, and coated with white porcelain enamel both inside and outside; it measures 5 ft. long, 30 in. wide, and is made with 3 in. roll rim. Finest quality fittings are included with the tub, consisting of heavily nickel-plated brass ideal lifting waste, which does away with the troublesome chain and stopper; nickel-plated quick compression double bath cock, with white china handles, indexed for hot and cold water; nickel-plated supply pipes.


The Pedestal Lavatory, designed to match the tub is entirely covered with white porcelain enamel. Size of slab 20x24 inches, with oval bowl 12 x 15 inches and stands 31 inches high. It is fitted with nickel-plated Roman lifting waste, nickel-plated supply pipes, nickel-plated trap and nickel-plated faucets with white china handles indexed for hot and cold water.

The Closet Outfit is furnished with a white, vitreous china tank in mission style, and is fitted with compound elevated ball cock and nickel-plated supply pipe. Tank connects to bowl with nickel-plated 2-inch offset flush. The bowl is an improved Syphon Jet silent action type, made of vitreous earthenware and is fitted with a practically indestructible seat and cover, finished in highly polished mahogany. Nickel-plated bar hinges attach the seat direct to the bowl.

5-DN-325. The "Coronation" Bathroom outfit, furnished complete as described. **\$130.00**

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Royal Bathroom Combination




Most prominent of all the desirable features of this combination is the massively designed bath tub with pedestal base. The tub sets flush all around on the floor and eliminates the old-fashioned leg base so difficult to clean under.

The pedestal base bath tub is coated on the inside and over the 3 inch roll rim with white porcelain enamel. Measures 5 ft. long and 30 ins. wide; fitted with nickel-plated double bath cock with handles indexed for hot and cold water. Roman or lifting waste; nickel-plated supply pipes to floor. The closet outfit consists of a white vitreous earthenware tank fitted with heavy brass and copper interior trimmings. Perfect action. Syphon jet silent action white vitreous earthenware bowl, highly polished. Finely

finished seat and cover in mahogany; attaches to the bowl with nickel-plated bar hinges. The lavatory measures 18x24 inches. It is unusually attractive in design with 10 inch back. Fitted with compression faucets, indexed for hot and cold water. Nickel-plated supply pipes and "P" trap to wall.

5-DN-74. Royal Bathroom combination, complete as described for \$94.00

Countess Bathroom Combination



This desirable bathroom outfit embodies all features of modern plumbing. It is offered to meet the demand for an outfit of very select quality and perfect design. Nothing has been spared in selecting all pieces and best fittings that could possibly be furnished at our big economical prices.

The bath tub furnished is 5 feet long and 30 inches wide; massive and well proportioned. Heavily coated on the inside and over the 3 inch roll rim with white porcelain enamel. Fitted with nickel-plated compression double bath cock indexed for hot and cold water; nickel-plated connected waste and overflow and supply pipes.



The closet outfit includes an improved wash down type vitreous earthenware bowl and plain neat white vitreous earthenware tank; fitted with Douglas pattern perfect action toilet. All tank fittings and tank cover in heavy brass and copper; operated with China lever in front. The closet seat and cover are highly finished in mahogany and attached to the bowl with nickel-plated bar hinges.

The deep apron lavatory is coated with white porcelain enamel and measures 18 x 21 inches with 8 inch back and "D" pattern bowl, size 10 1/2 x 14 1/2 inches. Fitted with two nickel-plated compression faucets with China tops indexed for hot and cold water. Nickel-plated 1 1/4 in. "P" trap to wall and 5/8 in. nickel-plated supply pipes.

5-DN-67. Countess Bathroom combination, complete as described for iron pipe connections. \$73.00

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Modern Artistic Bath Tubs




5-DN-1001 —5 ft. long, complete with fittings..... \$ 93.00
5-DN-1002 —5 ft. 6 ins. long, complete with fittings..... 97.00

Elegant Deep Apron Full Recessed Tub



\$88⁰⁰

One piece porcelain enameled tub, enameled inside and over the apron with finest quality white porcelain enamel. The back and both ends are finished into the wall and an allowance of $\frac{1}{2}$ inch is made on this tub for finishing.

The fittings furnished are the concealed type. The supply pipes and Ideal lifting waste are equipped with white china handles and escutcheons. Tubs can be furnished with outlet at either right or left end, made in three sizes:



5-DN-1010 —5 ft. long, complete with fittings..... \$88.00
5-DN-1011 —5 ft. 6 ins. long, complete with fittings..... 92.00




Pedestal Bath Tub

Made of the best grade of gray cast iron enamel, heavily oated with white porcelain enamel inside and over the 3 inch roll rim.

Tub furnished with nickelplated compression bath cock with China handles, indexed hot and cold, nickelplated connected waste and overflow and nickelplated supply pipes.

Tub complete as described, painted outside:

5-DN-1015 —4 ft. 6 ins. \$38.00 5-DN-1018 —4 ft. 6 ins. \$61.00
5-DN-1016 —5 ft. 38.00 5-DN-1019 —5 ft. 61.00
5-DN-1017 —5 ft. 6 ins. 42.50 5-DN-1020 —5 ft. 6 ins. 66.00
Nickelplated standing bath waste and overflow china top for pedestal tubs. Extra..... 5.00



Roll Rim Enameled Tub

Double bath cock of new design a feature of the regular equipment furnished with our bath tubs.

Made of gray cast iron enameled inside and over the 3 inch roll rim. Tubs measure 30 inches wide and are fitted with nickelplated bathcock, indexed for hot and cold, nickelplated waste and overflow and nickelplated supply pipes.

5-DN-1021 —4 ft. 6 ins. long, complete with fittings..... \$33.00
5-DN-1022 —5 ft. long, complete with fittings..... 33.00
5-DN-1023 —5 ft. 6 ins. long, complete with fittings..... 36.00
5-DN-1024 —6 ft. long, complete with fittings..... 43.00

Enameled One-Piece Lavatories!

The lavatories below are the product of leading makers. They are cast from best grey iron, heavily coated with sanitary white porcelain enamel. Bowls, tops and backs are made in one piece. The designs shown are the most popular in use today. All lavatories come to you with index faucets and trap, ready to install.



\$10⁰⁰

Size of Slab, 17x19 inches; bowl, 10 1/2x13 1/2 inches; height of back, 6 inches.

White porcelain enameled one-piece half circled lavatory with "D" pattern bowl. Easily and quickly attached with concealed wall hangers furnished. Fitted complete with low down compression faucets with China tops marked "hot and cold." Nickel-plated 1 1/4 inch "P" trap. Nickel-plated chain and rubber stopper.

5-DN-401. Complete as described with lead pipe connections..... **\$10.00**
5-DN-403. Complete as described with iron pipe connections..... **\$10.50**



\$13⁵⁰

Length on sides, 16 1/2 inches; bowl, 10 1/2x13 1/2 inches; height of back, 6 inches.

White porcelain enameled one-piece roll rim corner lavatory with "D" pattern bowl. Easily attached to wall with concealed wall hangers furnished. Fitted complete with nickel-plated low down compression faucets with China tops marked "hot and cold." Nickel-plated 1 1/4 inch "P" trap. Nickel-plated chain and rubber stopper.

5-DN-601. Complete as described with lead pipe connections..... **\$13.50**
5-DN-603. Complete as described with iron pipe connections..... **\$14.00**



\$9⁹⁵

Special lavatory size 20 1/2 ins. wide, 18 ins. deep with back 6 ins. high.

One-piece white porcelain enameled lavatory in semi-deep apron style. Quickly installed with concealed wall hangers. Furnished complete with nickel-plated low down compression basin faucets and nickel plated "P" trap. Faucets have china tops, indexed "Hot" and "Cold."

These lavatories came to us with a special purchase and are offered for quick sale at this remarkably low price.

10-DN-607. Price, semi-deep apron lavatory as described above, each..... **\$9.95**



\$14⁰⁰

Size of Slab, 18x21 inches; bowl, 10 1/2x14 1/2 inches; height of back, 8 inches.

White porcelain enameled one-piece half circled deep apron lavatory with "D" pattern bowl. Quickly and easily attached to wall with concealed wall hangers furnished. Fitted complete with two nickel-plated low down compression faucets with China tops marked "hot and cold." 1 1/4 inch nickel-plated "P" trap. Nickel-plated chain and rubber stopper.

5-DN-411. Complete as described with lead pipe connections..... **\$14.00**
5-DN-413. Complete as described with iron pipe connections..... **\$14.50**



\$31⁵⁰

Size of Slab, 20x24 inches; oval bowl, 11x15 inches; height of lavatory, 31 inches.

White porcelain enameled one-piece pedestal lavatory with oval bowl. Supported on a massive, properly proportioned white enameled pedestal. Fitted complete with nickel-plated model lifting waste with China knob and two fuller faucets with China handles, "hot and cold." 1 1/4 inch "P" trap to wall. This is an impressive lavatory and will give your bathroom a rich appearance.

5-DN-98. Complete as described with iron pipe connections..... **\$31.50**



\$16⁰⁰


Size of Slab, 18x24 inches; bowl, 11x15 inches; height of back, 10 inches.

White porcelain enameled one-piece square deep apron lavatory with "D" pattern bowl. Easily attached to wall with concealed wall hangers furnished. Fitted complete with two nickel-plated compression faucets with China tops marked "hot and cold." 1 1/4 inch nickel-plated "P" trap. Nickel-plated chain and rubber stopper.

5-DN-311. Complete as described with lead pipe connections..... **\$16.00**
5-DN-313. Complete as described with iron pipe connections..... **\$16.50**
5-DN-314. Lavatory size 20x24 inches with fittings as described above. **\$18.00**

AMERICA'S BUILDING MATERIAL HEADQUARTERS

BEAUTIFUL ONE-PIECE KITCHEN SINKS



Double Drainboard - Deep Apron Style

Elegant Kitchen Sink cast in one piece of finest quality gray iron. Enamored all over with white porcelain enamel, fitted with nickel-plated swinging mixing faucet with porcelain China handles, indexed hot and cold and porcelain China soap dish, nickel-plated brass "P" trap, cast iron porcelain enameled adjustable sink legs. These sinks can be installed 36 inches from the floor.

5-DN-1840. Double drainboard sink. 62 inches long, with fittings as described. **\$67.00**

5-DN-1841. Double drainboard sink. 73 inches long, with fittings as described. **87.00**

One-Piece Deep Apron Sink

Made in one piece, including sink, drain board, back and end piece, 12 inches high, heavily coated with white porcelain enamel on the inside and over drain board, back and 5 inch deep apron with white porcelain enamel. Sanitary style with round corners. Furnished complete with two high grade nickel-plated faucets. Nickel-plated brass "P" trap to wall. Cast iron adjustable sink leg. Attached to wall with strong concealed wall hangers which are furnished without extra charge.

5-DN-1853. 44 inches long, for right or left corner. **\$45.00**


Price.....

5-DN-1855. 48 inches long, for right or left corner. **48.00**


5-DN-1856. 52 inches long, for right or left corner. **55.00**

White Porcelain enameled sink leg, extra. **1.50**

1½ in. nickel plated brass trap to floor in place of "P" trap, extra. **.75**



Furnished
for Right
or Left
Corner



Furnished with
Right or Left
Drainboard

White Porcelain Enameled
Adjustable Sink Legs Extra

\$3.00

Straight Wall One-Piece Deep Apron Sink

Sanitary kitchen sink, back and drain board cast in one piece; heavily coated on the inside and over the deep apron with white porcelain enamel. Deep apron, 5 inches wide. Furnished complete with two high grade nickel-plated faucets. Nickel-plated brass "P" trap to wall and two cast iron adjustable sink legs. Attached to the wall with strong concealed wall hangers, furnished without extra charge.

5-DN-1846. 44 inches long, with left or right drain board. **\$36.00**

5-DN-1848. 48 ins. long, with left or right drain board. **43.00**

5-DN-1850. 52 ins. long, with left or right drain board. **47.00**

1½ in. nickel-plated brass trap to floor in place of "P" trap, extra. **.75**

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

LATEST SANITARY DECORATIVE MODELS

One-Piece Deep Apron Sink

An elegant kitchen sink with deep apron, back, drain board and end piece, cast in one piece. An impressive design, neat and easily cleaned—no corners or cracks to hold the grease and dirt.



Supported on adjustable painted legs, and firmly attached by concealed wall hangers.

Furnished complete with nickel-plated improved strainer, $\frac{1}{2}$ in. Fuller flange bibbs, $1\frac{1}{2}$ in. nickel plated brass trap to wall I. P. conn., and one cast iron adjustable sink leg. Three sizes, furnished with right or left end piece. Be sure to state whether right or left style is wanted when you order.

| | | |
|------------|---|---------|
| 5-DN-1854. | 44 ins. long, with right or left end piece. | \$45.00 |
| Price..... | | |
| 5-DN-1857. | 48 inches long, with right or left end piece... | \$48.00 |
| 5-DN-1858. | 52 inches long, with right or left end piece... | 55.00 |

$1\frac{1}{2}$ " Nickel Plated Brass trap to floor, extra..... .75



White porcelain enameled cast iron sink leg, extra..... \$1.50



One-Piece Roll Rim Sink

This popular sink features all that is best in a combination sink, back and drain board cast in one piece. Heavily coated on the inside and over the back and wide roll rim with white porcelain enamel. Attached to wall with strong concealed wall hangers, furnished without extra charge. Fitted complete with two nickel plated faucets and $1\frac{1}{2}$ " Nickel Plated Brass trap to wall I. P. conn.

| | | |
|--|---|---------|
| 5-DN-1791. | 44 inches long, with left or right drain board..... | \$26.00 |
| 5-DN-1793. | 48 ins. long, with left or right drain board... | \$28.00 |
| 5-DN-1795. | 52 ins. long, with left or right drain board... | 31.00 |
| Adjustable painted cast iron legs. Per pair..... | 3.00 | |
| White porcelain enameled sink legs, per pair..... | 6.00 | |
| $1\frac{1}{2}$ " Nickel Plated Brass trap to floor, extra..... | .75 | |




One-Piece Corner Sink

Heavily coated with white porcelain enamel. Made in one piece. Furnished complete with two nickel plated faucets and $1\frac{1}{2}$ " Nickel Plated Brass trap to wall I. P. conn. Quickly and easily attached to wall with strong concealed wall hangers which are furnished without extra charge.


| | | |
|--|---|---------|
| 5-DN-1792. | 44 inches long, for right or left corner... | \$34.00 |
| 5-DN-1794. | 48 inches long, for right or left corner..... | \$36.00 |
| 5-DN-1796. | 52 inches long, for right or left corner..... | 38.00 |
| Adjustable painted cast iron legs. Each | 1.50 | |
| White porcelain enameled sink leg, each..... | 3.00 | |
| $1\frac{1}{2}$ " Nickel Plated Brass trap to floor, extra..... | .75 | |

Uncommon Values in Kitchen Sinks



Two
Adjustable
Painted Legs
\$3.00 Extra

Made of smooth gray iron heavily coated on the inside and over the rim and back with white porcelain enamel; very neat, attractive and easy to clean. Furnished complete with two nickel-plated $\frac{1}{2}$ inch flanged plain faucets, nickel-plated sink strainer and $1\frac{1}{2}$ inch lead "P" trap to wall. Attached to wall with concealed wall hangers.




One-Piece Sink
Fitted With
Enameled
Drainboard

Prices Without Drainboard


| Number | Size of Sink. | Price |
|------------|-------------------|---------|
| 5-DN-1631. | 18x24 inches..... | \$14.70 |
| 5-DN-1639. | 20x30 inches..... | 17.50 |
| 5-DN-1643. | 20x36 inches..... | 22.50 |

Complete With Drainboard

| Number | Size of Sink. | Size of Drainboard. | Price |
|------------|---------------|---------------------|---------|
| 5-DN-1675. | 18x24 inches. | 18x20 inches..... | \$20.75 |
| 5-DN-1681. | 20x30 inches. | 20x24 inches..... | 24.75 |
| 5-DN-1683. | 20x36 inches. | 20x24 inches..... | 27.75 |



Two
Adjustable
Painted Legs
\$3.00 Extra.



Corner Sink
With Enameled
Drainboard


Heavily coated with white porcelain enamel on the inside and over the rim and back; no crevices or corners to catch the dirt. Back and end piece are 12 inches high. Furnished complete with nickel-plated strainer, $\frac{1}{2}$ inch nickel-plated faucets and $1\frac{1}{2}$ inch lead "P" trap to wall. Attached to wall with substantial concealed wall hangers.

Prices Without Drainboard

| | | |
|------------|--|---------|
| 5-DN-1633. | Furnished complete as described, size 20x24 ins. | \$20.00 |
| 5-DN-1634. | Furnished complete as described, size 20x30 ins. | 21.75 |
| 5-DN-1636. | Furnished complete as described, size 20x36 ins. | 24.00 |

| | | |
|------------|--|---------|
| 5-DN-1676. | Furnished complete as described, size 20x24 ins. | \$26.00 |
| 5-DN-1680. | Furnished complete as described, size 20x30 ins. | 28.00 |
| 5-DN-1682. | Furnished complete as described, size 20x36 ins. | 30.00 |

If you intend to install the sink yourself, specify iron pipe connection and add 75c to prices above.



Two Attractive
One-Piece
Deep Apron
White Porcelain
Enameled
Kitchen Sinks

\$21⁵⁰ | \$26⁵⁰


5-DN-1637. Sink Apron, and back all cast in one piece. Enameled all over with finest quality white porcelain enamel.

Sink furnished with two nickel-plated $\frac{1}{2}$ inch sink bibbs, nickel-plated brass trap to wall, nickel-plated strainer, concealed wall hangers. Size, 18x30 inches. Complete with fittings..... \$21.50
Size, 20x30 inches. Complete with fittings..... 24.50

| | | |
|------------|---|---------|
| 5-DN-1638. | Made of gray cast iron, with sink, back and corner piece cast in one, coated all over with finest quality porcelain enamel. | |
| | Sink furnished for either right or left corner. Fittings consist of 2 nickel-plated $\frac{1}{2}$ inch sink bibbs, nickel-plated strainer, nickel-plated brass "P" trap and concealed wall hangers. | |
| | Size, 18x30 inches. Complete with fittings..... | \$26.50 |
| | Size, 20x30 inches. Complete with fittings..... | 27.75 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

LAUNDRY EQUIPMENT



Composition Stone Ware

These laundry tubs are smoothly moulded in one solid piece from a composition of Portland cement and crushed granite. With rounded corners—sanitary and easily kept clean. They are fitted with a rust-proof metal top rim to protect them against chipping. Fitted complete with brass strainer, rubber plug and waste connection cast in the tub. Two ornamental cast iron legs. Polished brass $\frac{1}{2}$ -inch plain flanged wash tray bibbs are furnished or improved swinging mixing faucet, as shown.

| Style | Length Inches | Width Inches | Depth Inches | Price with Bibbs | Price with Swinging Mixing Faucet as shown |
|----------------|------------------|-----------------|-----------------|------------------------|--|
| One Part..... | 24 | 24 | 16 | \$11.75 | \$15.25 |
| Two Part..... | 48 | 24 | 16 | 14.75 | 18.25 |
| Three Part.... | 72 | 24 | 16 | 21.00 | |

GALVANIZED Range Boilers

Standard Weight


Guaranteed full weight. Tested to a working pressure of 150 pounds. Furnished complete with stand, galvanized inside tube and malleable iron couplings. Opening at top for cold water intake and hot water outlet. Opening at bottom for drain for use where average pressure is not over 85 pounds.

Extra Heavy

Heavier and more substantial than our standard range boilers. Tested to 250 pounds working pressure. Recommended for use where working pressure is not over 150 pounds.

Please Note:

Range boilers can only be used where there is a constant water supply under pressure. Openings are arranged with couplings for connection to stove or furnace for hot water supply from your faucets.




5-DN-2101 Standard Boilers

| Cap., Gals. | Ht., In. | Ht., in. incl. Stand | Wt., Lbs. | Boiler only | Price, comp. |
|----------------|-------------|----------------------------|--------------|----------------|-----------------|
| 30 | 60 | 75 | 72 | \$10.50 | \$12.50 |
| 40 | 60 | 75 | 85 | 13.50 | 15.50 |
| 52 | 60 | 75 | 120 | 22.25 | 25.50 |

5-DN-2109 Extra Heavy Boilers

| Cap., Gals. | Ht., In. | Ht., in. incl. Stand | Wt., Lbs. | Boiler only | Price, comp. |
|----------------|-------------|----------------------------|--------------|----------------|-----------------|
| 30 | 60 | 75 | 87 | \$12.25 | \$14.25 |
| 40 | 60 | 75 | 100 | 15.50 | 17.50 |
| 52 | 60 | 75 | 135 | 28.00 | 31.50 |

Combination Sink and Laundry Tray



Sanitary One-Piece Style White Porcelain Enamel

5-DN-1908. Very latest convenience for the modern home where the kitchen and laundry are combined in the room arrangement. Made of best gray cast iron, cast in one piece. Coated with white porcelain enamel on the inside and over 3-inch roll rim. Furnished complete with ash wood laundry tray cover and drainboard combined. Hinged to back. Adjustable pillars. Two nickel plated compression faucets and two laundry bibbs.

| Length Overall Inches | Width Overall Inches | Inside Size of Tray | | | Inside Size of Sink | | | Price |
|-----------------------------|----------------------------|---------------------|-------|-------|---------------------|-------|-------|----------------|
| | | Length | Width | Depth | Length | Width | Depth | |
| 50 $\frac{1}{2}$ | 24 $\frac{1}{2}$ | 22 | 21 | 14 | 22 | 21 | 7 | \$68.50 |

Flat Rim Cast Iron Sinks Painted or White Enamelled



Serviceable Sinks


These high grade flat rim cast iron sinks are furnished with the inside painted or coated with white porcelain enamel over rim. Complete with nickel-plated strainer, iron sink collar and bolts. Collar can also be fitted for 1 $\frac{1}{4}$ in. or 1 $\frac{1}{2}$ in. iron pipe connection if desired. If iron pipe connections are wanted for these sinks, add 25c to the prices below.

Painted Sinks

| | | |
|------------|------------|---------------|
| 5-DN-1701. | Size 18x24 | \$3.35 |
| 5-DN-1702. | Size 18x30 | 3.55 |
| 5-DN-1703. | Size 18x36 | 4.20 |
| 5-DN-1704. | Size 20x30 | 4.00 |
| 5-DN-1705. | Size 20x36 | 4.70 |
| 5-DN-1706. | Size 20x40 | 5.40 |

Enamelled Sinks

| | | |
|------------|------------|---------------|
| 5-DN-1709. | Size 18x24 | \$6.00 |
| 5-DN-1710. | Size 18x30 | 6.50 |
| 5-DN-1711. | Size 18x36 | 8.45 |
| 5-DN-1712. | Size 20x30 | 6.45 |
| 5-DN-1713. | Size 20x36 | 9.25 |
| 5-DN-1714. | Size 20x40 | 12.25 |



Double Copper Coil

Fast heating, efficient, double copper coil water heater, designed to meet most exacting requirements.

Made with double copper coil. Cast iron jacket of neat design. Hinged door forms half of jacket. All casting fired Japanned. 3-inch flue connection. $\frac{1}{2}$ -inch gas supply, $\frac{3}{4}$ -inch water supply. Thoroughly tested.

5-DN-2134. Size, 18 ins. high, 7 ins. in diameter, $\frac{3}{4}$ in. copper tubing, 18 ft. long. Weight, 28 pounds. Price, each..... **\$8.75**

5-DN-2136. Size, 24 ins. high, 8 ins. in diameter, with $\frac{3}{4}$ in. tube, 25 ft. long. Weight, 48 lbs. Price, each..... **\$10.75**


Bowls—Tanks—Seats and Faucets



Syphon Action Bowl

Syphon action wash down closet bowls for low and high tank outfits. Made of Vitreous China earthenware, with highly glazed finish, sanitary and easily kept clean. Weight about 50 lbs.

5-DN-301. With 2 in. spud for low closet outfit..... \$10.00
5-DN-1305. With 1 1/4 in. spud for high closet outfit..... \$10.00



White China Tank

5-DN-1336. White Vitreous China Low Pattern Closet Tank. New, plain design, with rounded corners and flat shelf top. Quickly and easily hung with patent wall attachment. Will not crack, craze or leak—no linings—easily cleaned. Improved rubber ball valve. Heavy brass and copper fittings. Valve operated by white China lever. Furnished complete with ball cock, float valve and over flow; nickel plated supply pipe to floor and closet ell. Weight, about 60 pounds. Price..... \$16.00



Syphon Jet Bowl

Syphon Jet Closet Bowl for low and high tank outfit. Made of finest grade of Vitreous earthenware with highly glazed white finish inside and out. Most sanitary type, easily kept clean. Weight, about 60 pounds.

5-DN-1303. With 2 inch spud for low closet tanks. Price..... \$15.00
5-DN-1307. With 1 1/4 inch spud for high closet tanks. Price..... \$15.00



Oak Closet Seat

5-DN-1311. Made of selected Oak heavily constructed and reinforced. Finished with a beautiful Golden Oak finish. Furnished with heavy cast brass nickel-plated bar hinge. Shipping weight 15 lbs.

Price..... \$3.40

Mahogany Finished Seat


5-DN-1312. Seat made of birch heavily constructed and reinforced. Beautiful Mahogany finish, furnished with cast brass nickel-plated bar hinge. Shipping weight 15 lbs.

Price..... \$3.50



Sill Cock
5-DN-3035. Compression sill cock with $\frac{1}{4}$ inch threaded for standard hose coupling and threaded for connection to $\frac{1}{4}$ inch iron pipe. Made of brass in rough finish with iron wheel. Price, each.....


75c



Cast Iron White Tank

5-DN-1334. These tanks are made of a heavy gray iron casting, coated with white porcelain enamel inside and out. They are unquestionably the most durable closet tank manufactured. Valve is operated with a China lever in front of the tank. Furnished with submerged ball cock, copper float valve and overflow, nickel plated supply pipe to floor and nickel plated closet ell. Weight, about 90 pounds. Price.....


\$15.00



Pearl White Seat

5-DN-1310. These seats are exceptionally well constructed of hardwood and coated with a composition which is guaranteed not to chip or turn color. Furnished with nickel plated bar hinge of heavy cast brass. Shipping wt., 15 lbs.

Price..... \$7.00




Nickle-Plated Hose Bib

4-DN-2955. Compression bib threaded for hose connection.

$\frac{1}{2}$ inch, each..... 90c

$\frac{3}{4}$ inch, each..... \$1.10

Swinging Mixing Faucets




Complete With Soap Dish

Swinging Mixing Sink Faucet

5-DN-1603. Latest improved swinging mixing faucet for kitchen sinks. Made of heavy brass, highly nickel plated. Fitted with white China handles indexed for hot and cold water. The long spout mixes hot and cold water to just the right temperature and distributes the flow to all parts of the sink. White porcelain China soap dish supported by neat nickel plated bracket attached to top of faucet. Designed to fit standard openings in kitchen sinks. Made with flange and threaded for $\frac{1}{2}$ inch pipe connections. Price, each..... \$8.00
Mixing Faucet same as described above without soap dish \$7.00.

Saves
Time
and
Fittings

\$8.00



\$5.00

Swinging Mixing Laundry Tub Faucet

5-DN-1605. Improved laundry tub faucet. Quickly and easily connected to any laundry tub; saves more than half of the time required for installation and more than its cost in fittings alone. The long spout mixes water to the right temperature and enables you to distribute the flow to both compartments of your laundry tub. Made of brass highly nickel plated. Fitted with adjustable lock nuts threaded for iron pipe connection. Price, each..... \$5.00

General Plumbing Accessories

Sink Plugs



5-DN-1729. Furnished complete as illustrated, nickel-plated. Each... 25c

Sink Brackets



5-DN-1723. Black Japanned steel sink bracket of neat design, strong and substantial. For sinks 18 ins. and 16 ins., per pair 60c. For sinks 20 ins. and larger, per pair... 75c

Force Cups



5-DN-3033. Used to force obstruction from closets, lavatories and sinks. Place the rubber cup over the opening and press down; this will form a suction and remove almost any obstruction, saving a plumber's bill which will easily pay for the force cup many times over. Without handle. Price, each..... 35c

Low Tank Closet Valves



5-DN-1300.


High grade pure rubber low tank closet valves. Choice of three sizes. Replace your leaky valve and water you are now wasting. They are quickly and easily replaced. Shipping weight about 6 ounces.

2 inch. Price..... 20c
2 1/2 inch. Price..... 24c
2 3/4 inch. Price..... 30c

Rubber Fuller Balls

5-DN-1302. Rubber Balls for Fuller bibbs. Sizes for bibbs, $\frac{1}{2}$, $\frac{5}{8}$, $\frac{3}{4}$. State size wanted and whether for hot or cold water. Shipping weight, 2 balls, about 2 ounces. Price for 2 balls..... 5c

Combination Ferrules



Lead and Iron

5-DN-2817.

Length, inches

6 12

$1\frac{1}{2} \times 2$ ins. Price, ea \$0.63 \$0.95
 $1\frac{1}{2} \times 2$ ins. Price, ea .65 1.00
2 ins. Price, ea .70 1.15
4 ins. Price, ea 1.25 2.10

Brass Ferrules

Used in connecting lead waste pipe to soil pipe.



5-DN-2843. 4x4 ins. Ea. 60c

Lead Bends



Standard Grades

Short Bends.
5-DN-2831. 4x12. Ea. \$1.80

Long Bends
5-DN-2837. 4x18. Ea. \$2.40

Lead and Brass Traps



Lead "S" Trap.



1 1/2 "P" Trap



Lead "S" Trap.

Short Lead "S" Traps with iron pipe connections on outlet end.

5-DN-2857. 1 1/4 ins. Price, each.... \$1.10

5-DN-2859. 1 1/2 ins. Price, each.... \$1.45

5-DN-2704. Nickel Plated brass "P" Trap. Fitted with 1 1/2 inch adjustable lock nut and 1 1/2 inch cast brass elbow threaded for iron pipe connection. Shipping weight about 12 ounces.

Price, each.... \$1.35

Long Lead "S" Traps, with iron pipe connection on outlet end.

5-DN-2871. 1 1/4 ins. Price, each.... \$1.50

5-DN-2873. 1 1/2 ins. Price, each.... \$1.90

Long Lead "S" Traps, with plain ends. Two standard sizes.

5-DN-2863. 1 1/4 ins. Price, each.... \$1.00

5-DN-2865. 1 1/2 ins. Price, each.... \$1.40

Half "S" or "P" Traps, with iron pipe connection on outlet end.

5-DN-2887. 1 1/4 ins. Price, each.... \$1.05


5-DN-2889. 1 1/2 ins. Price, each.... \$1.30

Half "S" or "P" Lead Traps, in two standard sizes.

5-DN-2879. 1 1/4 ins. Price, each.... 55c

5-DN-2881. 1 1/2 ins. Price, each.... 80c

Iron and Lead Traps



Cast Iron Bath Traps

5-DN-2811.

Complete with Nickel plated covers for sinks, laundry tubs, bathtubs, etc. Tapped side and bottom for 1 1/2 in. iron pipe.

4x5x1 1/2 ins.... 95c

5-DN-1532.

Size, 4x8 ins. Tapped both sides for 1 1/2 in. pipe. Ship. wt. about 15 1/4 lbs.

Price..... \$1.15

Lead Drum Traps.

5-DN-2815. With nickel plated brass trap screw, size 4 x 9 inches.

Each..... \$3.25

Cast Iron Sink Traps

5-DN-1537.

Cast iron with brass cleanout plug connected direct to sink with bolts. Tapped for 1 1/4 in. pipe connection. Ship. wt. about 4 1/2 lbs.

Price..... \$8.50

Lead Bends

With Ferrules



Width, 5 1/2 inches, Inlet.

5-DN-2819. 4x12. Each \$2.30

5-DN-2821. 4x14. Each 2.40

5-DN-2825. 4x18. Each 3.00

Cast Iron Closet Bends

Cast Iron



5-DN-2839. Adjustable Flange Closet Bend. Size, 4x15 inches. Tapped both sides for 1 1/2 inch iron pipe. Shipping weight about 18 lbs. Price..... \$1.30

5-DN-2839 1/2. Plain Bend. 4x15 ins., not tapped. Price..... \$1.05

Sink Strainers

5-DN-1727.

Nickel-plated sink strainers. Each... 15c



Sink Couplings



Illustration at left shows sink couplings for lead pipe connections.

Illustration at right shows sink couplings for iron pipe connections

5-DN-1737. Cast Iron coupling for lead pipe connections. Each..... 6c

5-DN-2739. Cast iron couplings for 1 1/4 inch and 1 1/2 inch iron pipe connections. Each..... 20c

Bath Tub Plugs

5-DN-3143. Heavily nickel plated for lead pipe. Price..... \$1.25



5-DN-3144. Heavily nickel plated for iron pipe. Price..... \$1.50

Sink Bolts

5-DN-1733.

Screw head bolts for cast iron sinks. Each..... 2c

Brass Soldering Union

5-DN-2905.

Used to connect lead with iron.



Size, inches... $\frac{3}{8}$ $\frac{1}{2}$ $\frac{3}{4}$ 1
Price, each... 15c 20c 25c 33c
Size, inches..... 1 1/4 1 1/2 2
Price, each..... 43c 49c 60c


Brass Soldering Nipple

5-DN-2903.

Used to connect lead with iron pipe.

Size, inches..... $\frac{1}{2}$ $\frac{3}{4}$ 1
Price, each..... 14c 20c 27c
Size, inches..... 1 1/4 1 1/2 2
Price, each..... 35c 50c 68c

Rubber Extension Elbows



5-DN-2901. Used to connect flush pipe with closet bowl, can be applied by anyone. Saves plumber's bills. Adjustable from 3 1/4 to 5 1/4 inches from end of coupling to center of elbow.

Size, inches..... 1 1/4
Price, each..... 25c

AMERICA'S BUILDING MATERIAL HEADQUARTERS

GUARANTEED SOIL PIPE AND FITTINGS

Cast Iron

Please Read!

Every length of soil pipe is thoroughly tested and fully guaranteed. Comes to you in 5 ft. lengths only.

SINGLE HUB SOIL PIPE

| | | |
|------------|----------------------------|--------|
| 5-DN-2301. | 2 in. Std. single hub. | \$0.90 |
| 5-DN-2303. | 2 in. Ex. Hvy. single hub. | 1.20 |
| 5-DN-2305. | 4 in. Std. single hub. | 1.55 |
| 5-DN-2307. | 4 in. Ex. Hvy. single hub. | 2.50 |

QUARTER BENDS

| | | |
|------------|-----------------------------|--------|
| 5-DN-2309. | 2 in. Standard. | 30c |
| 5-DN-2311. | 2 in. Ex. Hvy. | 41c |
| 5-DN-2313. | 4 in. Standard. | 52c |
| 5-DN-2315. | 4 in. Ex. Hvy. | 63c |
| 5-DN-2317. | 4 in. Std. 2 in. inlet. | 92c |
| 5-DN-2319. | 4 in. Ex. Hvy. 2 in. inlet. | \$1.15 |

Cut shows right side inlet.

| | | |
|------------|-----------------------------|--------|
| 5-DN-2325. | 4 in. Std. 2 in. inlet. | 92c |
| 5-DN-2327. | 4 in. Ex. Hvy. 2 in. inlet. | \$1.15 |

QUARTER BENDS—SIDE INLET—RIGHT OR LEFT HAND

| | | |
|------------|-----------------------------|--------|
| 5-DN-2317. | 4 in. Std. 2 in. inlet. | 92c |
| 5-DN-2319. | 4 in. Ex. Hvy. 2 in. inlet. | \$1.15 |
| 5-DN-2317. | 4 in. Std. 2 in. inlet. | 92c |
| 5-DN-2319. | 4 in. Ex. Hvy. 2 in. inlet. | \$1.15 |

| | | |
|------------|-----------------|--------|
| 5-DN-2333. | 4 in. Standard. | 90c |
| 5-DN-2335. | 4 in. Ex. Hvy. | \$1.04 |

LONG QUARTER BENDS

| | | |
|------------|--------------------|--------|
| 5-DN-2341. | 4x18 in. Standard. | \$1.12 |
|------------|--------------------|--------|

| | | |
|------------|---------------------|--------|
| 5-DN-2343. | 4x18 in. Extra Hvy. | \$1.38 |
|------------|---------------------|--------|

| | | |
|------------|-----------------|-----|
| 5-DN-2345. | 2 in. Standard. | 30c |
| 5-DN-2347. | 2 in. Ex. Hvy. | 33c |
| 5-DN-2348. | 4 in. Standard. | 44c |
| 5-DN-2349. | 4 in. Ex. Hvy. | 55c |

| | | |
|------------|-----------------|-----|
| 5-DN-2350. | 2 in. Standard. | 26c |
| 5-DN-2351. | 2 in. Ex. Hvy. | 30c |
| 5-DN-2353. | 4 in. Standard. | 44c |
| 5-DN-2355. | 4 in. Ex. Hvy. | 55c |

| | | |
|------------|------------------|--------|
| 5-DN-2356. | 2x2 Standard. | 40c |
| 5-DN-2359. | 2x2 Extra Heavy. | 56c |
| 5-DN-2360. | 4x2 Standard. | 63c |
| 5-DN-2361. | 4x2 Extra Heavy. | 82c |
| 5-DN-2363. | 4x4 Standard. | 86c |
| 5-DN-2365. | 4x4 Ex. Hvy. | \$1.04 |

| | | |
|------------|------------------|--------|
| 5-DN-2357. | 2x2 Standard. | 40c |
| 5-DN-2359. | 2x2 Extra Heavy. | 56c |
| 5-DN-2360. | 4x2 Standard. | 63c |
| 5-DN-2361. | 4x2 Extra Heavy. | 82c |
| 5-DN-2363. | 4x4 Standard. | 86c |
| 5-DN-2365. | 4x4 Ex. Hvy. | \$1.04 |

| | | |
|------------|------------------|--------|
| 5-DN-2367. | 2x2 Standard. | 41c |
| 5-DN-2369. | 2x2 Extra Heavy. | 56c |
| 5-DN-2371. | 4x2 Standard. | 63c |
| 5-DN-2373. | 4x2 Ex. Hvy. | 81c |
| 5-DN-2375. | 4x4 Standard. | 83c |
| 5-DN-2377. | 4x4 Ex. Hvy. | \$1.04 |

| | | |
|------------|------------------|--------|
| 5-DN-2378. | 2x2 Standard. | 41c |
| 5-DN-2380. | 2x2 Extra Heavy. | 56c |
| 5-DN-2382. | 4x2 Standard. | 63c |
| 5-DN-2384. | 4x2 Extra Heavy. | 82c |
| 5-DN-2386. | 4x4 Standard. | 83c |
| 5-DN-2388. | 4x4 Ex. Hvy. | \$1.04 |

| | | |
|------------|------------------|--------|
| 5-DN-2389. | 2x2 Standard. | 41c |
| 5-DN-2391. | 2x2 Extra Heavy. | 56c |
| 5-DN-2393. | 4x2 Standard. | 63c |
| 5-DN-2395. | 4x2 Extra Heavy. | 82c |
| 5-DN-2397. | 4x4 Standard. | 83c |
| 5-DN-2401. | 4x4 Extra Heavy. | \$1.04 |

| | | |
|------------|----------------------|--------|
| 5-DN-2403. | 2x2 Standard. | 41c |
| 5-DN-2405. | 2x2 Extra Heavy. | 56c |
| 5-DN-2407. | 2x2 Standard. | 56c |
| 5-DN-2409. | 2x2 Extra Heavy. | 67c |
| 5-DN-2411. | 2x2 Standard. | 56c |
| 5-DN-2413. | 2x2 Extra Heavy. | 67c |
| 5-DN-2415. | 4x1 1/4 Standard. | 93c |
| 5-DN-2417. | 4x1 1/4 Extra Heavy. | \$1.25 |

| | | |
|------------|----------------------|--------|
| 5-DN-2419. | 4x1 1/4 Standard. | 93c |
| 5-DN-2421. | 4x1 1/2 Extra Heavy. | \$1.25 |
| 5-DN-2423. | 4x2 Standard. | 93c |
| 5-DN-2425. | 4x2 Extra Heavy. | \$1.25 |
| 5-DN-2427. | 4x2 Standard. | 93c |
| 5-DN-2429. | 4x2 Extra Heavy. | \$1.25 |
| 5-DN-2431. | 4 in. Standard. | \$1.47 |
| 5-DN-2433. | 4 in. Ex. Hvy. | \$1.70 |

| | | |
|------------|--------------------|------|
| 5-DN-2435. | 4 in. Standard. | 93c |
| 5-DN-2437. | 4 in. Ex. Hvy. | 115c |
| 5-DN-2439. | 4 in. Standard. | 93c |
| 5-DN-2441. | 4 in. Ex. Hvy. | 116c |
| 5-DN-2443. | 4 in. Standard. | 93c |
| 5-DN-2445. | 4 in. Ex. Hvy. | 116c |
| 5-DN-2447. | 4 x 2 Standard. | 133c |
| 5-DN-2449. | 4 x 2 Extra Heavy. | 143c |
| 5-DN-2451. | 4 x 2 Standard. | 160c |
| 5-DN-2453. | 4 x 2 Extra Heavy. | 160c |

| | | |
|------------|----------------------|--------|
| 5-DN-2455. | 4 x 2 Standard. | 160c |
| 5-DN-2457. | 4 x 2 Extra Heavy. | 170c |
| 5-DN-2459. | 4 x 2 Standard. | 160c |
| 5-DN-2461. | 4 x 2 Extra Heavy. | 170c |
| 5-DN-2463. | 4 x 2 Standard. | 160c |
| 5-DN-2465. | 4 x 2 Extra Heavy. | 170c |
| 5-DN-2467. | 4 x 2 Standard. | 160c |
| 5-DN-2469. | 4 x 2 Extra Heavy. | 170c |
| 5-DN-2471. | 4x1 1/2 Standard. | 104c |
| 5-DN-2473. | 4x1 1/2 Extra Heavy. | \$1.36 |
| 5-DN-2475. | 4x2 Standard. | 104c |
| 5-DN-2477. | 4x2 Extra Heavy. | \$1.04 |

| | | |
|------------|------------------------|--------|
| 5-DN-2479. | 4x2 Standard. | 104c |
| 5-DN-2481. | 4x2 Extra Heavy. | 115c |
| 5-DN-2483. | 2 x 1 1/2 Standard. | 93c |
| 5-DN-2485. | 2 x 1 1/2 Extra Heavy. | 115c |
| 5-DN-2487. | 2x2 Standard. | 93c |
| 5-DN-2489. | 2x2 Extra Heavy. | \$1.15 |
| 5-DN-2491. | 2x2 Standard. | 130c |
| 5-DN-2493. | 2x2 Extra Heavy. | \$1.30 |
| 5-DN-2497. | 4x1 1/2 Extra Heavy. | \$1.58 |
| 5-DN-2499. | 4x2 Standard. | \$1.30 |
| 5-DN-2501. | 4x2 Extra Heavy. | \$1.58 |

| | | |
|------------|------------------|------|
| 5-DN-2503. | 2x2 Standard. | 130c |
| 5-DN-2505. | 2x2 Extra Heavy. | 150c |
| 5-DN-2507. | 2x2 Standard. | 130c |
| 5-DN-2509. | 2x2 Extra Heavy. | 150c |
| 5-DN-2511. | 2x2 Standard. | 130c |
| 5-DN-2513. | 2x2 Extra Heavy. | 150c |
| 5-DN-2515. | 2x2 Standard. | 130c |
| 5-DN-2517. | 2x2 Extra Heavy. | 150c |
| 5-DN-2519. | 2x2 Standard. | 130c |
| 5-DN-2521. | 2x2 Extra Heavy. | 150c |
| 5-DN-2523. | 2x2 Standard. | 130c |
| 5-DN-2525. | 2x2 Extra Heavy. | 150c |
| 5-DN-2527. | 2x2 Standard. | 130c |
| 5-DN-2529. | 2x2 Extra Heavy. | 150c |
| 5-DN-2531. | 2x2 Standard. | 130c |
| 5-DN-2533. | 2x2 Extra Heavy. | 150c |
| 5-DN-2535. | 2x2 Standard. | 130c |
| 5-DN-2537. | 2x2 Extra Heavy. | 150c |
| 5-DN-2539. | 2x2 Standard. | 130c |
| 5-DN-2541. | 2x2 Extra Heavy. | 150c |
| 5-DN-2543. | 2x2 Standard. | 130c |
| 5-DN-2545. | 2x2 Extra Heavy. | 150c |
| 5-DN-2547. | 2x2 Standard. | 130c |
| 5-DN-2549. | 2x2 Extra Heavy. | 150c |
| 5-DN-2551. | 2x2 Standard. | 130c |
| 5-DN-2553. | 2x2 Extra Heavy. | 150c |
| 5-DN-2555. | 2x2 Standard. | 130c |
| 5-DN-2557. | 2x2 Extra Heavy. | 150c |
| 5-DN-2559. | 2x2 Standard. | 130c |
| 5-DN-2561. | 2x2 Extra Heavy. | 150c |
| 5-DN-2563. | 2x2 Standard. | 130c |
| 5-DN-2565. | 2x2 Extra Heavy. | 150c |
| 5-DN-2567. | 2x2 Standard. | 130c |
| 5-DN-2569. | 2x2 Extra Heavy. | 150c |
| 5-DN-2571. | 2x2 Standard. | 130c |
| 5-DN-2573. | 2x2 Extra Heavy. | 150c |
| 5-DN-2575. | 2x2 Standard. | 130c |
| 5-DN-2577. | 2x2 Extra Heavy. | 150c |
| 5-DN-2579. | 2x2 Standard. | 130c |
| 5-DN-2581. | 2x2 Extra Heavy. | 150c |
| 5-DN-2583. | 2x2 Standard. | 130c |
| 5-DN-2585. | 2x2 Extra Heavy. | 150c |
| 5-DN-2587. | 2x2 Standard. | 130c |
| 5-DN-2589. | 2x2 Extra Heavy. | 150c |
| 5-DN-2591. | 2x2 Standard. | 130c |
| 5-DN-2593. | 2x2 Extra Heavy. | 150c |
| 5-DN-2595. | 2x2 Standard. | 130c |
| 5-DN-2597. | 2x2 Extra Heavy. | 150c |
| 5-DN-2599. | 2x2 Standard. | 130c |
| 5-DN-2601. | 2x2 Extra Heavy. | 150c |
| 5-DN-2603. | 2x2 Standard. | 130c |
| 5-DN-2605. | 2x2 Extra Heavy. | 150c |
| 5-DN-2607. | 2x2 Standard. | 130c |
| 5-DN-2609. | 2x2 Extra Heavy. | 150c |
| 5-DN-2611. | 2x2 Standard. | 130c |
| 5-DN-2613. | 2x2 Extra Heavy. | 150c |
| 5-DN-2615. | 2x2 Standard. | 130c |
| 5-DN-2617. | 2x2 Extra Heavy. | 150c |
| 5-DN-2619. | 2x2 Standard. | 130c |
| 5-DN-2621. | 2x2 Extra Heavy. | 150c |
| 5-DN-2623. | 2x2 Standard. | 130c |
| 5-DN-2625. | 2x2 Extra Heavy. | 150c |
| 5-DN-2627. | 2x2 Standard. | 130c |
| 5-DN-2629. | 2x2 Extra Heavy. | 150c |
| 5-DN-2631. | 2x2 Standard. | 130c |
| 5-DN-2633. | 2x2 Extra Heavy. | 150c |
| 5-DN-2635. | 2x2 Standard. | 130c |
| 5-DN-2637. | 2x2 Extra Heavy. | 150c |
| 5-DN-2639. | 2x2 Standard. | 130c |
| 5-DN-2641. | 2x2 Extra Heavy. | 150c |
| 5-DN-2643. | 2x2 Standard. | 130c |
| 5-DN-2645. | 2x2 Extra Heavy. | 150c |
| 5-DN-2647. | 2x2 Standard. | 130c |
| 5-DN-2649. | 2x2 Extra Heavy. | 150c |
| 5-DN-2651. | 2x2 Standard. | 130c |
| 5-DN-2653. | 2x2 Extra Heavy. | 150c |
| 5-DN-2655. | 2x2 Standard. | 130c |
| 5-DN-2657. | 2x2 Extra Heavy. | 150c |
| 5-DN-2659. | 2x2 Standard. | 130c |
| 5-DN-2661. | 2x2 Extra Heavy. | 150c |
| 5-DN-2663. | 2x2 Standard. | 130c |
| 5-DN-2665. | 2x2 Extra Heavy. | 150c |
| 5-DN-2667. | 2x2 Standard. | 130c |
| 5-DN-2669. | 2x2 Extra Heavy. | 150c |
| 5-DN-2671. | 2x2 Standard. | 130c |
| 5-DN-2673. | 2x2 Extra Heavy. | 150c |
| 5-DN-2675. | 2x2 Standard. | 130c |
| 5-DN-2677. | 2x2 Extra Heavy. | 150c |
| 5-DN-2679. | 2x2 Standard. | 130c |
| 5-DN-2681. | 2x2 Extra Heavy. | 150c |
| 5-DN-2683. | 2x2 Standard. | 130c |
| 5-DN-2685 | | |

CAST IRON

FITTINGS

MALLEABLE



Tee.



Bushing.



Return Bend Closed.



45-deg. Elbow.



Nipple.



Union.

Cast Iron Fittings For Standard Wrought Iron Pipe are made of the best grade of material, carefully tapped, inspected up to 125 lbs.; used on power plants, low pressure steam and hot water plants. In ordering fittings be sure and give the inside measurements of the pipe you will use the fittings with, as all pipe is listed by inside measurement only and fittings correspond. Give figure, number and price when ordering. Sizes not listed, furnished on application.

| Size | $\frac{1}{8}$ | $\frac{3}{8}$ | 1 | $1\frac{1}{4}$ | $1\frac{1}{2}$ | 2 | $2\frac{1}{2}$ | 3 | $3\frac{1}{2}$ | 4 |
|----------|---------------|---------------|-----|----------------|----------------|-----|----------------|------|----------------|------|
| 21-DN-1 | .05 | .07 | .09 | .13 | .17 | .24 | .41 | .61 | .83 | 1.00 |
| 21-DN-2 | .06 | .09 | .10 | .16 | .20 | .29 | .50 | .75 | 1.05 | 1.17 |
| 21-DN-3 | .06 | .08 | .10 | .16 | .19 | .27 | .50 | .71 | 1.00 | 1.18 |
| 21-DN-4 | .06 | .08 | .10 | .16 | .19 | .27 | .50 | .71 | 1.00 | 1.18 |
| 21-DN-5 | .08 | .10 | .14 | .19 | .24 | .34 | .61 | .91 | 1.26 | 1.47 |
| 21-DN-6 | .08 | .12 | .14 | .23 | .28 | .39 | .70 | 1.05 | 1.47 | 1.68 |
| 21-DN-7 | .13 | .18 | .23 | .35 | .45 | .63 | 1.09 | 1.68 | 2.27 | 2.65 |
| 21-DN-8 | .15 | .21 | .25 | .39 | .50 | .67 | 1.22 | 1.85 | 2.51 | 2.94 |
| 21-DN-9 | .02 | .02 | .03 | .04 | .07 | .07 | .15 | .22 | .30 | .37 |
| 21-DN-10 | .03 | .05 | .07 | .09 | .11 | .17 | .29 | .42 | .64 | .83 |
| 21-DN-11 | .03 | .05 | .06 | .07 | .08 | .10 | .17 | .25 | .26 | .42 |
| 21-DN-12 | .06 | .10 | .12 | .14 | .16 | .20 | .34 | .50 | .52 | .74 |
| 21-DN-13 | .06 | .10 | .12 | .14 | .16 | .20 | .34 | .50 | .52 | .73 |
| 21-DN-14 | .12 | .16 | .21 | .27 | .32 | .54 | .86 | .86 | 1.07 | |
| 21-DN-15 | .07 | .11 | .14 | .18 | .23 | .30 | .43 | .64 | | |
| 21-DN-16 | .11 | .14 | .19 | .27 | .34 | .44 | .59 | .86 | 1.12 | 1.50 |
| 21-DN-17 | .32 | .39 | .44 | .54 | .66 | .83 | 1.05 | 1.26 | 1.51 | 1.77 |
| 21-DN-18 | .17 | .22 | .25 | .34 | .46 | .67 | | | | |
| 21-DN-19 | .15 | .17 | .18 | .24 | .34 | .48 | | | | |
| 21-DN-20 | | | | | | | 1.26 | 2.00 | 2.52 | 3.38 |
| 21-DN-21 | .04 | .05 | .06 | .08 | .09 | .13 | .28 | .34 | .57 | .65 |
| 21-DN-22 | .05 | .06 | .09 | .12 | .14 | .19 | .42 | .51 | .80 | .92 |
| 21-DN-23 | .05 | .06 | .08 | .12 | .15 | .20 | .41 | .51 | 1.00 | 1.12 |
| 21-DN-24 | .09 | .10 | .14 | .21 | .26 | .34 | .63 | .80 | 1.42 | 1.56 |
| 21-DN-25 | .07 | .09 | .13 | .16 | .19 | .26 | | | | |



Cross.



Plug.



Reducing Tee.



Flange Union.



Street Elbow.



Lock Nut.



Return Bend Open.



Cap.



Ceiling Plate.

Malleable Iron Fittings For Standard Wrought Iron Pipe are made of the best grade of malleable iron, great care being used in the selection of material and their manufacture; all fittings are inspected and tested before shipment, guaranteed water, air and gas tight. Give figure, number and price when ordering.

| Size | | $\frac{1}{8}$ | $\frac{3}{8}$ | $\frac{1}{4}$ | 1 | $1\frac{1}{4}$ | $1\frac{1}{2}$ | 2 |
|----------|------------------------------|---------------|---------------|---------------|-----|----------------|----------------|-----|
| 21-DN-26 | Elbows, Black. | .05 | .06 | .07 | .10 | .17 | .24 | .36 |
| 21-DN-27 | Elbows, Galvanized. | .07 | .09 | .10 | .15 | .26 | .37 | .55 |
| 21-DN-28 | Elbows, Reducing Galvanized. | .08 | .08 | .13 | .16 | .21 | .32 | .48 |
| 21-DN-29 | Elbows, 45°, Galvanized. | .05 | .06 | .09 | .12 | .20 | .37 | .66 |
| 21-DN-30 | Elbows, 45°, Black. | .04 | .05 | .09 | .12 | .21 | .28 | .48 |
| 21-DN-31 | Elbows, Street, Black. | .04 | .08 | .10 | .11 | .17 | .28 | .44 |
| 21-DN-32 | Elbows, Street, Galvanized. | .06 | .10 | .13 | .17 | .27 | .35 | .61 |
| 21-DN-33 | Tees, Black. | .05 | .08 | .09 | .12 | .22 | .27 | .46 |
| 21-DN-34 | Tees, Galvanized. | .08 | .11 | .12 | .19 | .33 | .43 | .70 |
| 21-DN-35 | Tees, Reducing, Galvanized. | .08 | .11 | .15 | .20 | .35 | .45 | .65 |
| 21-DN-36 | Crosses, Galvanized. | .09 | .14 | .22 | .33 | .38 | .48 | .87 |
| 21-DN-37 | Reducers, Galvanized. | .04 | .05 | .09 | .14 | .22 | .37 | |
| 21-DN-38 | Caps, Black. | .02 | .04 | .05 | .09 | .10 | .21 | |
| 21-DN-39 | Caps, Galvanized. | .03 | .04 | .08 | .12 | .15 | .19 | .32 |
| 21-DN-40 | Return Bends, O. P. | .06 | .10 | .18 | .26 | .31 | .45 | .69 |
| 21-DN-41 | Lock Nuts, Galvanized. | .02 | .03 | .04 | .07 | .08 | .09 | .12 |
| 21-DN-42 | Unions, Black. | .13 | .15 | .18 | .22 | .31 | .38 | .49 |
| 21-DN-43 | Unions, Galvanized. | .20 | .22 | .27 | .33 | .46 | .59 | .76 |

Cast Iron Black Drainage Fittings Threaded for Wrought Iron Pipe

These fittings have an interior shoulder to which the pipe screws up flush, thus giving an unobstructed passage, preventing pipe from becoming choked up by any solid matter.



Drainage Basin Tee



Drainage Street Elbow



Wrought Iron Long Screw



21-DN-126 with Coupling and Lockout, Faced, Galvanized



Size, 1 $\frac{1}{2}$ inches. Price..... 47c
Size, 2" long. Price..... 70c

**ALL PRICES ON THIS PAGE SUBJECT TO CHANGE
How to Order Reducing Tees and Crosses**

Reducing Tees

1st. Always give end or run openings. Then side openings.


Example



Order should read: "2x1 1/4x1 1/4."

Reducing Crosses

Always mention all openings. Reading straight across, then up and down. Example



Order should read: "2x2x1x1."

2nd. Cast Iron Flange. Faced, Faced and Drilled.

3rd. Cast Iron Flange. Faced and Drilled.

When ordering cast iron flanges, be sure to mention size of pipe and diameter of flange. We can furnish in these ways: "Not Faced or Drilled," "Faced" and "Faced and Drilled." When ordering be sure to give size, figure number and price. Bolts are extra.

No. 21-B-201. 2nd. Cast Iron Flange. Faced.
No. 21-B-202. 3rd. Cast Iron Flange. Faced and Drilled.

| Inside Pipe Inch. | Outside Flange Inch. | "Faced." | "Faced and Drilled." | Inside Pipe Inch. | Outside Flange Inch. | "Faced." | "Faced and Drilled." |
|-------------------|----------------------|----------|----------------------|-------------------|----------------------|----------|----------------------|
| 2 1/2 | 6 | \$0.60 | \$0.82 | 4 | 9 | \$1.10 | \$1.47 |
| 3 | 7 1/4 | .70 | .88 | 5 | 10 | 1.30 | 1.65 |
| 3 1/2 | 8 1/2 | .80 | 1.00 | 6 | 11 | 1.62 | 2.05 |

Wrought Iron Pipe Cast Iron Black Drainage Fittings. Threaded.

NOTICE.—The sizes given for fittings refer to the size of the pipe on which fittings are to be used. Carefully measure the inside of the pipe, NOT the coupling, and order by this size.

90 Degree Drainage Elbow

21-DN-121

Size, 1 1/2 inches. Price..... 81c
Size, 2" inches. Price..... 47c

45 Degree Drainage Elbow

21-DN-122

Size, 1 1/2 inches. Price..... 81c
Size, 2" inches. Price..... 47c

45 Degree Y Drainage

21-DN-127

Size, 1 1/2 inches. Price..... 54c
Size, 2" inches. Price..... 79c


Black Wrought Steel Pipe Galvanized

6-DN-1. Brand new black and galvanized wrought steel pipe, fully tested and guaranteed. Best quality made, easily cut and threaded. Comes in standard full lengths ranging from 18 to 21 feet; each length threaded on both ends fitted with coupling on one end. Prices below are for full lengths only as it comes from the mill and are based on latest market prices. All prices shown are for quantities up to 1,000 feet. Ask for special prices on larger quantities. Size of pipe determined by its inside diameter.

| INSIDE DIAMETER, INCHES | Outside Diam. Inches | Weight, Per ft., Pounds | Price, Per ft., Black | Price, Per ft., Galv. |
|--------------------------|-------------------------|----------------------------|--------------------------|--------------------------|
| One-half..... | 0.84 | 0.85 | \$0.05 1/2 | \$0.07 1/2 |
| Three-quarters..... | 1.05 | 1.13 | .07 | .09 |
| One..... | 1.31 | 1.68 | .10 | .12 1/2 |
| One and one-quarter..... | 1.66 | 2.28 | .13 1/2 | .17 |
| One and one-half..... | 1.9 | 2.73 | .16 | .20 |
| Two..... | 2.37 | 3.67 | .22 | .27 |
| Two and one-half..... | 2.87 | 5.81 | .34 | .43 |
| Three..... | 3.5 | 7.61 | .44 | .56 |



Moulded Asbestos Pipe Covering



Asbestos Air Cell Pipe Covering

21-DN-303. This form of covering is offered as a durable and effective non-conducting covering. It is absolutely fireproof and is made in sections in the various sizes, 3 feet long, which are finished with canvas jackets, and provided with sufficient metal bands to securely fasten it to the pipe. Thickness of covering, 1 inch.

| For pipe, Size | Price per 3 ft. length | For pipe, Size | Price, per 3 ft. length |
|----------------|------------------------|----------------|-------------------------|
| 1/2..... | \$0.33 | 2..... | \$0.55 |
| 3/4..... | .37 | 2 1/2..... | .60 |
| 1..... | .41 | 3..... | .65 |
| 1 1/4..... | .45 | 3 1/2..... | .72 |
| 1 1/2..... | .50 | 4..... | .90 |

Asbestos Cement

21-DN-207. A dry cement for covering heating boilers, iron or any other surface to prevent loss of asbestos fibre and other materials. Increases efficiency of boiler.

Price, per 100-lb. bag \$2.25



Prices of All Material on This Page Are Subject to Market Changes

Full standard weights, suitable for 100-pound steam pressure. For use either steam or water purposes. Made of the best grade metals of proper mixture to give excellent satisfaction. The valves are carefully machined and have full openings. We guarantee them fully in every respect and we will replace any valve without charge that does not prove entirely satisfactory.

STANDARD BRASS STEAM COCKS



4-DN-4919.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.39 |
| 3/8 inch... | .44 |
| 5/8 inch... | .55 |
| 3/4 inch... | .50 |
| 1 1/4 inch... | .85 |
| 1 1/2 inch... | 1.15 |
| 1 1/4 inch... | 1.82 |
| 1 1/2 inch... | 2.39 |
| 2 inch... | 3.25 |

STANDARD BRASS GAS SERVICE COCKS



5-DN-4921.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.39 |
| 3/8 inch... | .44 |
| 5/8 inch... | .55 |
| 3/4 inch... | .50 |
| 1 1/4 inch... | .85 |
| 1 1/2 inch... | 1.15 |
| 1 1/4 inch... | 1.82 |
| 1 1/2 inch... | 2.39 |
| 2 inch... | 3.60 |

COMPRESS. SION GAUGE COCKS



5-DN-4915.

| With wood handles, brass finished, with stuffing box. | Size | Each |
|---|--------|------|
| 1/2 inch... | \$0.35 | |
| 3/4 inch... | .37 | |
| 1 1/4 inch... | .50 | |
| 1 1/2 inch... | .66 | |
| 1 1/4 inch... | .77 | |
| 1 1/2 inch... | 1.32 | |
| 1 1/2 inch... | 1.52 | |
| 2 inch... | 2.30 | |

THREE-WAY BRASS STEAM COCKS



5-DN-4917.

| Size | Each |
|---------------|--------|
| 1/2 inch... | \$0.35 |
| 3/4 inch... | .37 |
| 1 1/4 inch... | .50 |
| 1 1/2 inch... | .66 |
| 1 1/4 inch... | .77 |
| 1 1/2 inch... | 1.32 |
| 1 1/2 inch... | 1.52 |
| 2 inch... | 2.30 |

STANDARD BRASS GLOBE VALVES



5-DN-4901.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.35 |
| 3/8 inch... | .37 |
| 5/8 inch... | .50 |
| 3/4 inch... | .66 |
| 1 1/4 inch... | .77 |
| 1 1/2 inch... | 1.32 |
| 1 1/2 inch... | 1.52 |
| 2 inch... | 2.30 |

STANDARD GATE VALVES



5-DN-4909.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.83 |
| 3/8 inch... | .85 |
| 5/8 inch... | .94 |
| 3/4 inch... | .83 |
| 1 1/4 inch... | 1.15 |
| 1 1/2 inch... | 1.62 |
| 1 1/2 inch... | 2.15 |
| 2 inch... | 4.18 |

JENKINS' DISC BRASS GLOBE VALVES



5-DN-4905.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.53 |
| 3/8 inch... | .55 |
| 5/8 inch... | .60 |
| 3/4 inch... | .59 |
| 1 1/4 inch... | .77 |
| 1 1/2 inch... | 1.10 |
| 2 inch... | 2.30 |

STANDARD BRASS ANGLE VALVES



5-DN-4903.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.33 |
| 3/8 inch... | .35 |
| 5/8 inch... | .36 |
| 3/4 inch... | .44 |
| 1 1/4 inch... | .56 |
| 1 1/2 inch... | .77 |
| 2 inch... | 2.36 |

JENKINS' DISC BRASS ANGLE VALVES



5-DN-4907.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.53 |
| 3/8 inch... | .60 |
| 5/8 inch... | .66 |
| 3/4 inch... | .76 |
| 1 1/4 inch... | 1.10 |
| 1 1/2 inch... | 1.38 |
| 2 inch... | 2.09 |

STANDARD HORIZONTAL CHECK VALVES



5-DN-4923.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.33 |
| 3/8 inch... | .35 |
| 5/8 inch... | .36 |
| 3/4 inch... | .44 |
| 1 1/4 inch... | .56 |
| 1 1/2 inch... | .77 |
| 2 inch... | 1.10 |

JENKINS' DISC BRASS CHECK VALVES



5-DN-4925.

| Size | Each |
|---------------|--------|
| 1/4 inch... | \$0.53 |
| 3/8 inch... | .55 |
| 5/8 inch... | .60 |
| 3/4 inch... | .69 |
| 1 1/4 inch... | 1.87 |
| 1 1/2 inch... | 2.35 |
| 2 inch... | 3.50 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Perfection Round Sectional Heating Boilers



For Hot Water
and Steam
Heating Plants

Burn hard coal, soft coal, wood, coke or any fuel with utmost satisfaction.

PERFECTION sectional steam and hot water boilers show a decided improvement in "Round Type Boiler Construction." When designing Perfection Boilers, our engineers worked with one idea—to produce the most efficient and economically operated heating boiler possible. Following the designs of our engineers, these boilers are carefully made from the best grade of gray cast iron, smoothly finished; all sections and parts fitting perfectly.

We call your special attention to the construction of the fire pot. The cast iron pins on the side of the fire pot serve a double purpose. They hold the ashes and dead fire from the fire pot and because they project into the fire heat quickly and increase the circulation in your heating system.


Although Perfection Boilers embody all latest improvements and are sold under a guarantee of absolute satisfaction, you will find the prices on these boilers exceptionally low.

Most Efficient Round Design

This sectional view of the interior of the boiler shows the deep fire pot entirely surrounded by water, insuring quick circulation. All parts are carefully tested and must fit perfectly before boilers are shipped from our factory.

Important Features

Smooth, perfect fitting cast sections.
Deep fire pot and long fire travel gets the heat.
Greatest possible heating surface.
Rocker type clinker cutting grate bars.
Large size feed doors.
Deep, roomy ashpit.
Ease of operation and cleaning.
Rapid circulation.
Perfect fitting parts.



Hot Water Boiler


Prices of Perfection Round Sectional Steam and Hot Water Boilers

All Quotations Are Subject to Market Changes

| Number | Dia. of Grate | Floor Space | Height Outlet Steam | Height Outlet Water | Water Line Steam | Number and Size Tappings | Size of Smoke Pipe | Weight | Rating Steam | Rating Hot Water | Price Steam | Price Hot Water |
|-----------|---------------------|----------------|---------------------------|---------------------------|------------------------|--------------------------------|--------------------------|--------|-----------------|------------------------|----------------|-----------------------|
| 17-DN-319 | 19" | 26" | 50" | 47" | 47" | 2-2 1/2" | 7" | 900 | 450 | 700 | \$127.60 | \$102.30 |
| 17-DN-222 | 22" | 30" | 50" | 47" | 44" | 2-2 1/2" | 9" | 1000 | 525 | 875 | 134.00 | 104.50 |
| 17-DN-322 | 22" | 30" | 56" | 53" | 50" | 2-2 1/2" | 9" | 1100 | 575 | 940 | 150.70 | 121.10 |
| 17-DN-422 | 22" | 30" | 62" | 59" | 56" | 2-2 1/2" | 9" | 1200 | 600 | 975 | 165.00 | 134.20 |
| 17-DN-225 | 25" | 33" | 52" | 48" | 46" | 2-3 1/2" | 9" | 1300 | 675 | 1150 | 155.10 | 123.20 |
| 17-DN-325 | 25" | 33" | 58" | 54" | 52" | 2-3" | 9" | 1400 | 750 | 1240 | 176.00 | 145.20 |
| 17-DN-228 | 28" | 36" | 53" | 49" | 47" | 2-4" | 10" | 1550 | 900 | 1475 | 193.60 | 157.30 |
| 17-DN-328 | 28" | 36" | 59" | 55" | 53" | 2-4" | 10" | 1800 | 1000 | 1575 | 220.00 | 183.70 |
| 17-DN-428 | 28" | 36" | 65" | 61" | 59" | 2-4" | 10" | 2000 | 1025 | 1675 | 244.20 | 207.90 |
| 17-DN-331 | 31" | 39" | 61" | 56" | 54" | 2-4" | 10" | 2200 | 1200 | 1900 | 268.40 | 214.50 |

122 Fifth Avenue
New York, N. Y.

HARRIS BROTHERS COMPANY Cresskill
New Jersey



Sectional View of Perfection Boilers

**This Boiler Will Be Your Choice If Boiler
Perfection Counts**

Perfection square sectional, steam and hot water home heating boilers as they stand today are the result of constant experimenting, improving and tests for over 30 years.

Sections are smoothly and evenly cast in one piece from best gray iron carefully tested for strength and endurance.


Maximum heating surface and long smoke travel insures utmost heat from least fuel. Note: The entire firepot is surrounded by water.

The "V" shaped construction of castings—the straight self cleaning flue passages—the rocker type clinker cutting grate bars and the ability of these boilers to burn wood, coke, hard coal, soft coal or any fuel giving greatest efficiency at all times makes Perfection Boilers one of the most satisfactory on the market.

Perfection Heating

For Hot Water and Steam Heating Plants!

TIME TESTED and tried under all conditions in every section of the country. Perfection Boilers are the sure choice of careful buyers everywhere. The most convincing endorsement for them is the thousands now in use and their wonderful record for more than 30 years. Today they present many new improvements in addition to the exclusive and original features that gained for them home heating boiler leadership.



Square Sectional Boilers

The Pulse of Comfort in Your Home

THE joy and healthful advantages of an efficient correctly installed modern heating system has made its selection the most important of all home comforts and improvements. Perfection Home Heating Systems—Perfection Boilers—Perfection Radiators—Perfection Furnaces and heating equipment of every description together with our Free Expert Engineering service has contributed in a large measure to the health and happiness of thousands of progressive home owners.

Perfection Boilers Are Perfect in Design and Construction

The pictures on the opposite page clearly show the splendid construction of Perfection square sectional boilers. The hot water and steam boilers are of the same design with the exception of the steam trimmings which are furnished with the steam boilers. Every possible unit of heat produced by the fuel is absorbed by the water before the burning gases and smoke reaches the chimney. Note the extra deep firepot entirely surrounded by water heating passages which insures quick, steady heat.


Perfection Heating Systems Are Planned by Experts

Our experts have reduced the old-time complications of heating system planning and installation to a simple, easily completed job. Any handy man can do all the work by following our simple, easily understood instructions. No experience on your part necessary—just a little time and substantial exercise. We furnish all the tools you will need at a low rental charge. Always the same satisfactory results—a perfect efficient heating system insuring cold weather comfort and a big saving on the completed job.

This Guarantee—

Assures Heating Plant Perfection and Cold Weather Comfort

Every Perfection Heating System, when installed according to our plans and instructions, is guaranteed to heat the rooms in which radiators are placed to a temperature of 70 degrees during all conditions of weather without undue forcing of the fire. It is agreed that if for any reason any piece or part of the material proves defective or if the heating system we have furnished is not capable of heating the rooms as stated above, we will hand you back the purchase price and any amount of freight charges paid by you to receive it.—HARRIS BROTHERS COMPANY.



Equipped for Steam

Prices and Specifications of Perfection Heating Boilers


All Quotations Are Subject to Market Changes

| Number | Size of Firepot | Size of Smoke Pipe | Foundation Inches | Tappings at Flow and Return | Height to Water Line (in Steam Boiler) | Direct Water Radiation | Direct Steam Radiation | Shipping Weight in Lbs. | Price on Hot Water Boilers | Price on Steam Boilers |
|-----------|-----------------|--------------------|-------------------|-----------------------------|--|------------------------|------------------------|-------------------------|----------------------------|------------------------|
| 17-DN-64 | 13½x12 | 7 | 23x24 | 2-2 | 41" | 425 | 250 | 590 | \$ 66.00 | \$ 79.20 |
| 17-DN-65 | 13½x15 | 7 | 23x28 | 2-2 | 41 | 550 | 325 | 675 | 73.70 | 88.00 |
| 17-DN-66 | 13½x18 | 7 | 23x32 | 2-2 | 41 | 675 | 400 | 835 | 83.60 | 97.90 |
| 17-DN-67 | 13½x21 | 7 | 23x36 | 3-2 | 41 | 800 | 475 | 915 | 92.40 | 106.70 |
| 17-DN-175 | 17x17 | 9 | 26x28 | 2-2 ½ | 48 | 1000 | 600 | 941 | 112.20 | 126.50 |
| 17-DN-176 | 17x21 | 9 | 26x33 | 2-2 ½ | 48 | 1250 | 750 | 1123 | 128.70 | 143.00 |
| 17-DN-177 | 17x25 | 9 | 26x38 | 3-2 ½ | 48 | 1500 | 900 | 1305 | 147.40 | 162.80 |
| 17-DN-178 | 17x30 | 9 | 26x43 | 3-2 ½ | 48 | 1750 | 1050 | 1487 | 156.20 | 181.50 |

Above prices are all F. O. B. our factory in Western New York. We will quote Freight Prepaid prices on request.

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Perfection Square Sectional Heating Boilers



For Large Hot Water and Steam Heating Systems


Perfection boilers are designed particularly for use in large heating work. They are conveniently installed; being sectional, they are built up together—no additional expense for elaborate brickwork. The ease with which Perfection boilers are operated with greatest efficiency—their ability to heat quickly, steadily and powerfully with utmost fuel economy—are advantages that you will appreciate.

Fast, Steady, Powerful Boilers

Made with improved push nipple type for joining the sections. This connection consists of heavy machine turned smooth tapered nipples made of cast iron and held together by heavy tie rods. These connections are so arranged that they are not exposed to the action of the fire and are unaffected by expansion or contraction of the sections; tight, permanent joints at all times. Their capacity can be increased or diminished by adding or taking from the sections.

Note especially the deep combustion chamber and the enormous amount of heating surface pressed to the action of the fire. This feature, combined with the long travel of gases, utilizes all of the effective heating units, giving efficiency with the most economical consumption of fuel. This also insures an immediate response to the action of the fire and quick heat to all parts of your building. All boiler ratings stated below are conservatively made according to accepted standards. Perfection boilers are perfectly adapted for soft coal burning. Perfection boilers are equipped with a large front and rear clean-out door, which gives you free and easy access to every part of the fire surface.

Prices and Specifications of Perfection Boilers F. O. B. Factory in Michigan All Quotations Are Subject to Market Changes




Sectional View


| Number | Grate Surface | No. of Taps | Size of Smoke Pipe | Height to Outlet | Water Line | Total Length | Weight | Hot Water Rating | Steam Rating | Price Hot Water | Price Steam |
|------------|---------------|-------------|--------------------|------------------|------------|--------------|--------|------------------|--------------|-----------------|-------------|
| 17-DN-255 | 22x30 | 2-4 | 10 | 53 | 45 | 54 | 2200 | 1300 | 950 | \$203.50 | \$236.50 |
| 17-DN-256 | 22x37 | 2-4 | 10 | 53 | 45 | 61 | 2500 | 1650 | 1150 | 247.50 | 277.20 |
| 17-DN-257 | 22x44 | 2-4 | 10 | 53 | 45 | 68 | 2800 | 2000 | 1350 | 286.00 | 319.00 |
| 17-DN-258 | 22x51 | 2-4 | 10 | 53 | 45 | 75 | 3150 | 2625 | 1600 | 325.60 | 357.50 |
| 17-DN-355 | 30x30 | 2-4 | 13 1/2 | 59 | 48 | 52 | 3000 | 2400 | 1450 | 308.00 | 338.80 |
| 17-DN-356 | 30x37 | 2-4 | 13 1/2 | 59 | 48 | 59 | 3650 | 3000 | 1850 | 376.20 | 407.00 |
| 17-DN-357 | 30x44 | 2-4 | 13 1/2 | 59 | 48 | 66 | 4200 | 3600 | 2275 | 429.00 | 462.00 |
| 17-DN-358 | 30x51 | 3-4 | 13 1/2 | 59 | 48 | 73 | 4500 | 4200 | 2550 | 475.20 | 506.00 |
| 17-DN-359 | 30x58 | 3-4 | 13 1/2 | 59 | 48 | 80 | 5100 | 4800 | 2900 | 533.50 | 566.50 |
| 17-DN-456 | 38x42 | 2-5 | 16 | 67 | 55 | 63 | 4800 | 5000 | 3000 | 550.00 | 577.50 |
| 17-DN-457 | 38x50 | 2-5 | 16 | 67 | 55 | 71 | 5600 | 5875 | 3500 | 621.50 | 649.00 |
| 17-DN-458 | 38x58 | 3-5 | 16 | 67 | 55 | 79 | 6400 | 6800 | 4000 | 693.00 | 726.00 |
| 17-DN-459 | 38x66 | 3-5 | 16 | 67 | 55 | 87 | 7300 | 7800 | 4500 | 792.00 | 825.00 |
| 17-DN-4510 | 38x74 | 3-5 | 16 | 67 | 55 | 95 | 8000 | 8300 | 5000 | 880.00 | 907.50 |

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE


Perfection Plain Steam and Hot Water Radiators



Perfection 3 Column Radiators



Perfection 2 Column Radiators



Perfection One Column Radiators

Made of Smooth,
Gray Cast Iron—
Plain Design

THESE Colonial design radiators are smoothly made from best grey iron. Each section is expertly cast in one piece. All surfaces must be perfect because of the plain design without old-fashioned ornamentation which covered imperfect careless castings. Easy to finish with gold or aluminum paint—easy to keep clean and sanitary.

Each section is tested separately and tested again when the complete radiator is assembled before shipment. Guaranteed perfect in every respect.

Prices below are for shipment direct from our warehouse in Western New York. We carry a large stock of radiators here at Cresskill, New Jersey warehouse for the convenience of our customers. When delivered by truck from Cresskill, N. J., add 5c per ft. to cover freight charges.

ONE COLUMN RADIATORS 17-DN-5300

| | Hot Water | Steam |
|------------------|---------------------------------|--------|
| 38 inch high, 3 | sq. ft. per section—per ft..... | \$0.40 |
| 26 inch high, 2 | sq. ft. per section—per ft..... | .49 |
| 20 inch high, 1½ | sq. ft. per section—per ft..... | .56 |

TWO COLUMN RADIATORS 17-DN-5305

| | Hot Water | Steam |
|------------------|---------------------------------|--------|
| 38 inch high, 4 | sq. ft. per section—per ft..... | \$0.38 |
| 32 inch high, 3½ | sq. ft. per section—per ft..... | .41 |
| 26 inch high, 2½ | sq. ft. per section—per ft..... | .46 |
| 20 inch high, 2 | sq. ft. per section—per ft..... | .52 |

THREE COLUMN RADIATORS 17-DN-5310


| | Hot Water | Steam |
|------------------|---------------------------------|--------|
| 38 inch high, 5 | sq. ft. per section—per ft..... | \$0.37 |
| 32 inch high, 4½ | sq. ft. per section—per ft..... | .40 |
| 26 inch high, 3½ | sq. ft. per section—per ft..... | .44 |
| 22 inch high, 3 | sq. ft. per section—per ft..... | .48 |
| 18 inch high, 2½ | sq. ft. per section—per ft..... | .53 |

FIVE COLUMN RADIATORS 17-DN-5315

| | Hot Water | Steam |
|-----------------|---------------------------------|--------|
| 22 inch high, 6 | sq. ft. per section—per ft..... | \$0.48 |
| 18 inch high, 5 | sq. ft. per section—per ft..... | .53 |
| 14 inch high, 4 | sq. ft. per section—per ft..... | .58 |

Made with standard tapping as follows:

| | |
|--|-----------|
| Radiators containing 26 ft. or under | 3/8 in. |
| Radiators containing more than 26 ft. (not exceeding 50 ft.) | 1 in. |
| Radiators above 50 ft. but not exceeding 90 feet | 1 1/4 in. |
| Radiators containing above 90 feet | 1 1/2 in. |




Perfection 5 Column Low Radiators

All Quotations Are Subject to Market Changes

AMERICA'S BUILDING MATERIAL HEADQUARTERS

Perfection ReCirculating



Read How
This Splendid
One-Register
Heating
System
Will Cut Your
Fuel Bill.

Good circulation is absolutely necessary to heat all the rooms in your home with a Warm Air Pipeless Furnace. To supply heat through one register in one room with no provisions to keep the air circulating is not sufficient. The air rising from the furnace will retain its velocity while it is hot, but as it cools, begins to fall and will return to the cold air intake on the outer part of the floor register.

The Harris Re-circulating Pipeless System with its cold air intake returning to the furnace heats all of the rooms quickly and evenly in the coldest weather and in re-circulating the air from the rooms less heat is required and less fuel needed to retain the steady even heat. This continuous circulation of air in all rooms mixing with the fresh air which comes into any house through doors and windows is a healthful advantage that should not be overlooked.

A particular advantage of Harris Re-circulating Furnaces is the unusually large cold air return. The outer casing being placed 8" from the inner casing allows a quick active return of the cold air from the rooms above which increases circulation and gives a constant flow of warm air through your living rooms.

Built for Long Service!


"Harris" re-circulating double casing pipeless furnaces are built to give lifelong service. Made entirely of cast-iron with double casing made of heavy galvanized iron. The fire pot is made in two sections with deep corrugations. The triangular grate and all parts coming in direct contact with the fire are made of finest heavy cast-iron. The ash pit is large and deep to prevent damage to the grate from accumulated ashes. Extra large door to ash pit and extra large fuel door. Large water pan. Cast-iron parts are smooth and nicely finished. The galvanized casing is securely fitted and perfectly joined.

Prices and Specifications—Shipment from Factory in Central Illinois

| No. | Dia. Inner Casing | Dia. Outer Casing | Register Size | Dia. Hot Air Pipe | Heat Capacity Cubic Feet | Dia. Fire Pot | Size Feed Door | Dia. Smoke Pipe | Shipping Weight | Price |
|-----------|-------------------|-------------------|---------------|-------------------|--------------------------|---------------|----------------|-----------------|-----------------|----------|
| 17-DN-718 | 30 in. | 38 in. | 24 x 27 | 18 in. | 10,000 | 18 in. | 11 x 13 | 7 in. | 900 lbs. | \$ 75.00 |
| 17-DN-720 | 34 in. | 42 in. | 30 x 30 | 22 in. | 13,000 | 20 in. | 11 x 13 | 8 in. | 1,000 lbs. | 90.00 |
| 17-DN-722 | 38 in. | 46 in. | 34 x 34 | 26 in. | 18,000 | 22 in. | 11 x 13 | 8 in. | 1,200 lbs. | 102.00 |
| 17-DN-724 | 42 in. | 50 in. | 36 x 36 | 28 in. | 25,000 | 24 in. | 11 x 13 | 8 in. | 1,400 lbs. | 128.00 |
| 17-DN-726 | 46 in. | 54 in. | 40 x 40 | 30 in. | 35,000 | 26 in. | 11 x 13 | 9 in. | 1,700 lbs. | 153.00 |
| 17-DN-728 | 50 in. | 58 in. | 44 x 44 | 32 in. | 45,000 | 28 in. | 11 x 13 | 10 in. | 2,000 lbs. | 210.00 |
| 17-DN-730 | 54 in. | 62 in. | 44 x 48 | 36 in. | 55,000 | 30 in. | 11 x 13 | 10 in. | 2,300 lbs. | 235.00 |


FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

Double Casing Pipeless Furnace



Every Nook and Corner of All Rooms Flooded with Clean Warm Air

Within a few moments after the fire is started, an abundance of warm air, cleaned and moistened from the water pan, rises quickly through one large register. This action naturally causes the cold air at the floor to fall, in a steady flow, toward the cold air intakes, where it is drawn in, cleaned, moistened, heated and passed on to the living rooms. In this way a continuous circulation is automatically started through all the rooms in your home—reaching to the farthest corners. All rooms adjoining the room in which the register is placed are evenly heated within a short time by simply opening the doors leading to them.




Best Triangular Grate

Here is the improved triangular grate with which these splendid furnaces are equipped. Any of the grate bars can be removed or replaced without disturbing the rest of the grate in a moment's time. There are no bolts or cotter pins to take out—no special tools necessary. The most practical and convenient grate devised.

Large Cast Radiator


A special feature of Harris' registered double casing pipeless furnaces will be found in the extra large all-cast radiators. The cross-section view above shows the fire traveling. Gas and smoke must pass around the large circumference and give up most of their heat before reaching the chimney.



This sectional view shows clearly the extra large cold air return and the quick active warm air supply which increases circulation and prevents cold stagnant air pockets.


Special Heating Accessories

Domestic Water Heater



17-DN-984. An efficient water heater especially made to be used in any standard furnace. Made of finest smooth gray cast iron. Convenient clean-out plug enables you to remove sediment. Two openings for 1 inch pipe. Easily installed by removing parts covering these openings. Efficiently used in connection with any 40 gallon range boiler. Price, each.....

\$2.25



Pipe
Hangers

Can be cut to all desired lengths by disconnecting two lower screws. The most practical pipe hanger on the market. Easy to adjust.

21-DN-185. Adjustable length, 2 to 10 ins.

| Pipe Inches | Each | Pipe Inches | Each |
|----------------|---------------|----------------|---------------|
| 1 | \$0.08 | 2 | \$0.11 |
| 1 1/4 | .09 | 2 1/2 | .12 |
| 1 1/2 | .10 | 3 | .15 |


Galvanized Smoke Pipe

Per Foot **30c**
17-DN-7530.

Our regular galvanized smoke pipe furnished with all our Heating Plants, made of 26-gauge heavy galvanized sheet iron, comes in 2 foot lengths. This stack is shipped knocked down in the flat sheets all flanged and seamed. Can be assembled in a few minutes. Prices as follows:

| | | | | | | |
|---------------|-----|-----|-----|-----|-----|-----|
| Inch..... | 6 | 7 | 8 | 9 | 10 | 12 |
| Per foot..... | 30c | 31c | 32c | 33c | 36c | 39c |

DAMPERS




17-DN-7535.

| | |
|--------------|---------------|
| 6 inch..... | \$0.45 |
| 7 inch..... | .47 |
| 8 inch..... | .63 |
| 9 inch..... | .78 |
| 10 inch..... | .95 |
| 12 inch..... | 1.10 |

Smoke
Pipe
Elbows

45c



17-DN-7540.

| | | | | | | |
|---|--------------------|-----|-----|-----|-----|--------|
| 26-gauge galvanized Elbows to fit above smoke pipe. | Prices as follows: | | | | | |
| Inch..... | 6 | 7 | 8 | 9 | 10 | 12 |
| Each..... | 40c | 46c | 54c | 62c | 77c | \$1.08 |

PERFORATED STRAP IRON




21-DN-1186. For
large pipe or long
drops we recommend our $1/8$ inch
perforated strap iron.
5 ft. and 10 ft. lengths, Price, per foot.....

\$0.05 1/2

Iron Pipe Water Heating Coil

17-DN-1204. Hot water
Heating Coil for use with
Harris Square Perfection
Boilers. Completely assembled,
ready for installation.
Made from $1\frac{1}{4}$ inch pipe and
fittings. Outside connection
 $\frac{3}{4}$ inch. Suitable for heating
30 or 40 Galvanized Range
Boilers. Weight, about 12
pounds.
Price, each.....

\$2.00



Flue Cleanout Brush

17-DN-1209. Flue
brush for cleaning flues.
Made of spring steel
with handle threaded for $1/4$ inch pipe.
Extension handle can easily be made by coupling
to $1/4$ inch pipe. Shipping weight 1 lb.
Price.....



Heating Plant Accessories

Floor Flange



5-DN-202. Floor Flange.

| Size, Inches | Price, Each |
|--------------|-------------|
| ½ inch... | \$0.09 |
| ¾ inch... | .11 |
| 1 inch... | .13 |
| 1 ¼ inch... | .15 |
| 1 ½ inch... | .17 |
| 2 inch... | .20 |



5-DN-178. Jenkins' Disc Angle Radiator Valve with Union, nickel plated all over.

| Size, inches | Price, Each |
|--------------|-------------|
| ¾ inch... | \$1.35 |
| 1 inch... | 1.60 |
| 1 ¼ inch... | 1.90 |
| 1 ½ inch... | 2.00 |
| 2 inch... | 2.60 |

| Size, inches | Price, Each |
|--------------|-------------|
| 2 ½ inch... | 4.25 |
| 2 ½ inch... | 6.15 |

Radiator Valves and Union Elbow




Specify Right or Left Hand Corner when ordering.

5-DN-174. Jenkins' Disc corner radiator valve with union.

| Size, inches | Price, Each |
|--------------|-------------|
| ¾ inch... | \$1.70 |
| 1 inch... | 2.10 |
| 1 ¼ inch... | 2.25 |
| 1 ½ inch... | 3.00 |
| 2 inch... | 3.80 |

5-DN-177. Lock Shield Jenkins' Disc with union, nickel plated all over.

| Size, inches | Price, Each |
|--------------|-------------|
| ¾ in... | \$1.05 |
| 1 in... | 1.35 |
| 1 ¼ in... | 1.60 |
| 1 ½ in... | 2.00 |
| 2 in... | 2.60 |



5-DN-180.

Hot Water Union Elbows nickel plated all over.

| Size, Inches | Price, Each |
|--------------|-------------|
| ½ inch... | \$0.09 |
| ¾ inch... | .11 |
| 1 inch... | .13 |
| 1 ¼ inch... | .15 |
| 1 ½ inch... | .17 |
| 2 inch... | .20 |

Ceiling Flange



5-DN-203. Ceiling Flange.

| Size, Inches | Price, Each |
|--------------|-------------|
| ½ inch... | \$0.09 |
| ¾ inch... | .11 |
| 1 inch... | .13 |
| 1 ¼ inch... | .15 |
| 1 ½ inch... | .17 |
| 2 inch... | .20 |

Radiator Air Valves



5-DN-181. Nickel plated loose key compression radiator air valves. Size, ½ in. \$0.15



5-DN-183. Nickel plated compression radiator air valves with wood wheels. Size ½ inch \$0.15

Steam Gauges



5-DN-9511. Japanned Iron Case brass ring, complete with cock. They should not be used on traction or portable rigs. Always use a siphon with all steam gauges. These gauges are guaranteed to register accurately up to 200 pounds. Each gauge is packed in a wooden box.

Size, inches 3 ½ 4 ½ 5
Price, each \$2.10 \$2.25 \$2.65

Low pressure steam gauge registering up to 30 lbs. 3 ½ inch Dial \$2.10

Water Gauges


5-DN-9501. Complete water gauge set. Made with brass body, iron wheels and two guards to protect glass tube. Fitted with drain cock at bottom. Polished brass finish. ½ inch thread. Glass, size ½ x 12 inch. Price, complete \$1.75

Efficient Heat Governor for Hot Water Heating Plants

This device keeps a constant pressure of about 10 pounds on the water of the system and permits you to heat the water to a very high temperature. You will get much higher heating efficiency on the plant, save fuel and will get better circulation.

Can be attached in a few minutes to any Hot Water Heating system. Made of solid bronze throughout—will not rust or get out of order, will last a lifetime.

5-DN-4570. Heat governor (weight, 5 lbs.)
Price \$5.50



Sectional View showing the splendid construction of heat governor.

Automatic Air Valve for Steam

5-DN-184. Nickel plated automatic radiator air valves for steam. Size of connection pipe, thread, ½ in. Each \$0.40



Altitude Gauges



5-DN-189. Altitude Gauges are used for indicating the height of water in a hot water heating system. The red hand is movable. When you determine the height of water to just fill the system correctly, set the red hand at that point and then the indicating hand should be right on top of it. Each \$2.00


Galvanized Steel Expansion Tanks

These are used in connection with hot water heating plants. Water gauge not included at prices quoted.

| 5-DN-190 | 8 | 10x20 | 300 | 400 | \$ 8.00 |
|----------|---------------------------|-------|------|------|---------|
| 5-DN-191 | 10 | 12x20 | 400 | 500 | \$ 8.20 |
| 5-DN-193 | 15 | 12x30 | 500 | 600 | 9.20 |
| 5-DN-195 | 20 | 14x30 | 600 | 700 | 12.80 |
| 5-DN-197 | 26 | 16x30 | 700 | 900 | 14.35 |
| 5-DN-198 | 32 | 16x36 | 1000 | 1300 | 15.35 |
| 5-DN-199 | 42 | 16x48 | 1300 | 1600 | 16.85 |
| 5-DN-201 | Expansion tank gauge set. | | | | 1.05 |



Improved Expansion Tank Bracket



5-DN-280. An ingenious bracket to hold expansion tanks in hot water heating systems or range boilers. Quickly attached to wall stud by screws furnished. Grip clamp on flange tank holds it securely in place. Price, each \$1.35

Hot Water Thermometers

\$1.05

Used in connection with hot water heating plants, registering up to 220 degrees. Guaranteed accurate. Each thermometer is carefully packed in a separate wooden box.

5-DN-187. Straight Thermometers as shown in illustration.

Price, each \$1.05

5-DN-188. Angle Thermometers for use on risers or circulating pipes.

Price, each \$1.20



“PRESTO-UP”

PATENTED

BOLT-TOGETHER
PERMANENT

BUNGALOWS—LAKESIDE COTTAGES *and* BUILDINGS FOR ALL PURPOSES

All “PRESTO-UP” Buildings are completely manufactured in sections at our factory and can be assembled on the ground in quick time by anyone.

There are practically no limitations for which these buildings may be used.

No. 1—For the man who intends building a home, we recommend Our “PRESTO-UP” Bungalow—a comfortable, attractive, well-built and practical home in every respect.

No. 2—Where it is difficult to secure material and skilled building tradesmen, he will find that “PRESTO-UP” Buildings will solve the problem. A complete house can be loaded on trucks, delivered to destination and erected in many cases not longer than three or four days.

No. 3—For the man who is building a Lakeside Cottage, he will find that a “PRESTO-UP” Cottage can be erected by himself with the aid of a few friends over a week-end. He can avoid the usual delays and expense connected with buying lumber, engaging carpenters, painters and other workmen to complete his cottages.

No. 4—For the man who intends building a garage, we can only say that there are more than 10,000 “PRESTO-UP” Garages erected today. This should be sufficient evidence that “PRESTO-UP” Garages are practical, durable, attractive and, above all, lowest in prices. Our success is due to our policy of using first-class material thru-out, exceptionally strong methods of construction and many tested patented exclusive features of construction, enabling customers to erect their own Garages in a quick and satisfactory manner.

PATENTS

“PRESTO-UP” Buildings are a Patented Construction. Not patented to obtain a high price, but as a protection to you against unscrupulous imitations. Various new and improved features of “PRESTO-UP” Buildings are patented April 2nd, 1918, Sept. 3rd, 1918, March 22nd, 1921, and July 18th, 1922, and other patents pending. The right is reserved to change construction and material as improvements may necessitate.

We Put Them Up For You

We erect “PRESTO-UP” Bungalows anywhere within our free delivery area as outlined on Page 3 of this book. As these buildings are quickly and easily erected, the cost of erection is surprisingly low.

SPECIFICATIONS OF MATERIAL AND CONSTRUCTION

COVERING THE MANUFACTURE OF

“PRESTO-UP” PATENTED BOLT-TOGETHER PERMANENT COTTAGES

“CELLU-SEAL” LINED

WE CANNOT urge you too strongly to read every word of the following specifications. It gives you a clear and complete insight into the many exceptional qualities both in material and method of construction used in the manufacture of our Patented “PRESTO-UP” Cottages. It is a pleasure to be able to print such excellent specifications; there is nothing to hide and many good things to show and that is why we do not hesitate to give you full information on the subject.

OUTSIDE FOUNDATION SILLS: For all “PRESTO-UP” Cottages are built up equivalent to a 6x8 timber of No. 1 grade Southern Pine. It is so constructed as to form a pocket for the wall sections to fit into, making the sill absolutely “watertight.” This is only one of the Patented features of “PRESTO-UP” Construction.

CENTER SILL: The center sill supporting the joist is built up of strong No. 1 Yellow Pine. On cottages up to 18 feet in width, this sill is built up of two pieces 2x6—on cottages 20 feet and wider it is built up of three pieces 2x6 equal to a 6x6 timber.

FLOOR JOISTS: Are 2x8 No. 1 Southern Pine spaced 16 inches on centers. They drop into pockets in the sill and are supported by the center sill. No cutting or fitting necessary.

FLOOR SECTIONS: The flooring is 1x4 standard finish kiln-dried Clear Yellow Pine or Fir, tongued and grooved. Sections are usually 3 foot wide and the length of the room—thus joining the next section under the partition, so that no section joints show in the floor. All sections have a layer of heavy tarred felt on the under side of the boards, keeping out dampness, and eliminating the necessity of double floors.

DOUBLE FLOORS: If wanted can be ordered extra. In this case, we furnish the “sub-floor” made up in sections of common boards and furnish the finish flooring to be applied by owner on the job after sub-floor and partition sections are in place.

CORNER POSTS: Corner posts are interchangeable like the sections and when in place give a corner timber construction practically equivalent to a 4x5 timber.

OUTSIDE WALLS: The outside walls consist of “sections” or panels made up in two and four foot widths. All wall sections are interchangeable. These “sections” or panels are made up as follows:

STUDDING: The studding is No. 1 and better grade Southern Pine, surfaced four sides. They are used in pairs every four feet where bolted together, with an additional stud in between, making three studs to forty-eight inches of wall, average distance apart sixteen inches. The studding is two by three. Two by four is not necessary in our construction on account of the three interlocked horizontal cross braces, all of which are halved and mortised at joints, give more than the necessary strength and hold the sections square and true. There are four two by three, and one two by four horizontal interlocked cross braces, which are secured to the studs at the top, center, and bottom of the section by halved joints. The inside of the panels when not covered

with an inside wall finish show a neat symmetrical distribution of “Cellu-Seal” lining and framing.

SIDING FOR NO. 1 OUTSIDE WALL

Clear kiln-dried Oregon Fir Siding, tongued and grooved, beaded on the outside and beaded or planed smoothly on the inside, applied vertically. Manufactured from three-quarter inch stock finished five-eighths inches. For full details and illustrations see following pages.

“CELLU-SEAL” LINING: Included in all single wall buildings. Our exclusive product. “Cellu-Seal” is an insulating wall board consisting of two heavy layers of tough fiber paper (Mullen test 175 lbs. to square inch) with a layer of corrugated paper between and sealed by our special machinery—giving thousands upon thousands of wonderful insulating dead air cells with a consequent efficient insulation against cold in winter and heat in summer. With this new type of lining a “single” wall house will make a warm livable place except in severest weather.

SIDING FOR NO. 2 OUTSIDE WALL

Clear Fir Drop Siding furnished in long lengths to be nailed to the exterior of framework of sections after bolted together—Paint included for one coat to be applied on job. For full details and illustrations see following pages.

SIDING FOR NO. 3 OUTSIDE WALL

Sections made up with “Byrkits” Patent Stucco Lath. Openings are left in the outside to insert bolts. For full details and illustrations see following pages.

SIDING FOR NO. 4 OUTSIDE WALL

First wall is same as No. 1 Wall described above. In addition we furnish Clear Redwood Beveled Siding either $\frac{1}{2}''$ x 4” or $\frac{1}{2}''$ x 6”, also building paper to be nailed over the No. 1 Outside Wall. Paint included for one coat—to be applied on job. For full details and illustrations see following pages.

PARTITIONS: All interior partition sections or panels are furnished made up to match the type of inside wall you ordered. If no inside wall is ordered the partitions are made up with beaded ceiling same as the No. 1 wall sections. These partitions are held firmly together by a special interlocking system, whereby they fit into the truss at the top.

TOP WALL PLATE: Fir and Yellow Pine built up equivalent to practically a four by six timber. This plate has a groove in it that drops down over the siding on the wall sections and holds it in a vise-like grip, keeping the wall in alignment. It has notches properly spaced to receive the patented “PRESTO-UP” Notch-lock truss, which locks and prevents any spreading of walls or roof.

(Continued on next page)

SPECIFICATIONS—Continued

ROOF TRUSSES: Manufactured of specially selected No. 1 grade Yellow Pine, two by fours with one by six scientific braces, reinforced with iron straps and made so as to form a notch-lock that drops into the top wall plate and holds the entire building in a firm grip. These "PRESTO-UP" trusses not only make a roof much superior to any other on the market but make it a simple matter for any amateur to erect and make a good job of it.

ROOF SECTIONS: Are manufactured of No. 1 Common Southern Pine Ship Lap. Specially beaded on the under side to give a neat and finished appearance. Roof sections are made so they will easily drop in place between the trusses, and have additional rafters on them to add still more strength.

CEILING PANELS: Ceiling panels are furnished to match same finish as inside walls and partitions—and are included regularly **only when inside walls are ordered.** Ceiling panels drop in between the bottom members of the truss which form the beamed ceiling, as shown in illustration at right. These panels may be fastened in permanently or slipped in loose so they can be taken out at will. Ceiling panels can be ordered extra without ordering an inside wall. Prices quoted on application.

ROOFING: Roofing supplied is best quality Red or Green Slate Surfaced Roofing. Guaranteed, standard weight and quality. Sufficient nails, cement, and complete instructions are included with each roll, showing the proper way to apply the roofing. Individual, Four-in-One Slab Shingles, or Roofing stamped like roofing can be had at an extra cost. Prices upon application.

DOORS: Front and rear doors are 2' 8" x 6' 8" glazed, and according to the style shown in the illustration of the cottage. The inside doors are usually 2' 6" x 6' 6". All are properly hinged and have a good quality of mortise locks, inside trim, etc., already applied in place in the sections and properly crated to protect the glass in shipping.

WINDOWS: Windows are already in the sections. They are two light Colonial Style windows; that is, there are two sashes to a window, upper and lower, upper sash divided into 6 lights. Equipped with our special design window tension and anti-rattle springs, permitting lowering and raising of both sash, with strong sash lock and lift already fitted in place for locking windows. The windows are specially rabbeted, making them more wind and weather proof than windows on ordinary houses. Sizes of window openings is 2' 4" x 3' 10"—size of "French Window or Casement" Window opening is 2' 8" x 3' 10".

INSIDE TRIM: Trim around the doors and window is already applied before the sections leave our factory and is all stained a handsome Mission Brown. In all style "A" and "AP" Walls we furnish stained Mission Brown baseboard, quarter round, ceiling mould. Panel strips furnished with Style "A" wall only. Back band style of trim used throughout.

HEIGHT: The height of the wall on the inside from floor to ceiling is eight feet.

PAINT: Cottages purchased with No. 1 Outside Wall come to you painted, one good heavy coat of outside paint, stock color medium gray for the body, white trim. Our stock color


is such that it will take almost any finishing coat. For No. 2 and No. 4 Outside Wall paint for the siding is furnished for one coat to be applied on job.

DIRECTIONS: An easily understood Blue Print and Instruction Sheet is furnished with every cottage. They are hardly necessary—the construction is so clear that the method of bolting together and assembling the various units immediately suggests itself.

FOUNDATIONS: May be of Posts or Piers of Brick or Stone or Concrete. Walls should be set with the outside edge on the line of measurements given for the size over buildings proper. For instance, for a 24' 5" x 24' 5" building, see that the outside edge of your posts or foundation is exactly 24' 5" x 24' 5", and the sills of the building will fit down on top of them perfectly. **NO FOUNDATION MATERIAL OR CHIMNEYS INCLUDED IN OUR PRICE.**

PATENTS: Various new and improved features of "PRESTO-UP" Buildings are patented—April 2nd, 1918, Sept. 3rd, 1918, March 22nd, 1921, July 18th, 1922, other patents pending. The right is reserved to make changes in construction and material as improvements may necessitate.

"PRESTO-UP" Patented CONSTRUCTION



The above illustration shows a "PRESTO-UP" Cottage cut in two so as to show some of the exclusive features of "PRESTO-UP" Construction. At the left the workman is shown putting the ceiling panels in place. The ceiling mould attached to the bottom of every truss forms a ledge for the ceiling panels to rest on. In this way, the ceiling is not nailed to the trusses, and you will not find any "bulging" or "sagging" ceilings on any "PRESTO-UP" Cottages.

At the right the workman is shown dropping the floor section into place. These floor sections are made up with a layer of heavy water-proof tarred felt nailed to the under side of the boards as shown. There are no "clumsy" sections to handle. These sections are usually 3 feet wide and the length of the room. The cross partitions cover the end joints where the sections meet.

Every assistance is given the purchaser of a "PRESTO-UP" Cottage so that he will be able to erect the building in the most economical and perfectly satisfactory manner.

AMERICA'S BUILDING MATERIAL HEADQUARTERS

PRESTO-UP COTTAGES HAVE BEEN ERECTED IN THE COLDEST CLIMATES

Select the type of outside wall from below—See next page for inside walls 

OUTSIDE WALLS




NO. 1 OUTSIDE WALL—VERTICAL BEADED SIDING



NO. 2 OUTSIDE WALL—DROP SIDING



NO. 3 OUTSIDE WALL—STUCCO LATH



NO. 4 OUTSIDE WALL—BEVELED SIDING OVER NO. 1 OUTSIDE WALL

No. 1 OUTSIDE WALL: This style of wall is known as "Single Wall" and is usually ordered for Lakeside Cottages—it is "Cellu-Seal" insulator lined. The sections are made up with our regular siding nailed vertically to the framework of the sections. All the framework is planed smoothly so as to give a neat interior appearance.

The partitions on cottages ordered as above are single wall, that is, one side of the framework only is covered. Interior trim is already applied around the doors and windows with a $\frac{5}{8}$ " space allowed behind the trim for future interior wall. Ceiling panels are not included in any "single wall" type of house—they can be ordered extra, irrespective of the inside walls.

For styles of Inside Walls—see next page

No. 2 OUTSIDE WALL: An inside wall *must* be ordered with this style of Outside Wall. In ordering No. 2 Outside Wall, the sections are made up with whatever type of inside wall you select, already applied to the framework by us. This type of outside wall consists of "Drop" Siding, also known as "Novelty" Siding, to be applied on the job. "Cellu-Seal" not included.

The drop siding is not nailed to the exterior of the sections by us (this would necessitate cutting all to 4 foot lengths and show joints and ugly batten stripes as in most other styles of sectional houses) but is furnished in long lengths including building paper and nails, and is to be applied on the job.

A house with this type of outside wall looks just like a regular built house. The siding running in continuous lengths ties the walls together even more and eliminates joints on the outside wall. "No-Joints-Showing" is an exclusive feature in "PRESTO-UP" Cottages.

For styles of Inside Walls—see next page

No. 3 OUTSIDE WALL: This wall consists of "Byrkit's" Patent Grooved Sheathing Lath for stucco, nailed on the sections here at the factory. Our price does not include stucco material as this is an extra on which we will gladly quote. No. 3 wall can be ordered without any inside wall.

When Inside Wall finish is ordered, the sections furnished are made up with whatever kind of Inside Wall you select and openings are left in the outside wall to insert bolts so as to bolt the sections together. "Cellu-Seal" insulator is not included. Long lengths of the Byrkit's stucco lath is furnished to fill these openings to further tie the wall together, also to break joints, reducing any chance of cracking the stucco.

For styles of Inside Walls—see next page

No. 4 OUTSIDE WALL: This wall is the same as No. 1 Wall and in addition thereto we furnish building paper and Clear "Beveled" Siding (sometimes called "Weatherboarding") for the exterior, which is to be nailed on after the sections are bolted together. In extreme cold climates and when there is a preference for this style of siding, this wall is very desirable and, of course, does away entirely with the appearance of the building at any time having been sectional. "Cellu-Seal" not necessary or included.

We can also furnish Colonial Siding or Shingles in place of the beveled siding. Write for prices.

For styles of Inside Walls—see next page.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

THREE TYPES OF PRACTICAL INSIDE WALL FINISHES


INSIDE WALL FINISH WHEN ORDERED IS APPLIED TO THE SECTION BY US BEFORE LEAVING FACTORY

INSIDE WALLS

STYLE "A" INSIDE WALL: This is a reinforced-with-wood wallboard inside wall finish, exclusively introduced by us. Vastly superior to anything that has yet been offered and is usually ordered by our customers.

The inside of the framework of the sections is first covered with wood sheathing, half thickness, and over this is nailed best quality heavy grade wallboard, Standard make. By our first applying wood sheathing to back up this wallboard, we entirely do away with the usual objection to wallboard, on account of danger of breakage from kicks and rough handling. You can readily see that a wall of this type is much stronger than ordinary wallboard nailed directly to the studs only. There are no patch pieces used around the windows or doors, for we cut the openings out of full size sheets. Partitions are manufactured in the same manner. Ceiling panels are likewise backed, but instead of sheathing we use nailing strips spaced 12" apart to hold them in place.


For styles of Outside Walls—see opposite page.



STYLE "A" INSIDE WALL—REINFORCED WALL BOARD

STYLE "AP" INSIDE WALL: This type of wall gets away from paneling the interior walls. It consists of Standard quality Gypsum Sheet Plasterboard, $\frac{3}{8}$ " thick applied by us to the sections. Joints between sections are to be filled with crack filler furnished by us. This makes a smooth wall, better, warmer and cleaner than plaster, and can be painted, calcimined or papered. Ceiling panels are made up with wallboard same as Style "A" wall described above.



For styles of Outside Walls—see opposite page.



STYLE "AP" INSIDE WALL—PLASTER BOARD


STYLE "B" INSIDE WALL: This is an all wood inside wall, which means that the inside of the outside walls, as well as on both sides of all partitions and also the ceiling panels, are finished with clear Beaded Ceiling, either Oregon Fir or Yellow Pine, our option. This type of wall is, of course, the most substantial that can be had. It will stand a lot of kicking, can be painted, calcimined or varnished in the natural and gives a very practical double wall house. It is not, however, as sanitary, or as neat a wall as Style "A" or "AP" and is of course, more expensive to decorate and has not the warmth. Ceiling panels in this case are made up of the same material as the side walls.

For styles of Outside Walls—see opposite page.



STYLE "B" INSIDE WALL—WOOD LINING

THESE ARE TYPICAL SECTIONS JUST AS THEY LEAVE THE FACTORY




Outside View
Porch Screen Section



Inside View
Colonial Window Section



Inside View
French Window Section




Inside View
Front Door Section



Inside View
Partition Door Section

CONSTRUCTION DETAILS of "PRESTO-UP" HOUSES

ISOMETRIC VIEW
SHOWING A FEW OF
THE FEATURES OF
"PRESTO-UP"
PATENTED
CONSTRUCTION



1—FOUNDATIONS: For "PRESTO-UP" Houses may be of solid concrete, stone or brick walls, or piers spaced not less than 6 ft. apart. No foundation material or girder posts included or charged for in our price.

2—CENTER GIRDER: Supporting the floor joists, built up equal to a solid timber. Supplied on all houses 16 ft. and wider.

3—WATERTIGHT SILLS: Built up equal to a 6x8 timber. Wall sections drop into groove as indicated, making it absolutely watertight.

4—FLOOR JOISTS: Are 2x8 spaced 16" on centers—fitted and notched to drop into the pockets in sills and supported by center girder. These are furnished in either full or two-piece lengths, depending upon width of building.

5—FRAMEWORK OF SECTIONS: Studding and cross braces are halved and mortised at joints giving more than necessary strength and keeping sections square and true.

6—SIDING: See following page for description of various kinds of siding furnished for the different types of outside walls. A feature of "PRESTO-UP" Outside Walls is the absence of unsightly joints where sections bolt together, doing away entirely with the appearance of being sectional.

7—CORNER POSTS: When bolted to sections at corners are equivalent to a 4x5 timber. No special corner sections are necessary in "PRESTO-UP" Construction.

8—CORNER BOARDS: Made up ready to nail in place covering the corner post.

9—GABLE SECTION: Grooved at bottom to drop down over wall sections, locking same in place, same as No. 10.

10—TOP WALL PLATES: Built up equivalent to a 4x6 timber, grooved to drop down over siding on wall sections as indicated. It has notches to receive the patented roof truss.

11—ROOF TRUSSES: An outstanding feature of "PRESTO-UP" Construction—made up with 2x4's and 1x6 braces ready to drop into the notches in the top plate, thereby locking the walls in a vise-like grip preventing any spreading of walls, at the same time supporting the roof.

12—ROOF SECTIONS: Manufactured of No. 1 Common Beaded Shiplap Boards, nailed to end strips and center rafter as illustrated. These drop into the notch in the top plate. They are assembled on iron clad templates, thereby eliminating any variance in measurements.

13—ROOFING: Roofing supplied is Best Quality Red or Green Slate Surfaced Roofing, with cement and nails.



14—INSULATING PAPERS: The underside of all floor sections has a layer of heavy tarred felt to keep out dampness.

15—FLOOR SECTIONS: Are made up of 1x4 Clear Fir or Yellow Pine in easily handled units. An exclusive feature of "PRESTO-UP" Construction is the absence of any joints showing in the middle of the floor.


16—CEILING PANELS: This illustrates the type of ceiling panels furnished when Style "A" or "AP" Inside Wall is ordered. Note the heavy re-inforcing of the wallboard, these strips are spaced 12" apart giving more strength than the usual manner of nailing wall board up against rafters only 16" on centers. These panels drop into place between, and rest on the beamed ceiling nailed to the bottom of each truss.

LAKESIDE COTTAGES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "SHOREWOOD"
Plan No.38-DN-160. Size, 12'5" x 20'5".
Two Rooms.
No. 1 Outside Wall, "CELLU-SEAL"
Insulator Lined. See Price List
Porch, size 10'x8', extra. Enclosed



The "SHOREWOOD"
Plan No.38-DN-161. Size 16'5" x 20'5".
Three Rooms.
No. 1 Outside Wall, "CELLU-SEAL"
Insulator Lined. See Price List
Porch, size 12'x8', extra. Enclosed


The "SHOREWOOD"
"Cellu-Seal" Insulator Lined

The "Shorewood" is the ideal cottage—economical, attractive, and simplicity itself when it comes to erection. While all Presto-Up Cottages are designed of uniform units and are easy to erect, it is hardly possible for any building to be erected easier than the "Shorewood."


A season's rent will frequently pay for its cost and the house is your own to do with as you please. Can be had in two rooms and larger, with and without porch as may be desired.

"Shorewood" Cottages are carried in stock, ready for immediate shipment with No. 1 Outside Wall, but can be had in any other style of outside and inside wall furnished. Porches, when ordered, are furnished by us all made up, ready to put together and consist of porch floor, porch roof, porch columns and guaranteed slate surfaced roofing, same as furnished for the houses.

Construction and material is identical with all other Presto-Up Cottages, in quality, grade and manufacture. A "Presto-Up" building is known for its high quality material—no matter how large or small.



The "SHOREWOOD"
Plan No.38-DN-162. Size, 20'5" x 20'5".
Four Rooms.
No. 1 Outside Wall, "CELLU-SEAL"
Insulator Lined. See Price List
Porch, size 16'x8', extra. Enclosed



The "SHOREWOOD"
Plan No.38-DN-163. Size 20'5" x 24'5".
Four Rooms.
No. 1 Outside Wall, "CELLU-SEAL"
Insulator Lined. See Price List
Porch, size 16'x8', extra. Enclosed

AMERICA'S BUILDING MATERIAL HEADQUARTERS

COMBINATION GARAGE COTTAGES



NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.


These combination Summer Cottages and Garages were designed at the request of many people who often wish there was a place to keep their car while on a vacation or week end trip. The old idea of covering a car with a tarpaulin has never been satisfactory.

Floors for the Garage Section of these buildings are not included in the price, but we will gladly quote extra. Wooden ceiling panels can be furnished over head for the entire building at an extra cost.


We offer three plans with the gable end over the front doors similar to our Model "B" Garage illustrated in the latter part of this Catalog.



Plan No. 38-DN-210, size, 20'5"x24'5".




Plan No. 38-DN-211, size, 20'5"x28'5".




Plan No. 38-DN-212, size, 24'5"x30'5".

This type of combination Cottage and Garage is similar to Model "G" Garage also illustrated in the latter part of this catalog. The roof slopes down over the front doors, making it a Colonial type of building.


These Cottages are ideal for small estates, where places are needed to house the chauffeur and his family without providing for two or three separate buildings.



Plan No. 38-DN-215, size, 24'5"x20'5".



Plan No. 38-DN-216, size, 32'5"x20'5".



Plan No. 38-DN-217, size, 32'5"x24'5".

| Plan No. 38-DN-210 | Plan No. 38-DN-211 | Plan No. 38-DN-212 | Plan No. 38-DN-215 | Plan No. 38-DN-216 | Plan No. 38-DN-217 |
|-------------------------|--------------------------|--------------------------|--------------------------|--------------------------|--------------------------|
| No. 1 Outside Wall..... | See Price List Enclosed. |
| No. 2 Outside Wall..... | | | | | |
| No. 3 Outside Wall..... | | | | | |
| No. 4 Outside Wall..... | | | | | |

Add extra for Inside Walls:

Style "A" Inside Wall.....

See Price List Enclosed.

Style "AP" Inside Wall.....

See Price List Enclosed.

Style "B" Inside Wall.....


See Price List Enclosed.

For detailed description of wall finishes, see preceding pages.

LAKESIDE COTTAGES


WITH GALVANIZED SCREENED PORCHES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "GLENDALE"

Plan No. 38-DN-172. Size, 16'5" x 28'5". Two rooms and screened living porch.



The "GLENDALE"

Plan No. 38-DN-173. Size, 20'5" x 28'5". Three rooms and screened living porch.

The "GLENDALE" "CELLU-SEAL" Insulator Lined

For real economy the "Glendale" series of cottages takes the lead. These charming cottages have really been planned with the idea of making the porch a room like the rest of the house, and still be a porch. The economy in these cottages is not only in price, but in labor to erect. The porch is under the same roof as the house, making it easy for inexperienced men to erect, and make a perfect job.

The galvanized porch screens and the combination screen and storm door are all included in our price. The porch sections are made up of interchangeable panels, same as the walls of the rest of the building.

Our price includes Wooden Ceiling Panels regularly furnished for the porch regardless of the kind of wall selected. This adds much to its appearance and helps keep the porch cooler and more comfortable.


Easily understood blue prints to assist you in laying out your foundation, whether it be of posts or concrete, are furnished immediately on receipt of your order, so that when the cottage arrives—"PRESTO" and in a few days it is ready to occupy.

| | Plan No. 38-DN-172 | Plan No. 38-DN-173 | Plan No. 38-DN-174 | Plan No. 38-DN-175 |
|---|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined..... | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed |
| No. 2 Outside Wall..... | | | | |
| No. 3 Outside Wall..... | | | | |
| No. 4 Outside Wall..... | | | | |


Add extra for Inside Walls:

| | | | | |
|-----------------------------|-------------------------------|-------------------------------|-------------------------------|-------------------------------|
| Style "A" Inside Wall..... | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed |
| Style "AP" Inside Wall..... | | | | |
| Style "B" Inside Wall..... | | | | |

For detailed descriptions of Wall Finishes, see preceding pages.



The "GLENDALE"
Plan No. 38-DN-174. Size, 24'5" x 24'5". Three rooms and screened living porch.



The "GLENDALE"
Plan No. 38-DN-175. Size, 24'5" x 42'5". Five rooms, bath, pantry, closets and screened living porch.

AMERICA'S BUILDING MATERIAL HEADQUARTERS

LAKESIDE COTTAGES

WITH SCREENED PORCHES AND SUN PARLORS

All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "EDGEBROOK"
"CELLU-SEAL" Insulator Lined

This is one of the houses erected in our Show Yard here at our plant and if at any time you are near us, come out and inspect it—the model erected is plan No. 231.


Here is really an ideal cottage either for lakeside summer cottage or for permanent use. Because of the fact that the screened porch is under the same roof as the house, it is very simple to erect and when erected, means a good job, strong, pleasing in appearance, and practical in every respect.

Instead of a screened porch across the entire front, a Sun Parlor and Screened Porch, both, have been provided. These cottages can be made real,


comfortable permanent homes by selecting the proper type of inside wall. See pages preceding.

Our price includes galvanized wire screens and Combination Storm and Screen Door for porch. Screens for Sun Parlor windows are not included but can be furnished at small additional cost. See last page of this section for prices.


Although this cottage includes Sun Parlor and Screened Porch, all these items are a part of our regular unit system, and as far as erection is concerned it is just as easy to build this house with these attractive conveniences as it would be to put up merely blank walls—not so with the old time hand construction by day labor, is it? "Sun Parlor," "Screened Porch," when you are building means big expense.



Plan No. 38-DN-231. Size 20'5" x 24'5".
Four Rooms, Sun Parlor, Screened Living Porch.



Plan No. 38-DN-232. Size 20'5" x 32'5".
Four Rooms, Sun Parlor, Toilet or Shower,
Closets, and Screened Living Porch.



Plan No. 38-DN-233. Size 20'5" x 32'5".
Six Rooms, including Sun Parlor and Screened
Living Porch, Bath, Cupboard and Closets.

No. 1 Outside Wall, "Cellu-Seal" Insulator
Lined.....

Plan No. 38-DN-231
See Price List
Enclosed.

Plan No. 38-DN-232
See Price List
Enclosed.

Plan No. 38-DN-233
See Price List
Enclosed.

No. 2 Outside Wall.....

See
Price List
Enclosed.

See
Price List
Enclosed.

See
Price List
Enclosed.

No. 3 Outside Wall.....

See
Price List
Enclosed.

See
Price List
Enclosed.

See
Price List
Enclosed.

No. 4 Outside Wall.....

See
Price List
Enclosed.

See
Price List
Enclosed.

See
Price List
Enclosed.

Add extra for Inside Walls:
Style "A" Inside Wall.....
Style "AP" Inside Wall.....
Style "B" Inside Wall.....

See
Price List
Enclosed.

See
Price List
Enclosed.

See
Price List
Enclosed.

For detailed descriptions of Wall Finishes see preceding pages.

LAKESIDE COTTAGES

WITH GALVANIZED SCREENED LIVING PORCHES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "GENEVA"
"CELLU-SEAL" Insulator Lined

"Seizing the wonderful lamp, Aladdin rubbed it briskly.

"Build me a palace instantly," he cried, as the genie appeared. Bowing low, the latter was about to deliver the goods when Aladdin reconsidered.


"No, on second thought, don't," he said. "Bring me instead Six-Room Portable Bungalow No. 237, all parts plainly numbered, see Catalog. It will be easier to put it up than to rub the lamp."

Almost as true as the mythical story above "PRESTO-UP" Cottages are so completely fabricated at our modern factory that there is very little left for you to do. You don't have to follow complicated blue prints—merely use common sense; a hammer, wrench, level and square, and follow directions, and your cottage can go up in "jig" time.

The screened living porch on this house is regularly furnished with wooden ceiling panels overhead regardless of the type of inside or outside wall you may specify on your order. Galvanized wire screens and screen door are included in our price.

In Plan No. 238 one of the closets can be changed to a shower and by substituting an outside door, instead of the window, you won't have to walk through the house when you come from the beach.

Plan No. 238 provides a good size bathroom and a larger screened porch. The hall gives access to the right hand bedroom without going through the rest of the cottage, enabling you to use this room for renting out or for guests.



The "GENEVA"

Plan No. 38-DN-237. Size 20'5" x 28'5". Four rooms, closets or shower and 16'x8' screened porch. Kitchen stoop and hood.


No. 1 Outside Wall, "Cellu-Seal" Insulator Lined.....

No. 2 Outside Wall..... See
No. 3 Outside Wall..... Price List
No. 4 Outside Wall..... Enclosed

Add extra for Inside Walls:

Style "A" Inside Wall..... See
Style "AP" Inside Wall..... Price List
Style "B" Inside Wall..... Enclosed

For detailed description of Wall Finishes see preceding pages.



The "GENEVA"

Plan No. 38-DN-238. Size 24'5" x 32'5". Four rooms, Bath, Closet, Cupboard, and 16'x8' Screened Porch. Kitchen Stoop and Hood.

No. 1 Outside Wall, "Cellu-Seal" Insulator Lined..... See
No. 2 Outside Wall..... Price List
No. 3 Outside Wall..... Enclosed
No. 4 Outside Wall.....

Add Extra for Inside Walls:

Style "A" Inside Wall..... See
Style "AP" Inside Wall..... Price List
Style "B" Inside Wall..... Enclosed

For detailed description of Wall Finishes see preceding pages.

LAKESIDE COTTAGES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "LAKEWOOD"
"CELLU-SEAL" Insulator Lined


The broad and spacious porch is the outstanding feature of this series of cottages—at a small extra cost the porch can be screened and made into a neat living porch.

Don't overlook the floor plans—ideally laid out. In Plan No. 181, the Dining Alcove can be used for a bathroom or shower, by closing up the cased opening with a door section.

The good size bedroom closets and the cupboard cabinet off the hall, as well as the general compactness of these plans will satisfy the "Missus"—and that's the main thing.

Remember, these cottages are completely fabricated here in our factory and each section is rigidly inspected before it goes out. No delays—you get a complete house when you want it at a price which means a saving to you.

Anyone who has a reasonable understanding of building construction and can keep the work level, plumb and square, will have no difficulty in erecting this building complete with the assistance of two or three helpers in not over three or four days' time.



The "LAKEWOOD"
Plan No. 38-DN-180
Size 20'5" x 24'5"


Four Rooms, Dining Alcove and Porch size 16'x8'.

No. 1 Outside Wall, "Cellu-Seal" Insulator Lined. See
No. 2 Outside Wall. Price List
No. 3 Outside Wall. Enclosed.
No. 4 Outside Wall.

Add extra for Inside Walls:

Style "A" Inside Wall. See
Style "AP" Inside Wall. Price List
Style "B" Inside Wall. Enclosed.

For detailed description of Wall Finishes see preceding pages.



The "LAKEWOOD"
Plan No. 38-DN-181
Size 20'5" x 28'5"

Four Rooms, Dining Alcove, Cupboard Two Closets and Porch, size 16'x8'

No. 1 Outside Wall, "Cellu-Seal" Insulator Lined. See
No. 2 Outside Wall. Price List
No. 3 Outside Wall. Enclosed.
No. 4 Outside Wall.

Add extra for Inside Walls:

Style "A" Inside Wall. See
Style "AP" Inside Wall. Price List
Style "B" Inside Wall. Enclosed.

For detailed description of Wall Finishes see preceding pages.

LAKESIDE COTTAGES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.



The "HILLCREST" "CELLU-SEAL"

Here is another idea of the screened porch made into a Dining Porch. The cottage can be faced toward the lake, either from the end or side, thereby giving you a view of the lake from both ways.

The front stoop should be of concrete, brick, or stone, nicely laid, which will add to the attractiveness of the entrance. We can furnish a wood stoop, if wanted, at a slight extra cost.


The seats are not included but can be furnished by us, made of 2" dimension lumber, knocked down, and can be quickly assembled at an additional cost of \$12.50 each. The canopy

Insulator Lined


over the stoop forms a continuation of the main roof and is supported by the massive brackets.

The kitchens in these plans are small but just the right size—"you don't need a large kitchen" when you are out on a vacation.


Remember—"PRESTO-UP" Construction is standardized—all units are produced in quantities and are uniform. Workmen specialize on one certain kind of section and become proficient in their work. In addition to this, every section is rigidly inspected before it leaves the factory.



The "HILLCREST"
Plan No. 38-DN-220. Size 24'5" x 18'5".
Three Rooms, Bath and Screened
Dining Porch.



The "HILLCREST"
Plan No. 38-DN-221. Size 28'5" x 20'5".
Three Rooms, Closets and Screened
Dining Room.



The "HILLCREST"
Plan No. 38-DN-222. Size 28'5" x 24'5".
Four Rooms, Bath, Closet and Screened
Dining Porch.

| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined | Plan No. 38-DN-220 | Plan No. 38-DN-221 | Plan No. 38-DN-222 |
|--|-------------------------|-------------------------|-------------------------|
| No. 2 Outside Wall..... | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed |
| No. 3 Outside Wall..... | | | |
| No. 4 Outside Wall..... | | | |
| Add extra for Inside Walls: | | | |
| Style "A" Inside Wall..... | See Price List Enclosed | See Price List Enclosed | See Price List Enclosed |
| Style "AP" Inside Wall..... | | | |
| Style "B" Inside Wall..... | | | |

For detailed description of Wall Finishes, see preceding pages.

LAKESIDE COTTAGES

NOTE—All Lakeside Cottages can be made into permanent all-year-round buildings by adding any of the inside wall finish offered and explained on previous pages.




The "NORFOLK" "CELLU-SEAL" Insulator Lined

The "Norfolk" is an unusually good looking summer home—Plan No. 241 provides a good size screened Dining Porch with doors leading from the Kitchen and Living Room. The front porch can also be screened providing additional sleeping room for guests.


Wooden ceiling panels are furnished for the front and dining porches. The sash in the shower room can be changed to a door at a small extra cost, glazed with frosted glass so that when you come from the beach, you won't have to go thru the house.

"PRESTO-UP" Cottages are not to be classed with "flimsy" portable buildings on the market. True they are factory made, but better materials are used, better constructed and easier to assemble.

These plans have been designed with practically no waste space—a handy carpenter who can "plumb" and "square" a building, and three helpers should have no difficulty in erecting one of these cottages in three days.



Plan No. 38-DN-240, size, 24'5"x24'5". Four Rooms, Front Porch and Rear Stoop.



Plan No. 38-DN-241, size, 32'5"x24'5". Four Rooms, Shower, Closet, Screened Dining Porch, Front Porch and Rear Stoop.

| | |
|--|--------------------------|
| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined | See Price List Enclosed. |
| No. 2 Outside Wall | See Price List Enclosed. |
| No. 3 Outside Wall | See Price List Enclosed. |
| No. 4 Outside Wall | See Price List Enclosed. |

Add extra for Inside Wall:

| | |
|----------------------------------|--------------------------|
| Style "A" Inside Wall | See Price List Enclosed. |
| Style "AP" Inside Wall | See Price List Enclosed. |
| Style "B" Inside Wall | See Price List Enclosed. |

For detailed description of wall finishes, see preceding pages.

Plan No. 38-DN-240 Plan No. 38-DN-241

See
Price List
Enclosed.

See
Price List
Enclosed.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

“PRESTO-UP” PERMANENT BUNGALOWS



The “BERKLEY”

Here is a truly charming California Bungalow and not only does this apply to the exterior but the floor plans as well—a point frequently lacking in the average bungalow.


Here are plans of five room houses with good size bath, cabinet in Dining Room of the larger house, and two large closets in each house, large enough to be used as dressing closets. The wide cased opening between the Dining Room and Living Room permits these two rooms to be used practically as one and gives a stretch of floor space 20 feet long.

The front view with its handsome bungalow door, Canopy Porch Roof, supported by massive brackets, flower box, and shutters on the casement sash, all add to the attractive appearance of the house.

The exterior of this house is shown with shingles which can be furnished instead of the beveled siding specified for No. 4 outside wall.


This is a simple house to erect. The sections go together easily as do all “PRESTO-UP” houses, the absence of complicated interior and porch arrangement simplifies the matter still more. Three men should have no difficulty in erecting this design above the foundation in four days.

Price includes wood porch floor and bulkhead rail as shown. Also rear stoop and hood included in our price.




The “BERKLEY”

Plan No. 38-DN-430. Size 20'5"x28'5".
Five Rooms, Bath, Closets, Front Porch, Rear
Stoop and Hood.



The “BERKLEY”

Plan No. 38-DN-432. Size 24'5"x32'5".
Five Rooms, Bath, Closets, Cupboard, Front
Porches, Rear Stoop and Hood.



The “BERKLEY”

Plan No. 38-DN-433. Size 22'5"x30'5".
Five Rooms, Bath, Closets, Front Porch,
Rear Stoop and Hood.

| No. 1 Outside Wall, “Cellu-Seal” Insulator Lined | See Price List Enclosed |
|--|-------------------------|
| No. 2 Outside Wall | See Price List Enclosed |
| No. 3 Outside Wall | See Price List Enclosed |
| No. 4 Outside Wall | See Price List Enclosed |

Add extra for Inside Walls:

Style “A” Inside Wall.

Style “AP” Inside Wall.

Style “B” Inside Wall.

| Plan No. 38-DN-430 | Plan No. 38-DN-432 | Plan No. 38-DN-433 |
|-------------------------|-------------------------|-------------------------|
| See Price List Enclosed | See Price List Enclosed | See Price List Enclosed |

See Price List Enclosed

See Price List Enclosed

See Price List Enclosed

For detailed description of Wall Finishes, see preceding pages.

"PRESTO-UP" PERMANENT BUNGALOWS



The "KENILWORTH"


The floor plans of the "Kenilworth" Design are both provided with plenty of closet space. Plan No. 250 provides for a good size closet off the hall adjoining the Dining Room so as not to break up the back bedroom. This plan has five good size rooms with every bit of space utilized.

The Living Room has two half casement windows "up high," so that a fireplace or mantel can be built between the windows and bookcases along the sides.


Plan No. 251 has six good size rooms with plenty of closets and a handy kitchen cupboard. This cupboard is furnished with shelves and a place below for storing cooking utensils.

The material for the inside cellar stairs for this plan, consisting of stair stringers and step treads, cut-to-fit, is furnished ready to be nailed in place on the job. Both plans are furnished with a rear stoop and hood.

A handy carpenter and four helpers should experience no difficulty in assembling either one of these cottages in four or five days. "PRESTO-UP" Cottages are as complete as can be manufactured and shipped, leaving practically no carpenter work to be done on the job.



THE "KENILWORTH"
Plan No. 38-DN-250, Size, 20'5"x30'5".
Five Rooms, Bath, Closets, Front Porch
and Rear Stoop.



THE "KENILWORTH"
Plan No. 38-DN-251, Size, 24'5"x36'5".
Six Rooms, Bath, Closets, Front Porch
and Rear Stoop.

| | | |
|--|--------------------------------|--------------------------------|
| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined | Plan No. 38-DN-250 | Plan No. 38-DN-251 |
| No. 2 Outside Wall | See Price List Enclosed. | See Price List Enclosed. |
| No. 3 Outside Wall | | |
| No. 4 Outside Wall | | |

Add extra for Inside Walls:


| | |
|----------------------------------|-----------------------------|
| Style "A" Inside Wall | See Price List Enclosed. |
| Style "AP" Inside Wall | |
| Style "B" Inside Wall | See Price List Enclosed. |

For detailed description of Wall Finishes, see preceding pages.

“PRESTO-UP” PERMANENT BUNGALOWS



The “IRVING”



Plan No. 38-DN-260, size, 20'5"x32'5".
Five Rooms, Bath, Closets and Front Porch.

The attractive looking porch is the outstanding feature of this charming series of bungalows. The triple columns with the trellis and flower boxes enhance the appearance of this cottage.


Plan No. 260 can be built on a 25 foot lot allowing passageway on the sides. This makes an ideal suburban home and can be erected on posts or piers temporarily until additional funds are at hand to build a full size basement.

Plan No. 261 provides for rear entry with inside cellar steps leading from this entry. The extra closet off the hall can be used for storing miscellaneous things.

In localities where the weather is not too severe, the No. 2 Outside Wall and Style “A” or Style “AP” Inside Wall will make a good combination. For colder climates, however, we recommend the permanent wall finish—No. 4 Outside Wall and either Style “A” or Style “AP” Inside Wall.

Cellar windows and lattice under front porch is not included in our price but we can furnish this material and will gladly quote.

This makes an ideal permanent home for the suburb and can easily be erected by handymen with the aid of a carpenter in five days.




Plan No. 38-DN-261, size, 24'5"x36'5". Five Rooms, Entry, Bath, Closets and Front Porch.

| | | |
|--|-------------------------|-------------------------|
| No. 1 Outside Wall, “Cellu-Seal” Insulator Lined | Plan No. 38-DN-260 | Plan No. 38-DN-261 |
| No. 2 Outside Wall | See Price List Enclosed | See Price List Enclosed |
| No. 3 Outside Wall | | |
| No. 4 Outside Wall | | |

| | |
|----------------------------------|-------------------------|
| Style “A” Inside Wall | See Price List Enclosed |
| Style “AP” Inside Wall | |
| Style “B” Inside Wall | |

For detailed description of wall finishes, see preceding pages.

"PRESTO-UP" PERMANENT BUNGALOWS




The "WINONA"

For needs of industrial corporations who provide better homes for their employees we have developed the cottages shown on this page. Of course, any design shown in this booklet is adaptable for the same purpose, but these cottages are planned for economy, not only in the original cost of the building but in the assembling.

For example—Plan No. 302, three room cottage, can be erected by three inexperienced workmen in two days. Just think of the saving.


"PRESTO-UP" Industrial Cottages have been purchased in large quantities by such well-known companies as the Illinois Steel Co., Universal Portland Cement Co., The Steel and Tube Co. of America, Wayne Coal Co., The Short Creek Coal Co.

Many different types of wall finishes can be used—for Industrial Cottages the combination of No. 1 Outside Wall and Style "A" or "B" Inside Wall will withstand the roughest handling.




The "WINONA"

Plan No. 38-DN-302. Size 24'5" x 16'5".
Three Rooms, Porch 12'x6'.



The "WINONA"

Plan No. 38-DN-303. Size 24'5" x 20'5".
Four Rooms, Porch 12'x6'.



The "WINONA"

Plan No. 38-DN-304. Size 26'5" x 24'5".
Four Rooms, Closets and Cupboard, Porch 12'x6'.

| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined..... | Plan No. 38-DN-302 | Plan No. 38-DN-303 | Plan No. 38-DN-304 |
|--|--------------------------------|--------------------------------|--------------------------------|
| No. 2 Outside Wall..... | See Price List Enclosed. | See Price List Enclosed. | See Price List Enclosed. |
| No. 3 Outside Wall..... | | | |
| No. 4 Outside Wall..... | | | |
| Add extra for Inside Walls: | | | |
| Style "A" Inside Wall..... | See Price List Enclosed. | See Price List Enclosed. | See Price List Enclosed. |
| Style "AP" Inside Wall..... | | | |
| Style "B" Inside Wall..... | | | |

For detailed description of Wall Finishes, see preceding pages.

“PRESTO-UP” PERMANENT BUNGALOWS




The “BRISTOL”


This is how your house will look if ordered with No. 3 Outside Wall (stucco lath). After the stucco is applied no one can tell that it is a sectional house. Any design in the catalog can be purchased with this type of outside wall and will look as attractive as this bungalow.

Since Mr.*.... of Madison, Wisconsin, erected the above bungalow he has purchased a number of “PRESTO-UP” bungalows which he has built and sold to employees.

The floor plans of the “Bristol” have been laid out to provide the most in the way of no lost space either in arrangement of rooms or doors and windows, providing plenty of wall space for furniture. Both plans have been so arranged so as to economize in plumbing installations, kitchen sink and bathroom outfit can be taken care of by one stack.



The “BRISTOL”
Plan No. 38-DN-320, size, 28'5" x 24'5"
Five Rooms, Bath, Cupboard, Front
Porch and Rear Stoop.



The “BRISTOL”
Plan No. 38-DN-321, size, 36'5" x 24'5"
Five Rooms, Bath, Cupboard, Closet,
Front Porch and Rear Stoop.

| | |
|--|-------------------------------|
| No. 1 Outside Wall, “Cellu-Seal” Insulator Lined | Plan No. 38-DN-320 |
| No. 2 Outside Wall..... | See Price List Enclosed |
| No. 3 Outside Wall..... | See Price List Enclosed |
| No. 4 Outside Wall..... | See Price List Enclosed |

Add extra for Inside Walls:

Style “A” Inside Wall.....
Style “AP” Inside Wall.....
Style “B” Inside Wall.....

| | |
|-------------------------------|-------------------------------|
| Plan No. 38-DN-320 | Plan No. 38-DN-321 |
| See Price List Enclosed | See Price List Enclosed |

See
Price List
Enclosed | See
Price List
Enclosed

For detailed description of wall finishes, see preceding pages.

"PRESTO-UP" PERMANENT BUNGALOWS



The "VIRGINIA"

BEAUTIFUL! The "Virginia" is such an attractive looking Bungalow that it charms the prospective home owner. Cannot you picture the pretty building as your summer or suburban home? It is all that could be wished for.

The floor plans are so ideally laid out that people who have seen this bungalow immediately are enthused over the good size rooms and the many conveniences.


A typical "Colonial" pattern with shutters, handsome front door and attractive casement or French windows along the front of the house and the good size front porch with its triple columns give it a distinction all its own.

Note in Plan 461 how economically the plumbing can be installed, having the bath room and kitchen adjoining, also the convenient arrangement of closets and kitchen cupboards.


Three good size bedrooms and extra large closets, with two or more windows in each room. In Plan No. 460 the wall between the Living Room and Dining Room can easily be removed making the front room 28' long. Remember, that all sections are 4' wide and if you don't like the arrangement as shown in the plan, change it around to suit your needs.

This design is shown finished with No. 4 Outside Wall—the "permanent" wall finish, using the wide (1/4x6) Beveled Siding to give the Colonial effect. A pleasing color scheme is to paint or stain the siding a dark brown, trim to be white and red roofing.

Four men with the aid of a handy carpenter can erect this house in not over five days, above the foundation.



Plan No. 38-DN-460, size, 40'5"x24'5". Six Rooms, Bath, Closets, Pantry, Cellar Stairs, Front and Rear Porches.



Plan No. 38-DN-461, size, 44'5"x24'5". Five Rooms, Bath, Closets, Cupboard, Cellar Stairs, Front and Rear Porches.

| | | |
|--|--------------------------|--------------------------|
| No. 1 Outside Wall, "Cellu-Seal" Insulator Lined | Plan No. 38-DN-460 | Plan No. 38-DN-461 |
| No. 2 Outside Wall..... | See Price List Enclosed. | See Price List Enclosed. |
| No. 3 Outside Wall..... | | |
| No. 4 Outside Wall..... | | |

Add extra for Inside Walls:

Style "A" Inside Wall.....

Style "AP" Inside Wall.....

Style "B" Inside Wall.....


See Price List Enclosed.

See Price List Enclosed.

For detailed descriptions of wall finishes, see preceding pages.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

“PRESTO-UP” PERMANENT BUNGALOWS



The “NORWOOD”

It is needless for us to go into any description of the two plans of the “Norwood” design shown below. They have been designed with the thought of utilizing every bit of space.


In Plan No. 450, the bedroom adjoining the kitchen can be made into a dining room if three bedrooms are not needed. The kitchen of this plan is unusually large, providing a space for breakfast alcove if wanted. On page 32 we illustrate an outfit that can be used in this plan.

The larger size, Plan No. 451, has every convenience that could be expected in a modern bungalow, plenty of closets are provided for and the cellar steps including stringers and treads cut, are all included in our price.

Both bathrooms have small half-size casement sash, that are hinged to swing in. This cottage is shown with No. 4 Outside Wall, but any other type of wall finish can be adapted.


For a permanent bungalow, we recommend the combination of No. 4 Outside Wall and Style “AP” Inside Wall which is fully described in the preceding pages.

One handy carpenter with about four helpers should have no difficulty in assembling this house above the foundation in four or five days. When you compare this with the usual sixty days to complete a home, you can quickly see where the saving is made.



The “NORWOOD”

Plan No. 38-DN-450. Size, 36'5" x 24'5".
Five rooms, Bath, Closets, Front Porch and Rear Stoop.



The “NORWOOD”

Plan No. 38-DN-451. Size, 40'5" x 24'5".
Six rooms, Bath, Closets, Cellar Stairs, and Front and Rear Porches.

| | |
|--|-------------------------------|
| No. 1 Outside Wall, “Cellu-Seal” Insulator Lined | See Price List Enclosed |
| No. 2 Outside Wall | |
| No. 3 Outside Wall | |
| No. 4 Outside Wall | |

Add extra for Inside Walls

| | |
|----------------------------------|-------------------------------|
| Style “A” Inside Wall | See Price List Enclosed |
| Style “AP” Inside Wall | |
| Style “B” Inside Wall | |

| Plan No. 38-DN-450 | Plan No. 38-DN-451 |
|-------------------------------|-------------------------------|
| See Price List Enclosed | See Price List Enclosed |

| | |
|-------------------------------|-------------------------------|
| See Price List Enclosed | See Price List Enclosed |
|-------------------------------|-------------------------------|

For detailed description of Wall Finishes, see preceding pages.

"PRESTO-UP" PERMANENT BUNGALOWS



The "DEVONSHIRE"


This roomy bungalow has every convenience that can be expected in the modern home and is practically flooded with sunshine. Note especially the wing that forms the Dining Room—it's a cheerful room with windows on three sides, plenty of sunshine and circulation of air. The wing on the other side provides for the good size Bedroom, with bath and closets.

The Living Room is unusually large—an attractive window seat can be installed in the front wall under the group of four windows. The French Doors to the Dining Room adds to the attractiveness of this room, also should a fireplace be built you will effect a great saving in not having to build an exterior fireplace, using the costly pressed brick. The flues for the heating plant can be combined with the fireplace flues.


For the outside wall, we would recommend the No. 4 Wall, using the 8" Redwood Beveled Siding which we will furnish without extra charge if wanted in place of regular width siding as described in specifications.

Material for cellar stairs is included in our price as well as shelves for pantry and all closets.

The front porch roof is flat with just enough drop to shed water. It is built to fit right under the eaves of the main roof. If wanted the porch can be built on the left hand side of the house with a door into the Living Room, also a door into the Dining Room—it can easily be screened and made into an ideal Dining Porch for the summer.



The "DEVONSHIRE"
Plan No. 38-DN-470, size, 52'10"x24'5". Five Rooms, Bath
Closets, Pantry, Cellar Stairs, Front and Rear Porches.



The "DEVONSHIRE"
Plan No. 38-DN-471, size, 40'5"x24'5".
Four Rooms, Bath, Closets, Pantry, Cellar
Stairs, Front and Rear Porches.

| | | |
|-------------------------|-----------------------------|-----------------------------|
| No. 1 Outside Wall..... | Plan No. 38-DN-470 | Plan No. 38-DN-471 |
| No. 2 Outside Wall..... | See Price List Enclosed. | See Price List Enclosed. |
| No. 3 Outside Wall..... | | |
| No. 4 Outside Wall..... | | |

Add extra for Inside Walls:

Style "A" Inside Wall.....

Style "AP" Inside Wall.....


Style "B" Inside Wall.....

See Price List
Enclosed.

See Price List
Enclosed.

For detailed description of wall finishes, see preceding pages.

“PRESTO-UP” PERMANENT BUNGALOWS



The “ORLEANS”

You will marvel at this being a Sectional House. This hip-roof Bungalow is built under a “PRESTO-UP” system and in addition to the regular hip-roof construction, used on an ordinary house, such as built under old methods, it has “PRESTO-UP” Notch-lock trusses that support the roof so strongly that it cannot sag with the heaviest snow load.

The porch and foundation, if a foundation is to be built, are intended to be of native stone, and if this is available it should be used so that the finished house will be just like the picture. Our price does not include cement porch floor or stone columns as illustrated. To add to the attractiveness of the bungalow these should be built. However, we can furnish wooden floor sections, columns, and railing at an extra cost. Rear stoop and hood, 4 feet square, is included in the price.


The floor plans are fine—large living room, dining room, pantry, kitchen, bathroom and two bedrooms. This ought to be Mrs. Newlywed's heart's

desire, even if there are only sufficient funds on hand to order it in No. 1 outside wall. Improvements can always be made later when time and money are more plentiful.


This house should be ready to move into in four or five days after you receive the material if you have three men of good, ordinary intelligence to do the work.

Can't you imagine how easy it is to screen in this porch and what a comfortable place to spend time outdoors? On No. 442 two 8'x8' square wooden columns are supplied to hold up the porch beam. Material for inside cellar stairs on plan 442, consisting of stair stringers cut, step treads cut, but to be nailed together on the job is included in our price. 4'x4' rear stoop and hood as shown in the illustration is included in both plans.

If Hip Roof is not preferred, the regular Gable Roof can be furnished at a slight reduction in price. “PRESTO-UP” Hip Roofs with “Notch-Lock” trusses are much superior to ordinary hip-roof construction.



The “ORLEANS”
Plan No. 38-DN-441.
Size 36'5" x 24'5". Five
Rooms, Bath and Closets.
Porch, 20'x8'.



The “ORLEANS”
Plan No. 38-DN-442. Size
40'5" x 24'5". Five Rooms,
Bath, Vestibule, Closets,
Pantry. Porch, 24'x8'.

No. 1 Outside Wall, “Cellu-Seal” Insulator Lined
No. 2 Outside Wall
No. 3 Outside Wall
No. 4 Outside Wall

Add extra for Inside Walls:

Style “A” Inside Wall
Style “AP” Inside Wall
Style “B” Inside Wall

Plan No. 38-DN-441 | Plan No. 38-DN-442

See
Price List
Enclosed


See
Price List
Enclosed

See
Price List
Enclosed


See
Price List
Enclosed

For detailed description of Wall Finishes, see preceding pages.

"PRESTO-UP" PERMANENT BUNGALOWS



The "MONTESANO"



The "MONTESANO"

Plan No. 38-DN-392. Size 24'5" x 42'5". Six rooms, bath, closets, sun parlor, screened living porch and rear stoop and hood.

No. 1 Outside Wall*..... See
No. 2 Outside Wall..... Price List
No. 3 Outside Wall..... Enclosed.
No. 4 Outside Wall.....

Add Extra for Inside Walls:

Style "A" Inside Wall..... See
Style "AP" Inside Wall..... Price List
Style "B" Inside Wall..... Enclosed.


* "Cellu-Seal" Insulator Lined.
For detailed description of Wall
Finishes, see preceding page.

A charming series of Bungalows with plenty of room, and, best of all, at a surprisingly low cost.

A careful study of the preceding pages and the drawings shown here should convince you of the thoroughness with which we have developed this system and the improved method of the wall construction which eliminates the usual objection to sectional houses. This design is shown in No. 4 outside wall, the beveled siding to be nailed on over the sheathing already on the sections, after the sections are bolted together, making it considerably warmer than the average built house.

Study the floor plans, especially No. 393. What more can be desired?—good size Sun Parlor with French windows on all sides, and French doors from the living room—12'x8' screened living front porch with ceiling panels overhead. Living Room, dining room and bed rooms all on one side of the house—bathroom and kitchen arranged for plumbing on one stack. Light, ventilation and closets galore. On plan No. 393 material for inside cellar stairs, consisting of stair stringers cut, step treads cut, but to be nailed together, is included in our price.

If wanted "PRESTO-UP" houses can be built on posts and openings below covered with lattice or novelty siding. Plans are furnished on receipt of order showing you how to build your foundation, also erection plans, which are helpful in erecting your building. However, the construction of "PRESTO-UP" buildings is so simple that one handy carpenter and three or four helpers can erect the building in not over five days. Just think of the saving, instead of waiting sixty days for your house to be ready to move into, you are ready in a week.



The "MONTESANO"

Plan No. 38-DN-393. Size 24'5" x 46'5". Five rooms: Bath, Closets, Cupboards, Sun Parlors, Screened Living Porch, and Rear Porch.

No. 1 Outside Wall*..... See
No. 2 Outside Wall..... Price List
No. 3 Outside Wall..... Enclosed.
No. 4 Outside Wall.....

Add Extra for Inside Walls:

Style "A" Inside Wall..... See
Style "AP" Inside Wall..... Price List
Style "B" Inside Wall..... Enclosed.

* "Cellu-Seal" Insulator Lined.
For detailed description of Wall
Finishes, see preceding page.

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

“PRESTO-UP” GARAGES

LOWEST PRICES

The Reason: To build a garage of the same size and style as a “PRESTO-UP” Garage with as good material and as strong construction by the slow hand method would cost easily double the amount. “PRESTO-UP” Garages are machine and template made, all work is done on “forms” that permit no error in measurements, practically no waste in material, and top speed in production. Nearly 90% of the work is machine work—electrical driven saws—mortisers—borers—screw drivers—gang drills, and a multitude of other new and improved labor-saving methods.

PERMANENT CONSTRUCTION

The Reason: “That seems unnecessarily heavy,” is the remark often heard. Careful study has, however, been given the required part for each and every unit, its strength, its lasting qualities, its practicability and appearance when finished.


Away above average quality material is used thruout. Clear kiln-dried Oregon Fir Siding. Much better than the usual No. 1 grade of framing lumber, and the roof boards are likewise in most instances, even better than a No. 1 grade, whereas, in the average hand built garage only a No. 2 Common grade is used. The tremendous quantities, and the speed with which material is put thru the machines—right from the car doors to the machines—prohibits re-grading, and you get the benefit of the higher grades without the extra cost.

CHEAPER THAN GARAGE RENT

A small down payment is all we require to place a “PRESTO-UP,” the world’s best garage value, on your lot. The balance may be paid in small amounts each month, less than garage rent. At the end of a year or so you will own the best garage made instead of a handful of rent receipts. Full details of terms and prices outlined in price table of each garage.

FOUNDATION PLANS FOR “PRESTO-UP” GARAGES

FURNISHED ON RECEIPT OF ORDER



IN BUILDING concrete floors, the plan shown above should be adhered to carefully. We have found the most practical and economical method of fastening the garage sills to the concrete floor is by means of iron straps, as illustrated. Be sure and see that the outside measurement of your foundation is the same size as the garage. As you will note above we are taking the 12'6" x 18'6" as an example and the outside measurement of the concrete floor is also 12'6" x 18'6". The iron strap anchors, if placed according to the measurements given, will come flush with the inside of the garage sills and can be spiked or fastened to the sills with lag screws.

ATTRACTIVENESS

The Reason: “PRESTO-UP” Garages are manufactured to harmonize with various types of architecture. Attractive because designed in proper proportions, with sufficient ornamentation so as not to be “frilly” and yet far above the common-place class in spite of our lower prices.

“PRESTO-UP” Patented construction means invisible joints on the outside walls with no indication whatever of the building being sectional, all of which does not cost you any extra because it has all been taken care of in the designing.

EASIEST TO ERECT


The Reason: Over 5,000 “PRESTO-UP” Garages stand erected in the City of Chicago alone, and of this quantity easily 75% were erected by owners. A garage may seem ever so cheap, if you spend what you saved in purchase price, in the cost of erecting same, you have not gained anything.

In designing “PRESTO-UP” Garages, better material and heavier construction than actually necessary has been specified in many instances, so as to make it easier for the purchaser to erect. You can hardly go wrong unless you are wilfully careless. It is practically impossible to proceed in a wrong manner, because of the “fool-proof” method in which the assembling has been worked out to the last detail.

WE PUT THEM UP

Any handy man can erect a “PRESTO-UP” garage in a few hours. You cannot go wrong with our simple instruction. If you prefer, our experienced erectors will put up your garage for you. Erection charge for a one car garage is \$25.00. Erection charge for a two car garage is \$35.00.



POST FOUNDATIONS



POST FOUNDATIONS

When the garage is set on cedar posts or piers, it is recommended that 6" cedar posts be used or 6" concrete or stone piers. These piers are to be set according to the plan above. For example on the 12'6" x 18'6" building, the outside measurement of the piers should be 12'6" x 18'6" and to be spaced as shown above. Sills of the garage can be spiked to the posts or anchored with iron straps. Where the ground is level it is not necessary that the posts be set more than 2 or 2 1/2 feet into the ground.

DETAILS "PRESTO-UP" PATENTED CONSTRUCTION



Here we show an enlarged detail of the "notch-lock" roof truss, grooved top wall plate, and the top of the wall section which shows you at a glance how strong and practical this combination of units makes your garage. The "notch-lock" truss locks right into the top wall plate preventing any possible spreading of roof.

The top wall plate locks down on to the siding again preventing any unevenness or spreading of the side wall, and simplifying, indeed, the completion of this part of the building, which generally is considered a difficult part in all buildings except "PRESTO-UP" Buildings.





Illustration at the left shows an enlargement of "PRESTO-UP" Sill Construction. You can see that it is an easy matter to drop the wall sections on to the sill requiring little or no bracing while the bolting together is going on, and guaranteeing you true and perfect alignment.

If your sills are square and level there is nothing simpler than dropping the sections into place and bolting it together. Heavier and better material is used by far than on the average hand built buildings.

DETAILS OF "PRESTO-UP" NO-SAG GARAGE DOORS

All doors are painted one good priming coat on both sides. Made from Clear Oregon Fir Lumber. The top and middle cross member (a) 2x6. Vertical Mullions (b) 2x4. Bottom cross member (c) 2x8. Outside stiles (d) 2x6. Net thickness of the door is about $1\frac{1}{8}$ inches. All members are deeply rabbeted to receive the Clear kiln-dried Fir Beaded Ceiling under tremendous pressure, by special machinery. The back of the door is braced diagonally (e) and this brace is dadoed into the 2x4 stiles (b) so that it not only gives a shoulder and heel brace but also two center braces. It is the dadoing of the mullions (b) into which the diagonal brace (e) is fitted that positively prevents sagging.



SPECIFICATIONS OF MATERIAL AND CONSTRUCTION

COVERING THE MANUFACTURE OF

“PRESTO-UP” PATENTED BOLT-TOGETHER PERMANENT. GARAGES

WE CANNOT urge you too strongly to read every word of the following specifications. It gives you a clear and complete insight into the many exceptional qualities both in material and method of construction used in the manufacture of our Patented “PRESTO-UP” Buildings. It is a pleasure to be able to print such excellent specifications; there is nothing to hide and many good things to show and that is why we do not hesitate to give you full information on the subject.

SPECIFICATIONS

FOUNDATION SILLS for “PRESTO-UP” Garages are equivalent to practically a 4x8 timber when the wall sections are in place. They are made of strong, straight, selected No. 1 grade Southern Pine. They form a lock joint, holding the wall sections permanently in place, making it easy for one man to put the sections in place himself.

CORNER POSTS: Corner posts are interchangeable like the sections and when in place give a corner timber construction practically equivalent to a 4x5 timber. “PRESTO-UP” system eliminates special corner sections.

OUTSIDE WALLS: The outside walls consist of “sections” or panels made up in one, two and four foot widths. All wall sections are interchangeable. These “sections” or panels are made up as follows:

SIDING: Clear kiln-dried Oregon Fir Siding, tongued and grooved, beaded on the outside, and beaded or planed smoothly on the inside, applied vertically. Manufactured from three-quarter-inch stock finished five-eighths inches.

STUDDING: The studding is No. 1 and better grade Southern Pine, surfaced four sides, average distance apart sixteen inches. They are used in pairs every four feet where bolted together, with an additional stud in between, making three studs to forty-eight inches of wall. The studding is two by three. Two by four is not necessary in our construction on account of the three interlocking cross braces, all of which are halved at joints, give more than the necessary strength and hold the sections square and true.

CROSS BRACES: There are two horizontal or cross braces of two by three inches which are secured to the studs at the top and center, one 2x6 at the bottom of the section, by halved joints, nailed with cement-coated nails. The inside of the panels show a neat symmetrical distribution of framing.

TOP WALL PLATES: Fir and Yellow Pine built up equivalent to practically a four by six timber. This plate has a groove in it that drops right down over the siding on the wall sections and holds it in a vise-like grip, keeping the walls in alignment.

ROOF TRUSSES: Manufactured of No. 1 and better grade Yellow Pine, two by fours with one by six scientific braces, reinforced with iron straps and made so as to form a notch-lock that drops into the top wall plate and holds the entire building in a firm grip. These “PRESTO-UP” trusses not only make a roof much superior to any other on the market, but make it a simple matter for any amateur to erect and make a good job of it.

ROOF SECTIONS: Are manufactured of No. 1 quality Southern Pine Ship Lap. Beaded on the under side to give a neat and finished appearance. Roof sections are made so they will easily drop in place between the trusses, and have additional rafters on them to add still more strength.

FRONT DOORS: “No-Sag” front doors are furnished with every garage. These doors are our own exclusive design and manufactured only by us. Guaranteed not to sag.

SIDE DOORS: Side door, of course, comes to you already in the section with hardware all on and you can place this section wherever it is most convenient to your individual requirements. The side door is either plain or glazed, depending upon the model of the garage you purchase.

WINDOWS: The window sash as shown in Models “A” and “C” are regular three-light sash, making the entire window 34" wide by 21" high. This window slides up in a grooved slide. The bottom of the sash is specially rabbeded as is also the sill and when closed makes a dust and storm proof job. When the window is raised it rests upon a ledge provided for that purpose.

On Models “B,” “E” and “G” we use our regular “PRESTO-UP” House windows, the size of which is 28"x46" overall. There are two sash to the windows, one above and one below, the one above being divided into six lights making it very attractive. Windows are equipped with special tension and anti-rattle springs, to permit raising and lowering window to any position. Sash lock and lift attached.

PAINT: Garages come to you painted, one good heavy coat of outside paint, stock color medium gray for the body, white trim and sash. Our stock color is such that it will take almost any finishing coat.

ROOFING: Roofing supplied is best quality Red or Green Slate surfaced Roofing. Guaranteed first quality standard weight and manufacture Roofing. Sufficient nails, cement and complete instructions are included with each roll, showing the proper way to apply the roofing. Individual, four-in-one Slab Shingles or roofing stamped like shingles can be had at an extra cost. Prices upon application.

HEIGHT: The height of wall to plate on all Garages is 8'.

Height overall on all models is as follows:

On Garages 9'-6" wide—height to highest point of roof, 10'-7 1/2".
On Garages 10'-6" wide—height to highest point of roof, 10'-10".
On Garages 12'-6" wide—height to highest point of roof, 11'-3 1/2".
On Garages 16'-6" wide—height to highest point of roof, 12'-2 1/2".
On Garages 18'-6" wide—height to highest point of roof, 12'-9".
On Garages 20'-6" wide—height to highest point of roof, 13'-3".

EVES OVERHANG: In figuring the amount of space overall required for a Garage, including the overhang eaves, add 3 ft. to the width of the Garage, also 3 ft. to the length. For example, a 10'6"x16'6" Garage—the space needed will, approximately, be 13'6"x19'6".

HARDWARE: The hardware we furnish, consists of the following:

CYLINDER LOCK: Genuine 3-Key YALE cylinder latch furnished for service door.

HINGES: Special fancy japanned 10" strap by 2 1/2"x7" butt, extra heavy T hinges with No. 14 japanned screws. Hinges are already applied to doors.

DOOR HOLDERS: The greatest convenience of the age. They hold the large doors in place, when open.

FOOT BOLTS: 6" x 3/4" black japanned brass coil spring foot bolts. Positive action.

CHAIN BOLTS: 3/8" x 6" black japanned chain bolts, furnished with Duplex Steel Safety Chain with pull ring and staples.

DOOR HANDLES: For each pair of auto doors and service door.

DIRECTIONS: Directions are furnished with every Garage. They are hardly necessary. The construction is so clear that the method of bolting the garage practically suggests itself. See reproduction of direction plans in this catalog.


FOUNDATION: Foundation must be level and square. This is imperative. Garage can be set directly on the earth, or cinders, or posts, or piers, of brick, stone or concrete, or concrete foundation walls, and when placing same bear in mind that the outside measurements of our foundation sills are the same as the size given for the Garage, for instance, if you buy a 12'-6"x16'-6" Garage and build a concrete foundation, see that the outside of same is exactly 12'-6"x16'-6" and the sills of our building will then fit down upon it perfectly. The same holds good for piers or posts unless you want to have them extend out beyond the sills of the building.

PATENTS: Various new and improved features of “PRESTO-UP” buildings are patented—April 2nd, 1918, Sept. 3rd, 1918, March 22nd, 1921, July 18th, 1922, other patents pending. The right is reserved to make changes in construction and material as improvements may necessitate.

A REPRODUCTION of ERECTION INSTRUC SIMPLE—PRACTICAL



1 Arrange the units or sections so that the doors, windows and all other units can be picked up and put right in place; you will save 25% of your time.




2 Here you see the two men have put the "PRESTO-UP" sills down and are "squaring them up." By that is meant that they see to it that the building will be square.




3 The men have now spiked the sills at the corners and are leveling up the sill. They must be level, as would be the case on any kind of a building.




7 Here is the last wall section sliding into place. We will now soon be ready for the door post section, and the first thing you know the whole garage will be up and ready to drive into.



8 Here the men are applying the corner boards. These are furnished made up, ready to slide in place. This should be done before the top wall plates (shown in the next picture) are applied.



9 Here you see the notch-lock top wall plate is going into place. This plate has a deep groove that drops right down over the siding and holds it permanently in place.




13 Here you see continued progress being made with roof sections. You can observe that the ridge of the roof is straight as a "die" and will continue to remain straight if the building is put up correctly.



14 In this picture you see one man with a piece of lumber pushing up the end roof section so that the peak meets correctly and while thus holding, the man at the peak nails it tight and it is there to stay.



15 Roofing. Start from the bottom. It is always best to cut the lengths on the ground; roll them up, hand them to the man on the roof—the balance is easy.



SPECIAL NOTE: When placing roof sections keep them out of the notches in the top wall plate "A" until you have fitted them tight at the peak or ridge "B" of the roof and nail them there on the truss. If they do not drop perfectly into place swing whichever way is necessary.

PATENTS
 "PRESTO-UP" Construction
 Is Patented
 April 2, 1918 September 3, 1918
 March 22, 1921
 Other Patents Pending


**TIONS furnished with "PRESTO-UP" GARAGES!
PERMANENT—BEAUTY**



4 Now apply the corner posts to whatever sections you may wish to place in the corner, and remember that practically all sections are interchangeable.




5 Here the first wall section going into place. This has the corner post attached, as shown in previous photograph. The next section to put up is the one to the left, this will make a corner.



6 Here you see the men coming toward us with the wall sections. The groove at the bottom of the sections, and the tongue on the sill makes it easy for two men to bolt the building together.



10 Now here is one of the exceptional merits of "PRESTO-UP" roof construction, the Patented Notch-Lock Trusses drop into place. They will stand up without any bracing or nailing.



11 Here is the Front Gable going into place. This gable section also has a deep groove which drops down over the projecting siding on the Door Post Sections and holds it in a vise-like grip.



12 Here starts one of the most interesting parts of "PRESTO-UP" erection. Start at the rear, first one side and then the other—not all one side and then the other side.



16 In this photograph you see the men putting on the Side Eave Strip. See drawing below for proper way to finish same.




17 The finishing touches are now being put on. The front roof "eaves strip" is on and the last bracket is being put in place. Please note that it is impossible to tell that this is a sectional building.



18 Here is the finished product. It will look just the same if you put it up correctly. All units, and in fact, every item entering into the construction of these wonderful buildings is cut or manufactured according to fixed patterns.

REAR CORNER CONSTRUCTION.


CORNER BOARDS TO
BE NAILED TO OUTSIDE
OF CORNER POST
BEFORE PUTTING TOP
PLATE IN PLACE



FRONT CORNER CONSTRUCTION.

Directions for Laying Wooden Floor


Wooden Floors are extra and are not included in the regular price of our Garages.



First put in bed of cinders, ashes or hard earth; cinders preferably. Then lay the stringers or sleepers on top of cinders, so that there will be an air space.

A 2" plank is heavy enough to support any car, provided stringers are placed under the floor about where the wheels of the car usually go. On the right and left hand side, as well as the back, you see a 2x2 "Hold-down" strip. After you have laid your floor crosswise as shown, then nail this "Hold-down" strip on the side sills, as it will keep the plank from having a tendency to turn up at the ends. Material when ordered is furnished you ready-cut to proper length; all you have to do is to lay it in place and nail it.

MODEL "A" SINGLE "PRESTO-UP" GARAGE



MODEL "A"—Gable Roof

We have endeavored to explain very carefully in the preceding pages the superior method of "PRESTO-UP" construction as well as the excellent grades of material used.


Here we show an actual photograph of the Model "A" Single Garage that has been sold to 75% of the 5000 "PRESTO-UP" Garage owners in the City of Chicago. There are no fancy, useless "frills" about this building, still it is far more attractive than most similar buildings built in the old fashioned saw and hammer method. Remember this, when a "PRESTO-UP" Garage is unloaded on your lot it is complete, there is no sawing or carpenter work to be done on the job, no "muss" around your yard. In 6 to 8 hours you can easily erect one of these garages.

This model is made in six sizes, from the smallest which is suitable for a Ford Roadster to the largest size that will accommodate any average Seven Passenger car on the market.

All Model "A" Single Garages are furnished with three sash windows, one service door, and a pair of large automobile doors as described under specifications on preceding pages. Door and window sections are interchangeable and you can arrange them to suit your individual needs.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts and the "PRESTO" Door Holders for auto doors.

MODEL "A"—ONE CAR GARAGES




The above floor plan for a 12'6" x 16'6" Model "A" is merely given to show the number of doors and windows furnished on all Model "A" Garages. Bear in mind the sections are interchangeable and when you receive your Garage you can arrange the door and window sections around to suit.

| No. | Width | SIZE Length | No. of Windows and Doors | Cash Price | EASY PAYMENT PLAN | | |
|----------|-------|-------------|--|------------|---------------------|--------------------|----------------------|
| | | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-2 | 9'6" | x 14'6" | Three Sash—One Plain Service Door— Plain Auto Doors | \$173.00 | \$190.00 | | |
| 38-DN-5 | 10'6" | x 16'6" | " | 192.00 | 211.00 | | |
| 38-DN-6 | 10'6" | x 18'6" | " | 207.00 | 228.00 | | |
| 38-DN-8 | 12'6" | x 16'6" | " | 211.00 | 232.00 | \$45 ⁰⁰ | \$15 ⁰⁰ |
| 38-DN-9 | 12'6" | x 18'6" | " | 225.00 | 248.00 | | |
| 38-DN-10 | 12'6" | x 20'6" | " | 244.00 | 268.00 | | |


THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

MODEL "A" DOUBLE "PRESTO-UP" GARAGE



MODEL "A"—Gable Roof



Model "A" Double Garages are furnished in five different sizes. If you have sufficient room on your lot for a double garage it certainly is the best investment. Prices are proportionately lower than on Single Garages, and even if you only rent out one side at \$8.00 per month for six months out of a year—plus your own saving—you are still making nearly 50% on your investment for the first year.

This Model is furnished with five sash windows, one service door, and two pairs of automobile doors as illustrated. In the event that you find it necessary to partition the building we can furnish you with additional entrance door providing separate access to each stall. Price for extra door and partition quoted upon application.

All "PRESTO-UP" Garages are painted one good heavy coat of stock color medium gray body paint, white trim and sash, and furnished with best quality Guaranteed Red or Green Slate Surfaced Roofing.

This is an actual photograph of a Model "A" Double Garage, a garage that anyone may well be proud to own, and you may be assured that the building will look just like this when erected.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts and the "PRESTO" Door Holders for auto doors.

MODEL "A"—TWO-CAR GARAGES

| No. | SIZE Width Length | No. of Windows and Doors | Cash Price | EASY PAYMENT PLAN | | |
|----------|------------------------|--|---------------|------------------------|-----------------------|-------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-12 | 16'6" x 18'6" | Five Sash—One Service Door— Plain Auto Doors. | \$308.00 | \$339.00 | \$80 ⁰⁰ | \$20 ⁰⁰ |
| 38-DN-14 | 18'6" x 18'6" | .. | 324.00 | 356.00 | | |
| 38-DN-15 | 18'6" x 20'6" | .. | 351.00 | 386.00 | | |
| 38-DN-16 | 20'6" x 20'6" | .. | 364.00 | 400.00 | \$100 ⁰⁰ | |
| 38-DN-18 | 20'6" x 24'6" | .. | 406.00 | 447.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN



MODEL "B"—Gable Roof

MODEL "B" SINGLE "PRESTO-UP" GARAGE

Model "B" Garages are identical with the Model "A" Garages described in the preceding pages except that the large entrance doors are furnished with divided glass top lights instead of plain wood, and, also, the windows and service door are Colonial type.

Here is not only a real beauty, but, at the same time a quality building thruout in construction, material, and appearance, which will add much to the value of any property, and be a constant pleasure to look upon.

On the Single Garages up to and including the 12'6"x18'6" size, two windows are furnished. On the remaining size three windows are included. Extra windows can be had at a slight extra cost. "Hoods" or "Canopies," as they are sometimes called, are furnished for over all windows and entrance door. Only one flower box with brackets is included in our price, as usually one side of the building is placed against the fence or adjacent building where flower box would not be necessary. Additional flower boxes will be furnished at extra cost.

| No. | SIZE Width Length | No. of Windows and Doors | Cash Price | EASY PAYMENT PLAN | | |
|----------|----------------------|--|---------------|------------------------|-----------------------|-------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-41 | 9'6"x14'6" | Two Colonial Wds.—One Glazed Service Door—Glazed Auto Doors | \$194.00 | \$213.00 | | |
| 38-DN-44 | 10'6"x16'6" | .. | 213.00 | 234.00 | | |
| 38-DN-45 | 10'6"x18'6" | .. | 225.00 | 248.00 | \$55 ⁰⁰ | \$15 ⁰⁰ |
| 38-DN-46 | 12'6"x16'6" | .. | 233.00 | 256.00 | | |
| 38-DN-47 | 12'6"x18'6" | .. | 246.00 | 271.00 | | |
| 38-DN-48 | 12'6"x20'6" | Three Colonial Wds.—One Glazed Service Door—Glazed Auto Doors | 271.00 | 298.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES ON TIME PAYMENT PLAN

MODEL "B" DOUBLE "PRESTO-UP" GARAGE

Model "B" Double Garages are likewise built of the same excellent grade of material and method of construction as the Model "A" Double Garages.

With the exception of the two last sizes listed below these garages have three Colonial windows, one service door, and two pairs of glazed front doors. The No. 38-DN-53 size and the No. 38-DN-54 size are furnished with four Colonial windows. Hoods are furnished as described above, also one flower box with brackets. Brackets and all trimmings as shown on this photograph are included in our price.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO" Door Holders, for auto doors.



MODEL "B"—Gable Roof

| No. | SIZE Width Length | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|----------------------|--|---------------|------------------------|-----------------------|-------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-50 | 16'6"x18'6" | Three Colonial Wds.—One Glazed Service Door—Glazed Auto Doors | \$338.00 | \$372.00 | | |
| 38-DN-51 | 18'6"x18'6" | .. | 354.00 | 389.00 | \$90 ⁰⁰ | \$20 ⁰⁰ |
| 38-DN-52 | 18'6"x20'6" | .. | 382.00 | 420.00 | | |
| 38-DN-53 | 20'6"x20'6" | Four Colonial Windows (Doors Same) | 400.00 | 440.00 | | |
| 38-DN-54 | 20'6"x24'6" | Four Colonial Windows (Doors Same) | 444.00 | 488.00 | \$110 ⁰⁰ | |

THERE IS NO INTEREST OR OTHER CHARGES ON TIME PAYMENT PLAN

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

MODEL "C" SINGLE "PRESTO-UP" GARAGE

The Model "C" Garages illustrated on this page are known as "Hip Roof" Garages, or sometimes called "Four-Way" Roofs. By careful experimenting we have developed these Hip Roof Garages with all the Patented "PRESTO-UP" features, and in addition thereto, a strong combination of our "PRESTO-UP" notch-lock truss and hip rafters, not to be found in any other type of building. Every garage is guaranteed that there can be no spreading of walls or sagging of roof, regardless of snowloads.

The grades of material and method of construction of this model is the same as all other Garages illustrated in this book except that this particular type of building may match up with the roof of your home.


All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock, foot bolts, chain bolts, and the "PRESTO" Door Holders.



MODEL "C"—Hip Roof

| No. | SIZE Width Length | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|----------------------|---|---------------|---------------------------|--------------------------|----------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-63 | 10'6"x16'6" | Three Sash—One Plain Service Door— Plain Auto Doors. | \$209.00 | \$230.00 | | |
| 38-DN-64 | 10'6"x18'6" | " | 219.00 | 241.00 | | |
| 38-DN-65 | 12'6"x16'6" | " | 228.00 | 251.00 | \$55.00 | \$15.00 |
| 38-DN-66 | 12'6"x18'6" | " | 244.00 | 268.00 | | |
| 38-DN-67 | 12'6"x20'6" | " | 263.00 | 289.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN



MODEL "C" DOUBLE
"PRESTO-UP" GARAGE

Two Car Model "C" Garages are furnished in seven different sizes, the smallest size suitable for two Fords or cars of similar size.

If hoods or flower boxes are wanted on any of these Models we can furnish same at a slight extra cost. Full description and prices are given on preceding pages of this Catalogue.

These Garages are furnished with five small sash, one service door, and two pair of large doors. Additional service doors, partitions, hoods or flower boxes can be had.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO" Door Holders for auto doors.

| No. | SIZE Width Length | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|----------------------|--|---------------|---------------------------|--------------------------|----------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-70 | 16'6"x18'6" | Five Sash—One Plain Service Door— Plain Auto Doors. | \$333.00 | \$366.00 | | |
| 38-DN-71 | 18'6"x18'6" | " | 350.00 | 385.00 | \$90.00 | |
| 38-DN-72 | 18'6"x20'6" | " | 378.00 | 416.00 | | \$20.00 |
| 38-DN-73 | 20'6"x20'6" | " | 391.00 | 430.00 | \$110.00 | |
| 38-DN-74 | 20'6"x24'6" | " | 435.00 | 479.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN

AMERICA'S BUILDING MATERIAL HEADQUARTERS



MODEL "D"-Hip Roof

MODEL "D" SINGLE "PRESTO-UP" GARAGE

Here is another example of a beautiful "PRESTO-UP" Garage. This is a Model "D," identical in construction with all other "PRESTO-UP" Garages, in all details. It has a hip roof, divided top light doors, and Colonial service doors and windows.

It is indeed difficult to imagine that this is a sectional building, and that anyone can make just as good a job of it—the reason is simple—it is the result of the carefully thought-out Patented "PRESTO-UP" Construction—No joints show—wind, weather and fool proof, made of best materials, not only to look well, but to last long. Indeed there are few expensive hand-built garages that will give as satisfactory results as "PRESTO-UP" garages. Yours will look equally as well if you use care in the erection and follow simple instructions.

Model "D" Single Garages are furnished with the same number of windows and doors as Model "B" Garage. "PRESTO-UP" Garages are manufactured strictly according to specifications on preceding pages of this Catalogue, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO" Door Holders for auto doors.

| No. | SIZE Width Length | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|---------------------------|--|---------------|---------------------------|-----------------------|-------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-23 | 10'6"x16'6" | Two Colonial Wds.—One Glazed Service Door—Glazed Auto Doors. | \$223.00 | \$245.00 | | |
| 38-DN-24 | 10'6"x18'6" | " | 232.00 | 255.00 | | |
| 38-DN-25 | 12'6"x16'6" | " | 243.00 | 267.00 | | |
| 38-DN-26 | 12'6"x18'6" | " | 258.00 | 284.00 | | |
| 38-DN-27 | 12'6"x20'6" | Three Colonial Windows (Doors Same) | 282.00 | 310.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN


MODEL "D" DOUBLE "PRESTO-UP" GARAGE

Your Model "D" Garage will be equally as handsome as this one, erected on the back lot of a \$50,000.00 residence, here in Chicago. Furnished in five different sizes, each accommodating two cars, from the smallest to the largest.

"PRESTO-UP" Garages are fit to grace any surroundings, and this Model "D" can be made still more attractive by the addition of hoods over the service doors and windows and flower boxes, such as are shown on some of the other Models, and illustrated and described in detail in the back pages of this Catalogue.

Model "D" Double Garages are furnished with three Colonial windows, one service door, two pairs of automobile doors, all as illustrated and per specifications for Model "B" Garage and in the preceding pages of this Catalogue. If partitions and additional service doors are wanted, we will gladly quote low price on same.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO" Door Holders for auto doors.



MODEL "D"-Hip Roof

| No. | SIZE Width Length | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|---------------------------|--|---------------|---------------------------|-----------------------|-------------------------|
| | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-32 | 16'6"x18'6" | Three Colonial Wds.—One Glazed Service Door—Glazed Auto Doors. | \$352.00 | \$387.00 | | |
| 38-DN-33 | 18'6"x18'6" | " | 369.00 | 406.00 | | |
| 38-DN-34 | 18'6"x20'6" | " | 397.00 | 437.00 | | |
| 38-DN-35 | 20'6"x20'6" | Four Colonial Wds.—One Glazed Service Door—Glazed Auto Doors. | 417.00 | 459.00 | | |
| 38-DN-36 | 20'6"x24'6" | | 461.00 | 507.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN

FREE MOTOR TRUCK DELIVERY—SEE PAGE THREE

MODEL "E" SINGLE AND DOUBLE, LINED GARAGES

Model "E" Garages are "PRESTO-UP" Garages in every detail, and in addition thereto, are **lined on the inside**, that is, the inside of the outside wall is lined with a Select grade Oregon Fir Ceiling. The building is shipped to you with the siding on "inside out," so to speak; by that is meant, that the inside lining is on the sections, and the garage is bolted together in the usual manner, then the Beveled Siding, which is furnished in random lengths, is to be nailed on the outside by the purchaser, thus giving him a sectional building that is easy to erect, but which ceases to be sectional in every sense of the word after the weather-boarding has been nailed on.

The constant demand for Colonial type Garages to match Colonial Houses has caused us to develop this Model "E" Garage. Siding furnished is clear 8" Redwood bevel siding.


Price includes full equipment of shutters on all windows, as well as hood for door, and flower boxes for two windows. Trellis are furnished as illustrated.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO" Door Holders for auto doors.

MODEL "E" — ONE CAR

| No. | SIZE Wdth. Dpth. | No. of Doors-Windows | Cash Price | EASY PAYMENT PLAN | | | No. | SIZE Wdth. Dpth. | No. of Doors-Windows | Cash Price | EASY PAYMENT PLAN | | |
|----------|---------------------|---|---------------|--------------------------|-------------------------|---------------------------|----------|---------------------|--|---------------|--------------------------|-------------------------|---------------------------|
| | | | | Total Paym't Price | Paym't With Order | Each Mthly. Paym't. | | | | | Total Paym't Price | Paym't With Order | Each Mthly. Paym't. |
| 38-DN-83 | 10'6" x 16'6" | Two Colonial Windows, one glazed service door, glazed Auto Door.... | \$281.00 | \$309.00 | \$75 | \$20 | 38-DN-91 | 16'6" x 18'6" | Three Colonial Windows, one glazed service door, glazed Auto Door, glazed Auto Doors.... | \$416.00 | \$458.00 | \$120 | \$25 |
| 38-DN-85 | 12'6" x 16'6" | " | 307.00 | 338.00 | | | 38-DN-92 | 18'6" x 18'6" | | \$439.00 | 483.00 | | |
| 38-DN-86 | 12'6" x 18'6" | " | 324.00 | 356.00 | | | 38-DN-94 | 20'6" x 20'6" | Four Colonial Windows(Doors Same)..... | 497.00 | 547.00 | \$160 | \$30 |
| 38-DN-87 | 12'6" x 20'6" | Three Colonial Windows(Doors Same)..... | 357.00 | 393.00 | | | 38-DN-95 | 20'6" x 24'6" | | 547.00 | 602.00 | | |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN



MODEL "E" — Gable Roof



MODEL "E" — Hip Roof
MODEL "E" — TWO CAR

MODEL "G" DOUBLE AND COMMUNITY GARAGES COLONIAL TYPE

Colonial Garages to match Colonial homes are more in demand due to the increasing popularity of Colonial homes.

This Model "G", Colonial style, "PRESTO-UP" Garage is identical in construction with the Model "B" Garage illustrated on the preceding pages except that the roof is turned the other way. A special reinforced top plate over the front doors is furnished adding considerable to the strength, also to the appearance of the Garage.

Model "G" Garages are furnished in Double sizes as listed below, also in three and four car sizes. One flower box is furnished. Hoods for all windows and service door are included.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as Yale lock for service door, foot bolts, chain bolts, and the "PRESTO-UP" Door Holders for auto doors.

| No. | Capac. | SIZE Wdth. Dpth. | No. of Doors and Windows | Cash Price | EASY PAYMENT PLAN | | |
|-----------|--------|---------------------|---|---------------|---------------------------|--------------------------|----------------------------|
| | | | | | Total Payment Price | Payment With Order | Each Monthly Payment |
| 38-DN-130 | 2 car | 18'6" x 16'6" | Three Colonial Wds.—Glazed Service Door—Glazed Auto Doors | \$340.00 | \$374.00 | | |
| 38-DN-131 | 2 car | 18'6" x 18'6" | " | 359.00 | 395.00 | \$130.00 | \$20.00 |
| 38-DN-132 | 2 car | 20'6" x 18'6" | " | 378.00 | 416.00 | | |
| 38-DN-133 | 2 car | 20'6" x 20'6" | Four Colonial Windows. (Doors Same)..... | 397.00 | 437.00 | 150.00 | 25.00 |
| 38-DN-134 | 3 car | 24'6" x 20'6" | Five Colonial Windows. (Doors Same)..... | 464.00 | 511.00 | 175.00 | 30.00 |
| 38-DN-135 | 4 car | 32'6" x 20'6" | Seven Colonial Windows. (Doors Same)..... | 584.00 | 642.00 | 215.00 | 40.00 |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN

COMMUNITY GARAGES



COMMUNITY MODEL No. 125—SIX-CAR GARAGE


JUST THE THING FOR FACTORIES, APARTMENTS, ETC.

Industrial plants above all should buy our Patented "PRESTO-UP" Bolt-together Garages, because in the event of future plant expansion necessitating re-arranging building or ground spaces, the location occupied by a garage might be highly desirable. If the Garage is a "PRESTO-UP" Garage, it will be an easy matter, to take it down and re-erect it if only reasonable care is taken, without any damage whatever, therefore, continue to give full value at its new location.

This cannot be said of any regular hand built building which under the same conditions would frequently mean a loss of 50 to 75% of the value of the building itself, or other inconveniences by being compelled to build around them, so to speak.



No. 120—THREE-CAR GARAGE




FLOOR PLAN OF "PRESTO-UP" THREE-CAR GARAGE No. 120

The building shown above is a six-car garage, providing a space of 8' wide and 20' deep for each car, sufficiently long enough for any touring car. The front door openings are 7' 6" wide by 7' 8" high. Partition material is not included. Windows furnished are the regular two sash Colonial top windows. Building is manufactured of regular "PRESTO-UP" Garage units as described on preceding pages. Three handy men should have no difficulty in erecting this building, in a day and a half or two days.

These Buildings are made up in six different sizes as listed below, suitable for large or small industrial plants, or can be erected and pay a handsome return on the investment. A popular three-car Garage is the No. 120, illustrated below, which provides a space 8' x 18', taking in any average seven-passenger car. Dormers are included only on the last three sizes listed below.

If plain front doors are wanted on any of the Models shown on this page instead of the glass doors illustrated, same can be furnished at a reduction in price. Prices gladly quoted upon application.

All "PRESTO-UP" Garages are manufactured strictly according to specifications given on preceding pages, and include full door equipment such as foot bolts, chain bolts, and the "PRESTO" Door Holders for auto doors, Yale lock for service door.



FLOOR PLAN OF "PRESTO-UP" SIX-CAR GARAGE No. 125


COMMUNITY GARAGES OFFERED IN THE FOLLOWING SIZES

| No. | Capacity | SIZE Width Depth | No. of Doors and Windows | EASY PAYMENT PLAN | | |
|-----------|----------|---------------------|--|-------------------|---------------------------|--------------------------|
| | | | | Cash Price | Total Payment Price | Payment With Order |
| 38-DN-120 | 3 car | 24' 6" x 18' 6" | Five Colonial Wds., one glazed service door, glazed Auto Doors | \$457.50 | \$503.25 | \$200.00 |
| 38-DN-121 | 3 car | 24' 6" x 20' 6" | " | 478.50 | 526.35 | Balance in 12 |
| 38-DN-122 | 4 car | 32' 6" x 18' 6" | Seven Colonial Wds. (Doors Same) | 559.50 | 615.45 | Equal Monthly |
| 38-DN-123 | 4 car | 36' 6" x 20' 6" | " | 655.00 | 720.50 | Payments |
| 38-DN-124 | 5 car | 40' 6" x 20' 6" | Eight Colonial Wds. (Doors Same) | 742.50 | 816.75 | 290.00 |
| 38-DN-125 | 6 car | 48' 6" x 20' 6" | Nine Colonial Wds. (Doors Same) | 854.00 | 939.40 | 350.00 |

THERE IS NO INTEREST OR OTHER CHARGES TO PAY ON TIME PAYMENT PLAN

“PRESTO-UP” ACCESSORIES

BLINDS AND
FLOWER BOXES



BLINDS—These blinds are made up of Clear White Pine. Painted one coat of white, including Gravity Blind Hinges and Catch.

38-DN-142. For Colonial Windows, price per pair \$4.95

38-DN-143. For French Windows, price per pair \$5.45

FLOWER BOX—Size 3' 6" wide complete with brackets and painted one good coat of white paint. Price.

38-DN-144 \$1.50

WINTER SHUTTERS




You can leave your cottage at the end of the season without worrying about anybody breaking windows, or getting in. These winter shutters are made up of No. 1 Yellow Pine Beaded Shiplap boards, strongly reinforced. They fit right into the opening and can be nailed in place or fastened with hooks from the inside. Painted Gray on the outside. No hardware included.

For Colonial Windows \$2.10

For French Windows 2.35

For Half-Size Windows 1.40

For Doors 3.75




DORMERS

A long expanse of roof can be broken up and the appearance of a cottage can be improved by a dormer as illustrated here. This dormer is not only beautifying but useful as well. It can be used as a ventilator—the window is made to slide up and can be operated by a cord drawn through to the room below. The roof of the building can be cut out to permit the air to circulate through the attic. Furnished complete in sections ready to assemble, painted stock color—gray and white trim. Sufficient slate surfaced roofing also included.

DORMER 38-DN-148 \$41.00

WINDOW SCREENS



This window or door canopy, sometimes called “hood,” is made up ready to set in place complete with brackets. 3' 10" wide, painted white. It makes an ideal protection against rain and snow.

38-DN-145 75¢


WIRE GUARDS
FOR GARAGE WINDOWS



FOR SMALL SASH

The wire window guards are made up of 9 gauge wire with $\frac{1}{8}$ " rod for the frame work, to be fitted in window frames making windows burglar proof. For Models “A” and “C” Garages.

38-DN-146 \$2.25




FOR COLONIAL WINDOWS

For Models “B,” “D,” “E” and “G” or Com-

Community windows or for houses

38-DN-147 \$4.55




SCREENS FOR COLONIAL WINDOWS
Made of galvanized wire, painted white, for Colonial Windows, size 2' 4 $\frac{1}{8}$ " x 3' 11", each. \$2.75

FRENCH WINDOWS—SCREENS
Galvanized wire, vertical center rail, painted white. For French Windows. Size 2' 8 $\frac{1}{8}$ " x 3' 11". Each. \$3.10

HALF-SIZE SCREENS AND HALF CASEMENT SCREENS
Galvanized wire, made to fit lower half of windows and for bath rooms, closets, etc., of “PRESTO-UP” Cottages, size 2' 4 $\frac{1}{8}$ " x 2' 4". Each. \$2.20

SCREEN DOORS
See Millwork section, giving illustrations and prices of various types of screen doors.

PRESTO-UP BATH HOUSE
and OUTHOUSE



Where plumbing accommodations are not yet available “PRESTO-UP” Outhouses will solve the problem. These handy buildings are made up of regular “PRESTO-UP” units and can be assembled in an hour. Price includes floor and large and small seat. For Bath Houses we furnish one plain seat 12" deep and 4" wide instead of the large and small seat. Painted regular color gray and white trim. “PRESTO-UP” Outhouse or Bath House.

38-DN-149 \$47.00

Presto-Up Buildings for Every Purpose



"PRESTO-UP" Churches and Community Halls have helped many a congregation to get started until sufficient funds were available for a larger edifice.



"PRESTO-UP" Buildings for Real Estate or Sub-division Offices are very desirable. When all property has been sold—PRESTO!—move it to the next location with practically no loss.



Modern Industrial corporations have discovered that better homes for their employees means better efficiency. A portion of a row of 5-room "PRESTO-UP" cozy bungalows erected by a well known coal company in Ohio.



A more elaborate type of "PRESTO-UP" Cottage is illustrated here. Erected in Pennsylvania by one of the officials of a large steel company.



The owner of this "PRESTO-UP" Bungalow contemplated using this cottage for the summer months only, but he found it to be so comfortable that he now occupies it permanently.



"PRESTO-UP" Buildings purchased by the City of Chicago and other municipalities as skating, shelter houses in parks, playgrounds, beaches, etc.

This illustrates only one of the many beautiful Lakeside Cottages shown in this booklet. Practical cottages—easily erected by any handy man. Our modern machine and template method of fabricating the units of these cottages, permits no waste of time or material—hence the lower prices to you.



This "PRESTO-UP" Store was erected in one day. An "overnight" boom to a new town caused a merchant to call on us. We did the rest.

ORDER BLANK

HARRIS BROTHERS CO.

Date.....

GENTLEMEN: Please enter my order for the following:

1—MODEL "PRESTO-UP" GARAGE.

No. 38-L..... Size..... on page..... Price \$.....

Color of Roofing (Red or Green).....

Changes or Extras.....

.....
.....
.....
.....
.....

Erection Charges \$.....

Total Price \$.....

I am enclosing \$..... cash in full.

I am enclosing \$..... as deposit. Balance will be paid C. O. D.

{ I am ordering on the Time Payment Plan
and enclose \$..... which is down payment requested.
Balance will be paid at rate of \$..... per month.

I INTEND TO ERECT THE GARAGE MYSELF

PLEASE SEND YOUR MEN TO ERECT - - - -

Concrete Foundation is now in - - - - -

Concrete Foundation is not in - - - - -

Note: All erection charges are to be paid cash with order or you may pay when the work is finished. We guarantee all work.

Name..... Deliver to.....

Signature of Purchaser

Street Address..... Street Address.....

Phone No..... Town and State.....

Give Office and Home Phone Number

Town and State..... Nearest Street.....

World's Famous
HARRIS "CELLU-SEAL"
Insulator-All Weather Lined
PERMANENT GARAGES



Patented
Trademarked

It's Your Garage Because~

10,000 Stand Erected Today


IT'S the best, lowest priced and most conveniently erected PERMANENT garage that money can buy. Stronger and better looking than garages built in the old way. The easiest garage to buy because it's COMPLETE with all "Roll-Away" or "Quick-Lock" regular doors, windows and hardware in place, painted—ready to be erected and occupied in one day! No EXTRAS! Extremely low monthly payments, less than garage rent, pay for it in one year. At the end of this time you own the best garage made instead of a handful of rent receipts—a 100% investment.

It's the only patented and trade marked building of its kind in America—the choice of the men who know. It offers all you could wish for in a garage. Our low big volume prices are far below the amount you would pay for an ordinary garage! Choice of "Roll-Away" or "Quick-Lock" Doors.

Full Details will be found in the pages of this Book!

America's foremost House Specialists
have planned Your

Harris Home Beautiful



FREE !!

Blue Prints
Specifications
Descriptive Material List
and Labor Survey

Know the Finished Cost
— before YOU Build!

THIS exclusive, thorough and painstaking service is yours
on the above home or any one of more than a hundred
other Harris Homes. Write for details and full particulars
which will be sent to you without cost or obligation.

